



Hawk
Floor Care


**Absolutely
Unsurpassed
Power,
Performance,
and
Productivity**

The Brute is the strongest 115V floor machine on the market. Whatever the job – the Brute will handle it! Whenever you need a floor machine to handle the toughest job, look to Hawk for the best. This line of severe duty floor machines is absolutely unbeatable, and is especially suited for marble, concrete, floor scraping, sanding, and any other extreme situations.

Hawk Telescoping BRUTE Floor Machine With 180-Frame TEFC Motor



ASSEMBLED IN USA



Units with a TEFC motor are ideal for the harshest conditions – dust, moisture, chemicals – and great for sanding or screening applications, stone care, and concrete work.

Note: These units are NOT equipped with an explosion-proof motor.

Features

- Telescoping handle
- Totally enclosed fan-cooled, (TEFC) motor keeps out dirt and dust for longer motor life.
- Virtually indestructible gearbox
- Low current draw
- Private label and/or select colors available at no extra cost with customer-supplied labels.

Technical Specifications

Model #	HP1513-180BRUTE-TH	HP1515-180BRUTE-TH	HP1517-180BRUTE-TH	HP1520-180BRUTE-TH
Part #	F0013-180CP-TH	F0006-180CP-TH	F0009-180CP-TH	F00012-180CP-TH
Pad Size	13 inch	15 inch	17 inch	20 inch
Power Source*	115V 60Hz	115V 60Hz	115V 60Hz	115V 60Hz
Motor/HP	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor
Amp Draw	7.2	7.5	7.9	8.4
Gear Box	3-Idler 11:1	3-Idler 11:1	3-Idler 11:1	3-Idler 11:1
Brush RPM	165	165	165	165
Cord**/**	50' 12-3 SJTOW	50' 12-3 SJTOW	50' 12-3 SJTOW	50' 12-3 SJTOW
Weight	113 lbs	117 lbs	123 lbs	125 lbs
Shipping Weight	120 lbs	124 lbs	130 lbs	132 lbs

Brute Features A Chrome Plated Motor

*230V Available

** 75' Cord Available (12-3)

***100' Cord Available (12-3)

Model #	HP1513-TEXHD-TH	HP1515-TEXHD-TH	HP1517-TEXHD-TH	HP1520-TEXHD-TH
Part #	F0013-180 TEXHD-TH	F0006-180 TEXHD-TH	F0009-180 TEXHD-TH	F00012-180 TEXHD-TH
Pad Size	13 inch	15 inch	17 inch	20 inch
Power Source*	115V 60Hz	115V 60Hz	115V 60Hz	115V 60Hz
Motor/HP	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor	180 Frame, 1-1/2 HP TEFC AC Dual Capacitor Motor
Amp Draw	7.2	7.5	7.9	8.4
Gear Box	3-Idler 11:1	3-Idler 11:1	3-Idler 11:1	3-Idler 11:1
Brush RPM	165	165	165	165
Cord**	50' 12-3 SJTOW	50' 12-3 SJTOW	50' 12-3 SJTOW	50' 12-3 SJTOW
Weight	113 lbs	117 lbs	123 lbs	125 lbs
Shipping Weight	120 lbs	124 lbs	130 lbs	132 lbs

TEXHD Features A Painted Motor



Hawk
Enterprises, Inc

dB Rating: 60 Meets GS42 Requirements

Specifications subject to change without notice.



A0032-1P -- Optional 25#
Horseshoe Weights (each)
A0032-3P -- Optional 36#
Horseshoe Weights (each)



A0032-2P
20# Frame
Weight



HP0008-3INBRUTE
Motor Mounted Weight
Post Kit



**Weighted Diamond
Pad Driver:**

13"	A0017WTDPD (25#)
15"	N/A
17"	A0010WTDPD (46#)
20"	A0011WTDPD (64#)



**Hawk Scrapers
(Surface Prep):**

13"	HP0035
15"	N/A
17"	HP0033
20"	HP0034



**Orbitec Diamond
Driver:**

13"	HP0018
15"	N/A
17"	HP0017
20"	HP0020



2-Gallon Tank
(Available in 3
Different Colors)



Poly Brush:

13"	A0020
15"	A0036
17"	A0002
20"	A0003



Nylon Brush:

13"	A0016
15"	A0037
17"	A0006
20"	A0007



Sand Paper Driver:

13"	N/A
15"	N/A
17"	A0014-HD
20"	A00014-1HD



Pad Driver:

13"	A0017
15"	A0034
17"	A0010
20"	A0011

Optional
splash guard
available in all
sizes.



Pads: (5 Per Case)

Size	Porko	Red	Black
13"	A0025-13P	A0026-13R	A0027-13BK
15"	A0025-15P	A0026-15R	A0027-15BK
17"	A0025-17P	A0026-17R	A0027-17BK
19"	A0025-19P	A0026-19R	A0027-19R
20"	A0025-20P	A0026-20R	A0027-20BK



Dust Pick-Up System For a BRUTE Machine

Hawk Enterprises, Inc.

Elkhart, IN 46514

www.hawkenterprises.com

E-Mail: customerservice@hawkenterprises.com

Toll Free Phone (888) 289-4295 Local Phone (574) 294-1910

Toll Free Fax (866) 429-5329 Local Fax (574) 970-0289

Distributed By:



**Hawk
Enterprises, Inc.**