

2014 - 2015 Safety Products Catalog



2014-15 Safety Products

CATALOG



Your leading source of personal protective equipment (PPE) and safety supplies for the industrial, construction, welding and rental industries.

Being your complete source means more than just offering you a full line of safety equipment — it also means we will provide you with the knowledge and tools to select the right product, for the right application, at the right price.

New Products 2-19

PPE Safety Products 20-207

Eye Protection 22-47
 Head & Face Protection 48-65
 Hearing Protection 66-79
 Respiratory Protection 80-97
 Hand Protection 98-139
 Welding & FR Safety 140-151
 Footwear 152-157
 Ergonomics 158-161
 Fall Protection 162-181
 Water Safety 182-187
 Protective Clothing 188-201
 Hi-Viz Apparel 202-207

Plant & Work Zone Safety Products 208-255

Instrumentation 210-213
 Safety Barriers 214-217
 Confined Space 218-221
 Identification 222-225
 Heat Stress 226-229
 First Aid 230-231
 Showers & Eyewash 232-237
 Lighting 238-243
 Lockout/Tagout 244-245
 Wipes & Cleaners 246-249
 Sorbents 250-251
 Hazardous Storage 252-255
 Resources & Index 256-272

As you find the safety products you need within our catalog, keep a lookout for helpful information to guide you along the way.



For Your Information icons provide you with generalized (non-regulatory) information about associated products.



Page Flips will direct you to another page, and can help you find related products throughout our catalog.



Shipping icons indicate products that require shipping directly from the manufacturer.



Stock icons indicate a specific SKU's availability.

◆ Non-stock item. Minimum quantity may apply.



Mack® Soa

Hi-viz, hi-top safety boots with non-metallic composite safety cap toe, gel comfort footbed and nitrile rubber outsole that is heat-resistant to 572° F. Designed with fluorescent upper and neon heel that glows in the dark after exposure to light. Slip-resistant. Meets ASTM F2413-11 standards.

Page **155**



Mack® Blast

Nubuck full-grain leather 7" boots feature steel toe cap and anti-static TPU sole. Lace/zip, padded collar, ankle and tongue plus a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling skin to remain cool and dry. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. PU midsole and bump cap and a thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and is heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Honey.

Page **154**



MKBLAST-HHF



MKTRADES-BBF



Mack® Stormer

Lightweight, 15" EVA safety gumboots with metatarsal protection. Features reinforced ankle, heel and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical- and oil-resistant. Complies to ASTM F2413-11 standards. Black.

Page **153**



MKSTORMER-BBF



MKNEPTUNE-B3F



Mack® Neptune

Leather lace-up safety shoes with padded collar and tongue. The lining is a non-abrasive hydrophobic, man-made knitted mesh that wicks away moisture enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort heel and arch support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Airport friendly. Non-metallic composite toe cap complies with ASTM F2413-11 standards. Black.

Page **157**



Mack® Tradesman

Heavy-duty, 6" lace-up hiking style safety boots with padded ankle, collar and tongue. Buffalo leather upper with a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling the skin to remain cool and dry. Polyurethane (PU) midsole and bump cap thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fat, and heat-resistant to 302° F. Water- and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

Page **154**



ANSI Class 2 Safety Vest

100% Polyester fluorescent yellow mesh material with 2" reflective tape on shoulders and chest. Secures with front hook-and-loop closure. ANSI 107-2010 Class 2 High Visibility Apparel compliant.

Page 206



NSX Turbo™ Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and scratch-resistant coating. Provides 99.9% UV protection. No slip temples. Meets ANSI Z87.1+ High Impact standard. Clear lenses certified to the requirements of the CSA Z94.3 standard.

Page 28



Goggles

Foam padding forms a snug fit to keep out dust and airborne particles. Buoyant design. Lenses provide 99.9% UV protection. Anti-fog, anti-scratch coating on lenses. Includes goggle strap and eyeglass temples for easy interchangeability.

Page 45



RAVEN™ Nitrile Gloves

Made from 6-mil nitrile with textured grip and beaded cuff. Offers superior puncture and abrasion resistance. Ambidextrous. Latex- and powder-free. Black. 100/Box.

Page **124**



Portable Low-Profile Eyewash Station

One of the top OSHA citations is lacking an emergency eyewash station. As required by law, protect employees and guard against personal injury claims. Operates with one motion, one hand. Gravity fed 15-minute flow time. No plumbing required. Flow rate: 0.4 gpm for 15 minutes. Includes mounting bracket, inspection tag and preservative. Change water every 90 days. Measures 11 1/2" x 19 1/2" x 25". Meets ANSI Z358.1.

Page **234**

Skipper™ Skipper™ Retractable Barrier System

Cordon off any area and create safer environments with hi-viz retractable 30' tape. Simply clicks onto any traffic cone or Skipper post and base system.

Page 214



Skipper™ Skipper™ Road Cone

Two-piece cone features an incorporated helix, which deflects wind away and adds to its stability. Innovative glass bead sleeve has greater reflectivity than prismatic alternatives and is robust and durable. 29 1/2" H.

Page 215





oneSAFE™ Gloves and Dispensers

The oneSAFE unique, single-glove dispensing system helps control costs by reducing the amount of gloves dropped, discarded and cross-contaminated. Available in Single or Triple Dispenser. Use with the oneSAFE Powder-Free Vinyl Gloves available in S-XL.

Page **118**



FoodHandler JobSelect® Comfort™ Nitrile Gloves

Features THINSENSE™ Technology for enhanced durability and barrier integrity. High elasticity and elongation for a comfortable fit. Offers greater dexterity for reduced hand fatigue and exceptional touch sensitivity. Powder-free. Purple. 250/Bx. 4 Bx/Cs.

Page **118**



FoodHandler JobSelect® Cast Poly Hybrid Gloves

Ideal barrier for food preparation and handling. Ambidextrous gloves feature embossed texture for best grip and strong seams. Clear. 200/Bx. 4 Bx/Cs.

Page **118**

New Products

3M 3M™ 6500 Series Rugged Comfort Half Facepiece Reusable Respirators

Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Features a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow™ Valve and adjustable head harness assembly with polyester/spandex straps that stretch and conform. Compatible with all 3M™ bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors, and particulate hazards according to NIOSH approvals. The 6500QL Series features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and/off while moving in and out of contaminated areas. NIOSH/MSHA Approved.



Page 89

3M 3M™ Welding Helmet 10 with Auto-Darkening Filter 10V

Works well for Stick and MIG welding processes. Features headband filter and user-selectable dark shades 10 through 12, with light state of Shade 3. Has two user-selectable sensitivity levels.

Page 143





**ORHD CR5 Series
Cut-Resistant Gloves**

Dual-density thermoplastic rubber (TPR) disperses forceful impact to knuckles and metacarpals and provides pinch-point protection to tip of each finger. Internal 2 mm EVA foam insert absorbs impact to top of hand. PVC bonded dots disperse liquids, enhance grip and reduce abrasion to entire palm. Entire palm is layered with Armortex® for added cut resistance. Features slip-on cuff and stretch neoprene wrist panels. Machine washable.

Page **105**




ORHD-CR5



**FirmFit™
Disposable
Earplugs**

Comfortable, classic style, firm foam earplug provides excellent protection in most medium-to-high noise environments. Easy to insert- requires less pressure to roll down. Slow recovery rate allows plenty of time to correctly insert in ear canal and exerts less expansion pressure on the ear canal. Distinct warning orange color makes compliance checks easy. NRR 30 dB.

Page **75**



FF-1

FF-30



UVEX
by Honeywell

Uvex Turboshield™ Ratchet Headgear

Perfect for workers exposed to falling or flying objects, impact, splash and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs. Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Features breathable, removable, washable headband. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection from overhead debris. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Black.

Page 57

UVEX
by Honeywell

Uvex Livewire™ Sealed Eyewear

Protects workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Streamlined, wraparound frame design and low-profile temples accommodate other PPE. Features foam-lined subframe for comfort and a gap-free seal; padded, ratcheting temples for comfortable fit and adjustable lens angle; and Uvextreme Plus® anti-fog lens coating for long lasting, fog-free vision. Can be worn with temples like a spectacle or with adjustable, FR cloth headband like a goggle. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. 10/Box.



Page 26



SF202AS




SF203AS



3M™ SecureFit™ Protective Eyewear

3M™ Pressure Diffusion Temple Technology means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Lightweight, weighs less than 1 oz. Continually self-adjusting for a secure, comfortable fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

Page 34




4800

SOFT FOAM FULL FLANGE

MOLDEX 4800 Series AirWave® Respirator

Exclusive easy-breathing wave design provides relief from nuisance levels of Organic Vapors. Features soft foam full flange for ultimate comfortable fit and adjustable, metal-free SmartStrap® allows respirator to hang around the neck for convenient storage during breaks. Collapse-resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings. 8/Box. Made in USA.

Page 85



Black Bottom Shirts and Bombers

Occunomix hi-viz, black bottom apparel is designed to hide dirt and add a sporty look.

Shirts

Made of 3.8 oz., 100% ANSI wicking birdseye fabric. Features 2" silver reflective tape, left chest pocket and black bottom front to hide dirt. ANSI 107-2010 Class 2 compliant.

Page 205

Bomber Jacket

ANSI Class 3 bomber jacket features 2" silver reflective tape, snap-on, roll-up hood, flip-up collar, zipper/snap front, radio pocket, (2) outside hand pockets and (1) inside pocket. Collar and elasticized cuffs and waistband are dark to hide dirt. On warmer days, zip out inner fleece lining and wear bomber jacket as windbreaker jacket, still Class 3. Remove sleeves to wear as Class 2 vest alone, or with inner fleece jacket underneath. Non-compliant, black fleece jacket can be worn alone when working away from traffic.

Page 207

LUX-TBJJ-BY



LUX-SSETPBK





Jackson Safety* V60 Safeview* Safety Eyewear with Rx Inserts

Lightweight safety glass with adjustable temples for a custom fit. Universal fit. Close fit Rx insert behind the polycarbonate eye shield that doesn't impede peripheral vision with a chunky frame. Base curve 8.25 lens. Universal fit. Meets ANSI Z87.1+ High Impact standard. 12/Box.

Page **38**




V-Gard® GREEN Protective Helmets

Produced from green high-density polyethylene (GHDPE), a biopolymer made from sugarcane-based ethanol. Can be recycled. Offers the added benefits of cutting carbon emissions and reducing atmospheric CO2. Available in standard size with Fas-Trac® ratchet suspension, in five popular colors (white, yellow, blue, green and red). Third-party SEI certified as Type I, Class E under ANSI/ISEA Z89.1-2009 and CSA Z94.1-2005.

Page **49**



New Products



Lumbar Supports

Premium Support OK-1000

Elastic body is made of power knit nylon with an adjustable lumbar support pad. Double hook-and-loop closure system provides easy adjustment. Suspenders are 1 1/2" wide and are detachable if not needed. Back support is 9" wide. Black.

Classic Support OK-UNIV

Delivers firm and comfortable lower back and abdominal support. Body is constructed with a cool mesh and has a double hook-and-loop closure system. Suspenders are 1 1/2" wide and detachable. Rubber grippers help keep belt in place.

Pages **158-159**



OK-1000S



OK-UNIV

DURACELL

CopperTop Alkaline Batteries

Long-lasting, reliable power for frequently used devices. Engineered to deliver the power needed for all household devices. Available in AAA, AA, C, D, and 9 V sizes.

- Guaranteed fresh for 10 years (5 years for 9 V)
- Operating temperature range -4° F to 130° F
- Perfect for toys, remote controls, flashlights, wireless and portable electronics



COPPERTOP ALKALINE

Page **241**



6880



6881



6882



6900



PlugStation® Corded Earplug Dispensers

Moldex now offers the most complete line of earplug dispensers, featuring the new Corded PlugStation. Dispenser provides convenient access to earplugs and features a clicking mechanism for easy use and dispensing. Sealed, disposable and completely recyclable.

Available corded products:

- SparkPlugs®
- SparkPlugs Metal Detectable
- Pura-Fit®

Available uncorded products:

- SparkPlugs
- Pura-Fit
- Goin' Green®
- Mellows®
- Meteors®

Mounting bracket and necessary hardware included. Earplugs tested to ANSI S3.19-1974.

*The random color patterns are registered trademarks of Moldex-Metric, Inc.



Pink Lemonade Electrolyte Chews

Electrolyte-fortified chews help replace electrolytes lost due to work and perspiration. Easy, on-the-go consumption, ideal for busy or active lifestyles, naturally flavored with no salty aftertaste. The black cherry flavor contains 50 mg of caffeine per package of 7 Bursts. 7 Each/bag; 12 bags/box; 8 boxes/case.

Page **228**



Squeeze Zero Freezer Pops

Reduce core body temperature and protect from heat stress and fatigue. Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals needed for proper rehydration. Sugar-free Fruit Punch and Tangerine Orange flavors. 3 oz. each.



Page **229**

PELICAN 1920 LED Flashlight

Ultra-compact aluminum flashlight with powerful bright LED lights create a clean white beam. Designed for easy use with one hand and has a dual-switch mode for constant-on and momentary-on. Body construction is type II anodized aluminum. Black.

- Source: LED
- Output: 120 lumens high, 12 lumens low
- Run time: 2 3/4 hours high, 9 1/2 hours low
- Power: (2) AAA alkaline batteries (included)
- Length: 5.5"



1920

Page 238

PELICAN 3660 Rechargeable LED

Uses a long-life NiMH battery pack for extended burn time. Charger base included that can be installed at home or work site using the 110 V transformer. Unit can also be charged in a vehicle through direct wiring or using a 12 V plug-in adapter. FM Class I, Div. 2, Group. A, B, C and D; Class II, Div. 2, Group. F, G. Yellow.

- Source: LED
- Output: 112 lumens
- Run time: 4 1/2 hours
- Power: (4) AA NiMH battery pack (included)
- Length: 7.51"



3660-YEL

Page 239

RAYMAX Virtually Indestructible 3 AAA Industrial Grade Flashlight

Rubber head and tail cap absorb shock; impact-resistant internal engineering designed for maximum durability/simplicity. Made of aluminum-titanium alloy. Features ergonomic design with thumb area built in and protected tactical tail cap switch. 30' Drop tested. Water-resistant; IPX4 rated. Lifetime warranty. Black.

- Source: high-performance LED
- Output: 120 lumens (high), 19 lumens (energy-saver mode)
- Beam distance: 160 m (high), 70 m (energy-saver mode)
- Run time: 5 hours (high), 40 hours (energy-saver mode)
- Power: (3) AAA alkaline batteries (included)



DIY3AAA-B

Page 242

New Products



S2960XP

UVEX by Honeywell Uvex Hypershock™ Safety Glasses

Delivers high-performance protection and aggressive sport-inspired styling. Full frame design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit. Lightweight, wrap-around frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision. 100% Dielectric. Meets ANSI Z87.1+ High Impact standard.

FOR MORE INFORMATION



Page 22

UVEX by Honeywell Uvex Instinct™ Safety Glasses

Provides high-performance protection with a sleek design and lightweight frame, featuring a variety of adjustability features for a comfortable, customized fit. Equipped with a dual, 7-base wraparound lens for uncompromised peripheral vision, with a fully integrated, cushioned browguard to comfortably diffuse and deflect impact energy. Ratcheting temples, flexible nosepiece and padded temple tips provide a comfortable, tension free fit. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. Meets Military V₀ Ballistic Test for Impact.



S2823

FOR MORE INFORMATION



Page 22



UVEX TIRADE™
SEALED EYEWEAR

UVEX by Honeywell Uvex Tirade™ Sealed Eyewear

Offers protection in high particulate environments where dust, dirt and debris present the risk of eye injury. Features a large unilens design for a wide field of unobstructed peripheral vision,

and a soft foam subframe to ensure a comfortable gap-free fit. Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes. Quick-release hinge system converts easily from temples to headband. Meets the ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard (with and without foam subframe in place). Not for chemical splash applications.

FOR MORE INFORMATION



Page 22



1494 Goatskin TrueFit™ Ultra TPR Gloves

Abrasion-resistant top-grain goatskin palm with thermoplastic rubber (TPR) pads on knuckle, full finger, thumb, and back of hand for added impact protection. Padded double palm extends to base of fingers for added protection. Double reinforced fingertips on both sides maximize protection and dexterity. Features reinforced thumb, nylon spandex back, hook-and-loop closure and longer elastic cuff for added protection. 6 Pk/Cs.

Page **136**



1494



Y9239

WELLS LAMONT
Industrial

FlexTech™ Hi-Viz Palm-Coated Gloves

Features a hi-viz green lightweight synthetic knit shell with gray nitrile palm coating for outstanding grip. Knit wrist construction prevents dirt and debris from entering glove. Also available in a lined style. 12 Pk/Cs.

Page **103**



1488 TrueFit™ TIG Welders Gloves

Top grain goatskin palm and back for superior feel and dexterity. Black Kevlar® stretch inserts flex to the contours of the hand for a snug fit. Sewn entirely with Kevlar for strength and heat resistance. Features short, contoured cuff and internal elastic for a secure fit. Super "V" thumb design enhances fit. Safe to TIG weld. No spandex. 72/Cs.

Page **149**



1488

New Products



PPE Safety Products

OSHA requires the use of personal protective equipment (PPE) to reduce employee exposure to hazards when engineering and administrative controls are not feasible or effective in reducing these exposures to acceptable levels. Employers are required to determine if PPE should be used to protect their workers.



PPE SAFETY PRODUCTS




Eye Protection 22



Head & Face Protection 48



Hearing Protection 66



Respiratory Protection 80



Hand Protection 98



Welding & FR Safety 140



Footwear 152



Ergonomics 158



Fall Protection 162



Water Safety 182



Protective Clothing 188



Hi-Vis Apparel 202



Eye Protection

Ensuring worker safety includes conducting a workplace hazard assessment and providing adequate training for all workers who require eye and face protection.

Visit www.osha.gov for complete details and regulation requirements.

UVEX™
by Honeywell



Uvex Hypershock™

Aggressive sport-inspired styling

- Features an aggressive sport-inspired style with a full frame design
- Soft, molded nosepiece and temple inserts provide a comfortable and secure fit even in hot, humid conditions
- Ideal for indoor and outdoor applications in construction, oil, gas & chemical, utilities, landscaping and manufacturing
- Available with Uvextreme Plus® anti-fog lens coating for long-lasting fog-free vision that lasts up to 10X longer and provides 2X better scratch-resistance than competitive anti-fog coated products
- Meets ANSI Z87.1-2010 standard



Uvex Instinct™

A variety of adjustability features for a customized fit

- High-performance protection with a sleek design and lightweight frame
- Features a variety of adjustability features for a comfortable, customized fit
- Dual 7-base wrap-around lens provides excellent side protection and uncompromised peripheral vision
- Offered in two high-performance lens coatings: Supra-Dura® anti-scratch and Uvextreme Plus® anti-fog
- Meets ANSI Z87.1-2010, Military V₀ ballistic test for impact and is certified to the requirements of the CSA Z94.3 standards



Uvex Tirade™ Sealed Eyewear

Comes complete with removable temples and adjustable headband

- Dependable, cost-effective solution for indoor and outdoor environments requiring sealed eyewear protection
- Protects against impact, wind, airborne debris, sunlight and glare
- Features Uvextra® anti-fog lens coating to reduce fogging, keeping lenses clear
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards (with and without foam subframe in place)



www.uvex.us

Honeywell

S3240



Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat, and Infra-dura® welding tint. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Clear, Espresso, Amber, Gold Mirror, SCT-Gray and SCT-Reflect 50 lens tints meet Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3200	341532271	Genesis	Black	Clear, Ultra-dura	Ea
S3200X	341532281	Genesis	Black	Clear, Uvextreme	Ea
S3201	341532291	Genesis	Black	Espresso, Ultra-dura	Ea
S3201X	341532301	Genesis	Black	Espresso, Uvextreme	Ea
S3202	341532311	Genesis	Black	Amber, Ultra-dura	Ea
S3203	341532331	Genesis	Black	Gold mirror, Ultra-dura	Ea
S3204	341532341	Genesis	Black	SCT-Reflect 50, Ultra-dura	Ea
S3207	341532371	Genesis	Black	Shade 3.0, Infra-dura, Ultra-dura	Ea
S3208	341532381	Genesis	Black	Shade 5.0, Infra-dura, Ultra-dura	Ea
S3209	341532391	Genesis	Black	SCT-Low IR, Ultra-dura	Ea
S3213X	341532431	Genesis	Black	50% Gray, Uvextreme	Ea
S3240	341532511	Genesis	Vapor blue	Clear, Ultra-dura	Ea
S3240X	341532521	Genesis	Vapor blue	Clear, Uvextreme	Ea
S3241	341532531	Genesis	Vapor blue	Espresso, Ultra-dura	Ea
S3243	341532561	Genesis	Vapor blue	Gold mirror, Ultra-dura	Ea
S3244	341532571	Genesis	Vapor blue	SCT-Reflect 50, Ultra-dura	Ea



Uvex Astrospec 3000® Safety Glasses

Sport-styled, protective eyewear offers single, panoramic, polycarbonate lens with molded sideshields and browguard. Features adjustable temples, patented adjustable lens inclination, and universal nosebridge. Choose from standard flat spatula or soft cushioned Duoflex® temple styles. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat and Infra-dura® welding tint. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Clear lens tint meets Military V₀ Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S135	341530621	Astrospec 3000, spatula temple	Black	Clear, Ultra-dura	Ea
S1111	341530461	Astrospec 3000, spatula temple	Black	Shade 3.0, Infra-dura, Ultra-dura	Ea
S1112	341530471	Astrospec 3000, spatula temple	Black	Shade 5.0, Infra-dura, Ultra-dura	Ea
S1359	341530641	Astrospec 3000, Duoflex temple	Black	Clear, Ultra-dura	Ea
S1359C	341530651	Astrospec 3000, Duoflex temple	Black	Clear, Uvextreme	Ea

◆ Non-stock item. Minimum quantity may apply.



Uvex Astrospec OTG® 3001 Safety Glasses

"Over-the-Glass" style provides an economical alternative to prescription eyewear. Features soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat and Infra-dura® welding tint. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Clear and Gray lens tints meet Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S2500	341531611	Astrospec OTG 3001	Black	Clear, Ultra-dura	Ea
S2500C	341531621	Astrospec OTG 3001	Black	Clear, Uvextreme	Ea
S2504	341531651	Astrospec OTG 3001	Black	Gray, Ultra-dura	Ea
S2508	341531701	Astrospec OTG 3001	Black	Shade 3.0, Infra-dura, Ultra-dura	Ea
S2509	341531711	Astrospec OTG 3001	Black	Shade 5.0, Infra-dura, Ultra-dura	Ea



Uvex Protégé® Safety Glasses

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design (only 25 grams), soft cushioned temple tip pads and soft nose pads. Available with Ultra-dura® hardcoat or Uvextreme® anti-fog lens coating. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Also meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S4200	341533181	Protégé	Metallic black	Clear, Ultra-dura	Ea
S4200X	341533191	Protégé	Metallic black	Clear, Uvextreme	Ea
S4201	341533221	Protégé	Metallic black	Gray, Ultra-dura	Ea
S4201X	341533231	Protégé	Metallic black	Gray, Uvextreme	Ea
S4202	341533261	Protégé	Metallic black	SCT-Reflect 50, Ultra-dura	Ea



Genesis XC® Safety Glasses

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. Lenses available with Ultra-dura® hardcoat, Uvextreme® anti-fog coating and Infra-dura® welding tint. Rx lens insert available. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Clear, Gray, Amber, Silver mirror and SCT-Reflect 50 lens tints meet Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3300	341532621	Genesis XC	Black	Clear, Ultra-dura	Ea
S3300X	341532631	Genesis XC	Black	Clear, Uvextreme	Ea
S3301	341532641	Genesis XC	Black	Gray, Ultra-dura	Ea
S3302	341532671	Genesis XC	Black	SCT-Reflect 50, Ultra-dura	Ea
S3306	341532711	Genesis XC	Black	Shade 3.0, Infra-dura	Ea
S3307	341532721	Genesis XC	Black	Shade 5.0, Infra-dura	Ea
S3308	341532731	Genesis XC	Black	Silver mirror, Ultra-dura	Ea
S3309	341532741	Genesis XC	Black	Amber, Ultra-dura	Ea
S3350	341532781	Genesis XC prescription Rx insert			Ea



S3300X



S2450



Tomcat® Safety Glasses

Sleek, sporty wraparound metal frame design is lightweight and durable. Includes adjustable saddle nose pads for improved fit and flexible rubber temple grips for increased comfort. Dual, 10-base curve, impact-resistant polycarbonate lenses feature anti-scratch hardcoat and absorb greater than 99.9% of UVA and UVB. Meets ANSI Z87.1-2010 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S2450	341531571	Tomcat	Gunmetal	Clear, anti-scratch	Ea
S2451	341531581	Tomcat	Gunmetal	Gray, anti-scratch	Ea
S2453	341531591	Tomcat	Gunmetal	Silver mirror, anti-scratch	Ea
S2454	341531601	Tomcat	Gunmetal	SCT-Reflect 50, anti-scratch	Ea



Bandit™ Safety Glasses

Sporty design features contemporary wraparound styling with molded-in sideshields and browguards. Lenses have Ultra-dura® hardcoat for enhanced chemical and scratch resistance. Adjustable spatulite temples ensure comfortable, custom fit. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Clear, Espresso, Amber and Gold mirror lens tints meet Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1600	341530791	Bandit	Black	Clear, Ultra-dura	Ea
S1601	341530811	Bandit	Black	Amber, Ultra-dura	Ea
S1603	341530821	Bandit	Black	Espresso, Ultra-dura	Ea
S1604	341530841	Bandit	Black	Gold mirror, Ultra-dura	Ea



Skyper® Safety Glasses

Polycarbonate unilens and wraparound sideshields provide peripheral vision. Includes simple lens replacement system and adjustable Duoflex® temples. Ultra-dura® hardcoat on lenses provides chemical and scratch resistance. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Clear lens meets Military V₀ Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1900	341531091	Skyper	Black	Clear, Ultra-dura	Ea



Uvex Ambient™ OTG Safety Glasses

Stylish alternative to prescription safety glasses offers "Over-the-Glass" coverage. Available in two sizes which fit over a variety of Rx eyewear; medium lens is 13% smaller than the large. Lightweight, wraparound, unilens design offers peripheral protection, cushioned nose piece, bendable wire-core temples for flexibility and soft nasal fingers to minimize slippage. Ratcheting temples with 3-position lens inclination for custom fit. Ultra-dura® anti-scratch lens hardcoat. Easy lens replacement. Lifetime frame guarantee. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
S3150	341559561	Ambient	L	Blue	Clear, Ultra-dura	Ea
S3151	341586301	Ambient	L	Blue	Amber, Ultra-dura	Ea
S3152	341559551	Ambient	L	Blue	Standard gray, Ultra-dura	Ea
S3153	341586331	Ambient	L	Blue	Shade 3.0, Ultra-dura	Ea
S3155	341586341	Ambient	L	Blue	Shade 5.0, Ultra-dura	Ea
S3160	341586351	Ambient	M	Blue	Clear, Ultra-dura	Ea
S3161	341559761	Ambient	M	Blue	Amber, Ultra-dura	Ea
S3162	341559771	Ambient	M	Blue	Standard gray, Ultra-dura	Ea
S3165	341559791	Ambient	M	Blue	Shade 5.0, Ultra-dura	Ea



◆ Non-stock item. Minimum quantity may apply.



Uvex Seismic® Sealed Eyewear

Contemporary, flexible design can be worn with or without the removable temples. Flame-resistant, adjustable headband and cushioned subframe extend product life. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Uvextra™ anti-fog or hardcoat anti-scratch coating options. Top and bottom indirect ventilation helps to minimize fogging. Meets ANSI Z87.1-2010 for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 standard only with subframe in place. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S0600	341560741	Seismic	Black	Clear, anti-scratch	Ea
S0600X	341558841	Seismic	Black	Clear, Uvextra	Ea
S0601X	341558851	Seismic	Black	Espresso, Uvextra	Ea
S0602X	341559361	Seismic	Black	Amber, Uvextra	Ea
S0604X	341559391	Seismic	Black	SCT-Reflect 50, Uvextra	Ea
S0605X	341586201	Seismic	Black	SCT-Gray, Uvextreme, anti-fog	Ea
S0609X	341586211	Seismic	Black	SCT-Low IR, Uvextreme, anti-fog	Ea
S0620	341577901	Seismic	Metallic blue	Clear, anti-scratch	Ea
S0620X	341539181	Seismic	Metallic blue	Clear, Uvextra	Ea
S0622X	341577911	Seismic	Metallic blue	Amber, Uvextra	Ea
S0624X	341577921	Seismic	Metallic blue	SCT-Reflect 50, Uvextra	Ea



S0601X



S0604X



S0620



S0622X



S0624X



S2600XP



S2600XP



S2601XP



S2604XP



S2607XP



S2609XP



Uvex Livewire™ Sealed Eyewear

Delivers the fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity. Optimized design ensures excellent, comfortable fit for almost any wearer. Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out. Padded temples are engineered to provide ideal tension and flex for superior comfort and fit. Ratcheting temples adjust lens angle by up to 15° for optimal coverage and air circulation. Uvextreme Plus® anti-fog lens coating for long-lasting, fog-free vision. Can be worn with a headband like a goggle or with temples like a spectacle. Highly adjustable, flame-resistant cloth headband provides an excellent fit and is latex-free. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S2600XP	341563841	Livewire	Matte black	Clear, Uvextreme Plus AF	Ea
S2601XP	341592641	Livewire	Matte black	Espresso, Uvextreme Plus AF	Ea
S2602XP	341592651	Livewire	Matte black	Amber, Uvextreme Plus AF	Ea
S2604XP	341592661	Livewire	Matte black	SCT-Reflect 50, Uvextreme Plus AF	Ea
S2605XP	341592671	Livewire	Matte black	SCT-Gray, Uvextreme Plus AF	Ea
S2607XP	341592681	Livewire	Matte black	Shade 3.0, Uvextreme Plus AF	Ea
S2608XP	341592691	Livewire	Matte black	Shade 5.0, Uvextreme Plus AF	Ea
S2609XP	341592701	Livewire	Matte black	SCT-Low IR, Uvextreme Plus AF	Ea



Adaptec™ Safety Glasses

Each temple hinge ratchets to seven positions for 30° of custom adjustability allowing lens to be angled for optimal eye protection and ideal space for air circulation. Adjustable nosebridge centers eyes to reduce fatigue. Self-adjusting nose pads add to worker comfort. Features vented, cushioned frame and easy-to-replace lenses. The 4A lens coating ensures excellent anti-fog, anti-static and scratch-resistant properties plus 99.9% UV protection. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
T5900NTKS	347690521	Adaptec	Narrow	Black/red	Smoke	Ea
T5900NTKTCG	347690531	Adaptec	Narrow	Black/red	I/O mirror	Ea
T5900LTK	347690561	Adaptec	Regular	Black/red	Clear	Ea
T5900LTKA	347690571	Adaptec	Regular	Black/red	Amber	Ea
T5900LTKS	347690581	Adaptec	Regular	Black/red	Smoke	Ea
T5900LTKTCG	347690591	Adaptec	Regular	Black/red	I/O mirror	Ea
T5900WTK	347690631	Adaptec	Wide	Black/red	Clear	Ea
T5900WTKS	347690651	Adaptec	Wide	Black/red	Smoke	Ea
T5900NBL	347690691	Adaptec	Narrow	Blue/gray	Clear	Ea
T5900LBL	347690711	Adaptec	Regular	Blue/gray	Clear	Ea
T5900WBL	347690731	Adaptec	Wide	Blue/gray	Clear	Ea
T5900WBLS	347690741	Adaptec	Wide	Blue/gray	Smoke	Ea



T5900NTKS



T5900NTKTCG



T5900LTKA



A800 Series Safety Glasses

Features sports-styled temples, extra flexible, padded inserts and soft nose piece for a non-slip fit. The 9-base curve, polycarbonate, hardcoated lens provides 180° field of distortion-free vision and 99.9% UV protection. Select styles available with the Fog-Ban® anti-fog lens coating that minimizes fogging. Meets ANSI Z87.1-2010 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
A800	341529431	A800 Series	Clear	Clear, hardcoat	Ea
A801	341529441	A800 Series	Gray	TSR® gray, hardcoat	Ea
A802	341556381	A800 Series	Amber	Amber, hardcoat	Ea
A803	341555121	A800 Series	Gray	Blue mirror, hardcoat	Ea
A804	341529451	A800 Series	Gray	Silver mirror, hardcoat	Ea
A805	341529461	A800 Series	Clear	Clear, Fog-Ban	Ea
A806	341529471	A800 Series	Gray	TSR gray, Fog-Ban	Ea



A801



A802



A803



A400 Series Safety Glasses

Lightweight protection offers sporty, 1-piece, wraparound unilens made of 100% impact-resistant polycarbonate. Provides over 99.9% UV protection. Features durable frame with integrated side protection and universal nosebridge. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
A400	341529321	A400 Series	Clear	Clear, hardcoat	Ea
A401	341529331	A400 Series	Gray	Gray, hardcoat	Ea
A403	341529351	A400 Series	Gray	Silver mirror, hardcoat	Ea
A404	341529361	A400 Series	Clear	I/O silver mirror, hardcoat	Ea



A400



A403



A700 Series Safety Glasses

Lightweight design with sport temples and soft temple tip pads provide secure, wraparound fit. Features molded universal nosebridge, 9-base polycarbonate hardcoated lenses that provide 180° field of distortion-free vision, and optional Fog-Ban® coating that minimizes lens fogging. Provides 99.9% UV protection. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
A700	341529371	A700 Series	Clear	Clear, hardcoat	Ea
A701	341529381	A700 Series	Gray	TSR® gray, hardcoat	Ea
A702	341529391	A700 Series	Amber	Amber, hardcoat	Ea
A703	341529401	A700 Series	Gray	Blue mirror, hardcoat	Ea
A704	341529411	A700 Series	Gray	I/O mirror, hardcoat	Ea
A705	341529421	A700 Series	Clear	Clear, Fog-Ban	Ea



NSX™ Turbo Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and scratch-resistant coating. Provides 99.9% UV protection. No slip temples. Meets ANSI Z87.1-2010 standard. Clear lenses certified to the requirements of the CSA Z94.3 standard.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
5330	G73553301	NSX Turbo	Clear	Ea
5331	G73553311	NSX Turbo	Gray	Ea
5332	G73553321	NSX Turbo	Yellow	Ea
5333	G73553331	NSX Turbo	Light blue	Ea
5334	G73553341	NSX Turbo	Indoor/outdoor mirror	Ea



NSX™ Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and anti-fog, scratch-resistant coating. Provides 99.9% UV protection. Meets ANSI Z87.1-2010 standard.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
5340	G73553401	NSX	Clear	Ea
5341	G73553411	NSX	Yellow	Ea
5342	G73553421	NSX	Orange	Ea
5343	G73553431	NSX	Gray	Ea
5344	G73553441	NSX	Gold mirror	Ea
5346	G73553461	NSX	Shade 5.0	Ea





Rubicon® Safety Glasses

Features curved, frameless lens design and resilient, spring-hinge temples. Curved lens offers 180° optically correct viewing area with a close orbital seal for increased protection. Non-slip gel temple sleeves and soft, secure gel nosepiece reduce slippage. Provides 99.9% UV protection. Includes carrying case and breakaway cord. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
T4110AF	331404131	Rubicon	Platinum	Clear, anti-fog	Ea
T4112AF	331404141	Rubicon	Platinum	Gray, anti-fog	Ea
T4113AF	331404151	Rubicon	Platinum	Light blue, anti-fog	Ea
T411G	331404111	Rubicon	Platinum	Emerald mirror	Ea
T411R	331404121	Rubicon	Platinum	Fire mirror	Ea



T4112AF



T411G



T4113AF



BK110AF



BK112AF



BK113



BK114



BearKat® Safety Glasses

Popular “frameless” safety glasses feature wide, 1-piece wraparound, polycarbonate lens for unobstructed vision and close fit. Flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Treated with Duramass® scratch-resistant coating; also available with Duramass A4 anti-fog coating. Provide 99.9% UV protection. Smaller sizes available for smaller face shapes. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
BK110	331401111	BearKat	Frost	Clear, anti-scratch	Ea
BK110AF	331400211	BearKat	Frost	Clear, anti-scratch, anti-fog	Ea
BK112	331400221	BearKat	Frost black	Gray, anti-scratch	Ea
BK112AF	331400231	BearKat	Frost black	Gray, anti-scratch, anti-fog	Ea
BK113	331400241	BearKat	Frost blue	Light blue, anti-scratch	Ea
BK114	331401141	BearKat	Translucent yellow	Amber, anti-scratch	Ea
BK117	331411171	BearKat	Frost black	Silver mirror, anti-scratch	Ea
BK118	331400251	BearKat	Smoke	Blue mirror, anti-scratch	Ea
BK119	331411191	BearKat	Frost	I/O clear mirror, anti-scratch	Ea



Yukon® and Yukon XL® Visitor Glasses

Low-cost safety eyewear for temporary workers or visitors. Features contemporary, wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard and vented sideshields. Uncoated lenses. Yukon XL is an enlarged version which can be worn over regular Rx eyewear. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
9800	331405321	Yukon	Clear	Clear, uncoated	Ea
9800XL	331405351	Yukon XL	Clear	Clear, uncoated	Ea



9800XL



9800



CheckMate® Safety Glasses

Super-lightweight design offers nearly total eye-orbital seal, flexible bayonet temples and universal nosebridge. Strong, lightweight polycarbonate lens. Available with Duramass® scratch-resistant coating, Duramass A4 anti-fog lens coating or uncoated. Provides 99% UV protection. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
CK100	331400271	CheckMate	Clear	Clear, uncoated	Ea
CK110	331401101	CheckMate	Clear	Clear, anti-scratch	Ea
CK110AF	331400281	CheckMate	Clear	Clear, anti-fog	Ea
CK112	331401121	CheckMate	Gray	Gray, anti-scratch	Ea
CK114	331400291	CheckMate	Amber	Amber, anti-scratch	Ea
CK117	331400301	CheckMate	Silver mirror	Silver mirror, anti-scratch	Ea
CK118	331400311	CheckMate	Rainbow mirror	Rainbow mirror, anti-scratch	Ea
CK119	331400321	CheckMate	I/O clear mirror	I/O clear mirror, anti-scratch	Ea



CK112



CK117



CK119



CK2® Safety Glasses

Features super-lightweight design, nearly total eye-orbital seal, flexible bayonet temples, gel temple sleeves and universal gel nosebridge. Strong, lightweight polycarbonate lens features single lens design with wraparound sideshields. Choose from Duramass® scratch-resistant or Duramass AF4 anti-fog lens coating. Filters over 99.9% of UV radiation. Meets ANSI Z87.1+ standard. 12/Box.



CK210



CK212

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
CK210	331412101	CK2	Smoke	Clear, anti-scratch	Ea
CK210AF	331400331	CK2	Smoke	Clear, anti-fog	Ea
CK212	331400341	CK2	Smoke	Gray, anti-scratch	Ea
CK212AF	331400351	CK2	Smoke	Gray, anti-fog	Ea



Checklite® Safety Glasses

Flexible spatula temple design for comfortable fit during long use. Nearly total eye-orbital seal assures the highest level of protection, and lightweight, polycarbonate lens filters over 99.9% of UV radiation. Available uncoated or with Duramass® scratch-resistant or Duramass A4 anti-fog lens coatings. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
CL010	331400461	Checklite	Clear	Clear, uncoated	Ea
CL110	331400471	Checklite	Clear	Clear, anti-scratch	Ea
CL110AF	331400481	Checklite	Clear	Clear, anti-fog	Ea
CL112	331400491	Checklite	Smoke	Gray, anti-scratch	Ea
CL119	331400511	Checklite	I/O	Clear mirror, anti-fog	Ea



CL110



CL112



CL119



Stratos® Safety Glasses

Stylish wraparound design with lightweight frame. One-piece polycarbonate lens with integral sideshields provides 99.9% UV protection. Available uncoated or treated with Duramass® scratch-resistant coating. Meets ANSI Z87+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
SS010	331402921	Stratos	Black	Clear, uncoated	Ea
SS110	331441101	Stratos	Black	Clear, anti-scratch	Ea
SS110AF	331432871	Stratos	Black	Clear, anti-fog	Ea
SS112	331402931	Stratos	Black	Gray, anti-scratch	Ea
SS120	331402941	Stratos	Blue	Clear, anti-scratch	Ea
SS130	331402961	Stratos	RWB	Clear, anti-scratch	Ea
SS132	331402971	Stratos	RWB	Gray, anti-scratch	Ea



Tomahawk® Safety Glasses

Features fully adjustable, 5-position, ratchet-action temples. Offers stylish wraparound design, 1-piece polycarbonate lens treated with Duramass® scratch-resistant coating, integral sideshields, and lightweight frame. Available with patriotic red/white/blue (RWB) frame option. Provides more than 99.9% UV protection. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
TK110	331464011	Tomahawk	Black	Clear, anti-scratch	Ea
TK112	331403541	Tomahawk	Black	Gray, anti-scratch	Ea
TK120	331464021	Tomahawk	Blue	Clear, anti-scratch	Ea
TK130	331464031	Tomahawk	RWB	Clear, anti-scratch	Ea



Blackjack® Safety Glasses

Sleek, wraparound chrome metal frame design. Duramass® scratch-resistant coated lenses; Duramass AF4 anti-fog coating on select anti-fog lenses. Provides 99.9% UV protection. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S2110	331421111	Blackjack	Chrome	Clear, anti-scratch	Ea
S2110AF	331403111	Blackjack	Chrome	Clear, anti-scratch, anti-fog	Ea
S2112	331403121	Blackjack	Chrome	Gray, anti-scratch	Ea
S2112AF	331403131	Blackjack	Chrome	Gray, anti-scratch, anti-fog	Ea
S2119	331421191	Blackjack	Chrome	I/O clear mirror, anti-scratch	Ea
S2119AF	331403181	Blackjack	Chrome	I/O, anti-scratch, anti-fog	Ea
S21150	331403161	Blackjack	Chrome	Shade 5.0, anti-scratch	Ea



◆ Non-stock item. Minimum quantity may apply.



Klondike® Safety Glasses

Popular frame style fits a variety of head shapes. Features strong, lightweight polycarbonate lens with 11-base curve, optional Duramass® anti-fog coating, adjustable temples and soft gel nosepiece. Provides 99.9% UV protection. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
KD110	331432011	Klondike	Black	Clear	Ea
KD110AF	331402101	Klondike	Black	Clear, anti-fog	Ea
KD11B	331401531	Klondike	Black	Brown	Ea
KD112	331401541	Klondike	Black	Gray	Ea
KD113	331401131	Klondike	Black	Light blue	Ea
KD114	331401561	Klondike	Black	Amber	Ea
KD117	331401571	Klondike	Black	Silver mirror	Ea
KD119	331401191	Klondike	Black	I/O clear mirror	Ea



Storm® Safety Glasses

Face-flattering eyewear features 5-position ratchet-action temples and non-slip temple sleeves for adjustable fit. Lightweight, polycarbonate lens delivers advanced visual acuity. Treated with Duramass® scratch-resistant coating; also available with Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
ST110	331464051	Storm	Black	Clear, anti-scratch	Ea
ST110AF	331401311	Storm	Black	Clear, anti-scratch, anti-fog	Ea
ST112	331402991	Storm	Black	Gray, anti-scratch	Ea
ST112AF	331403001	Storm	Black	Gray, anti-scratch, anti-fog	Ea
ST114	331403021	Storm	Black	Amber, anti-scratch	Ea
ST117	331401171	Storm	Black	Silver mirror, anti-scratch	Ea
ST119AF	331403041	Storm	Black	I/O clear mirror, anti-scratch, anti-fog	Ea
ST11V	331402981	Storm	Black	Vermilion, anti-scratch	Ea
ST1130	331403011	Storm	Black	Shade 3.0, anti-scratch	Ea
ST1150	331403031	Storm	Black	Shade 5.0, anti-scratch	Ea



Swagger™ Safety Glasses

Features soft material co-injected onto temples, thermoplastic rubber (TPR) nose grips, breakaway cord and wider temples for better side protection. Excellent orbital seal. Lenses have Duramass® scratch-resistant hard coating with available anti-fog. Strong polycarbonate lenses block 99.9% UV. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
SR110	331440861	Swagger	Black	Clear, anti-scratch	Ea
SR112	331440871	Swagger	Black	Gray, anti-scratch	Ea
SR114	331440931	Swagger	Black	Amber, anti-scratch	Ea
SR117	331440941	Swagger	Black	Silver mirror, anti-scratch	Ea
SR118B	331440881	Swagger	Black	Blue diamond, anti-scratch	Ea
SR119AF	331477151	Swagger	Black	I/O mirror, anti-scratch, anti-fog	Ea
SR11R	331440951	Swagger	Black	Fire mirror, anti-scratch	Ea
SR120	331440891	Swagger	White	Clear, anti-scratch	Ea
SR122AF	331451021	Swagger	White	Gray, anti-scratch, anti-fog	Ea
SR127	331440961	Swagger	White	Silver mirror, anti-scratch	Ea
SR128B	331440911	Swagger	White	Blue diamond, anti-scratch	Ea
SR137	331440971	Swagger	Red	Silver mirror, anti-scratch	Ea
SR13R	331440981	Swagger	Red	Fire mirror, anti-scratch	Ea





ForceFlex® and ForceFlex® 2 Safety Glasses

Designed with opaque polycarbonate frame and sleek, polycarbonate dual lens. Features Duramass® scratch-resistant coating, bayonet temples and universal nose bridge. ForceFlex 2 feature a half-frame design. Carrying case included. Provides 99.9% UV protection. Lifetime frame warranty. Meets ANSI Z87.1+ standard and MIL-PRF-31013 clause 3.5.1.1 for High Velocity Impact Protection. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
FF120	331438281	ForceFlex	Opaque black	Clear, anti-scratch	Ea
FF122	331456821	ForceFlex	Black	Gray, anti-scratch	Ea
FF124	331438271	ForceFlex	Opaque black	Amber, anti-scratch	Ea
FF128B	331438381	ForceFlex	Black	Blue diamond, anti-scratch	Ea
FF132	331456811	ForceFlex	Translucent orange	Gray, anti-scratch	Ea
FF137	331438261	ForceFlex	Translucent orange	Silver mirror, anti-scratch	Ea
FF210	331439861	ForceFlex 2	Black w/ black rubber	Clear, anti-scratch	Ea
FF212	331439611	ForceFlex 2	Black w/ black rubber	Clear, anti-scratch	Ea
FF214	331438271	ForceFlex 2	Black w/ black rubber	Amber, anti-scratch	Ea
FF220	331452201	ForceFlex 2	Translucent brown w/ white rubber	Clear, anti-scratch	Ea
FF222	331439901	ForceFlex 2	Translucent brown w/ white rubber	Gray, anti-scratch	Ea
FF232	331492321	ForceFlex 2	Translucent yellow w/ white rubber	Gray, anti-scratch	Ea



FF122



FF124



FF128B



FF132



IA114



IA112



IA132AF



Inertia™ Safety Glasses

Features a dielectric, lightweight polycarbonate frame with a single, flexible lens. Flarefit™ temple design for style. Non-slip, wraparound thermoplastic rubber (TPR) temple sleeve and adjustable, TPR soft nose pad for comfort. Lenses are treated with the Duramass® scratch-resistant coating and block 99.9% UV. Meets ANSI Z87.1+ standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
IA110	331468061	Inertia	Black	Clear, anti-scratch	Ea
IA112	331468081	Inertia	Black	Gray, anti-scratch	Ea
IA113	331468101	Inertia	Black	Light blue, anti-scratch	Ea
IA114	331438771	Inertia	Black	Amber, anti-scratch	Ea
IA120AF	331439201	Inertia	Silver	Clear, anti-scratch	Ea
IA122AF	331439211	Inertia	Silver	Gray, anti-scratch	Ea
IA128B	331438761	Inertia	Silver	Blue diamond mirror, anti-scratch	Ea
IA130AF	331439071	Inertia	White	Clear, anti-scratch	Ea
IA132AF	331468141	Inertia	White	Gray, anti-scratch	Ea
IA137	331468151	Inertia	White	Silver mirror, anti-scratch	Ea
IA138B	331468161	Inertia	White	Blue diamond mirror, anti-scratch	Ea



Mantis™ Safety Glasses

Features a unique design with rotating temples for compact storage. Rotating design also allows for user to adjust lens angle while wearing. Dielectric, containing no metal pieces that could conduct electricity. Soft, secure, thermoplastic rubber (TPR) nose pad adds comfort and hybrid, non-slip rubber head grips hold eyewear in place. Excellent orbital seal. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
MT110	331405891	Mantis	Black	Clear	Ea
MT110AF	331477175	Mantis	Black	Clear, anti-fog	Ea
MT112	331477181	Mantis	Black	Gray	Ea
MT112AF	331477191	Mantis	Black	Gray, anti-fog	Ea
MT114	331477201	Mantis	Black	Amber	Ea
MT117	331477211	Mantis	Black	Silver mirror	Ea
MT119	331477221	Mantis	Green	I/O clear mirror	Ea



MT129



MT117

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
MT120	331477231	Mantis	Green	Clear	Ea
MT122	331477241	Mantis	Green	Gray	Ea
MT127	331477251	Mantis	Green	Silver mirror	Ea
MT129	331477261	Mantis	Green	I/O clear mirror	Ea
MT130	331477271	Mantis	White	Clear	Ea
MT132	331477281	Mantis	White	Gray	Ea
MT139	331477291	Mantis	White	I/O clear mirror	Ea



3M™ SecureFit™ Protective Eyewear

3M™ Pressure Diffusion Temple Technology means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Lightweight, weighs less than 1 oz. Continually self-adjusting for a secure, comfortable fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
SF202AS	665527811	SecureFit	Gray	Gray, anti-scratch	Ea
SF203AS	665527821	SecureFit	Amber	Amber, anti-scratch	Ea



SF401AF



SF402AF



3M™ SecureFit™ 400-Series Protective Eyewear

Stylish design weighs less than 1 oz., has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and features the proprietary 3M™ Pressure Diffusion Temple Technology – a scientific advancement that helps diffuse pressure over the ear, enhanced temple comfort while not compromising the security of fit across diverse workforces. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1-2010 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
SF401AF	665527831	SecureFit 400-Series	Clear, anti-fog	Ea
SF402AF	665527851	SecureFit 400-Series	Gray, anti-fog	Ea
SF410AS	665527841	SecureFit 400-Series	I/O mirror	Ea



3M™ Virtua™ Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1-2010 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11326-00000-20	665564381	Virtua	Clear	Clear, hardcoat	Ea
11329-00000-20	665570161	Virtua	Clear	Clear, anti-fog	Ea
11328-00000-20	665570151	Virtua	Clear	I/O mirror, hardcoat	Ea
11330-00000-20	665570171	Virtua	Gray	Gray, anti-fog	Ea
11331-00000-20	665570181	Virtua	Blue mirror	Blue mirror, hardcoat	Ea



 **WARNING**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3M 3M™ Virtua™ V4 Safety Eyewear

Soft, dual-injected temples for all-day comfort. Lightweight design and unisex styling. Polycarbonate wraparound lens. Meets ANSI Z87.1-2010 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11670-00000-20	665564111	Virtua V4	Black	Clear, hardcoat	Ea
11672-00000-20	665573851	Virtua V4	Black	Clear, anti-fog	Ea
11671-00000-20	665564121	Virtua V4	Black	Gray, hardcoat	Ea
11673-00000-20	665570321	Virtua V4	Black	Gray, anti-fog	Ea



11671-00000-20



11670-00000-20

3M 3M™ Smart Lens™ Photochromic Safety Eyewear

"UV-Reactive" lens lightens and darkens with changing outdoor light conditions: light to dark in less than 20 seconds, dark to light in less than 3 minutes. Nylon brow and magnesium alloy temples. Spring-hinged temples for a narrow or wide fit. Soft, adjustable nosebridge. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of ANSI Z87.1-2010 and the traffic signal recognition requirements of ANSI Z80.3-2008.

Note: Safety directors should assess their particular workplace and make all Smart Lens wearers aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect lens transition time. 20/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
13407-00000-5	665522461	Smart Lens	Black	Photochromic, anti-fog	Ea



13407-00000-5

3M 3M™ Light Vision™ and Light Vision2™ Safety Eyewear with LED Lights

Features hands-free, adjustable direct lighting, (2) bright, adjustable LED lights, wraparound design, and cushioned brow, nosebridge and temple tips for comfort. Polycarbonate lenses absorb 99.9% UV. Includes replaceable CR2032 3 V batteries, microfiber storage bag and lanyard. Both models meet ANSI Z87.1-2010 standard; Light Vision2 is also certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11356-00000-10	665520801	Light Vision, black temples	Gray	Clear, anti-fog	Ea
11476-00000-10	665574241	Light Vision2	Gray	Clear, anti-fog	Ea



11476-00000-10



11356-00000-10

3M 3M™ Fuel2™ Safety Eyewear

Nylon frame construction with soft touch nosebridge. Hardcoat lens helps improve scratch resistance. Polycarbonate lens absorbs 99.9% UV. Includes lanyard and microfiber bag. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11650-00000-10	665522111	Fuel2	Metallic sand	Red mirror	Ea
11652-00000-10	665522121	Fuel2	Silver	Blue mirror	Ea
11653-00000-10	665522161	Fuel2	Silver	Clear, anti-fog	Ea
11654-00000-10	665520821	Fuel2	Black	Gray, anti-fog	Ea



11650-00000-10



11654-00000-10



11653-00000-10

WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3M 3M™ Lexa™ Safety Eyewear

Aspheric lens follows and blends with facial outline to provide optimum, full coverage. Adjustable length temples and lens angle adjustment for customized fit. Polycarbonate lens absorbs 99.9% UV. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
15200-00000-20	665572331	Lexa	M	Metallic slate	Clear, DX	Ea
15100-00000-20	665522211	Lexa	L	Metallic slate	Clear, DX	Ea



15100-00000-20

3M 3M™ Tour-Guard™ III Safety Eyewear

Ideal for visitors and temporary workers. Polycarbonate construction features integral sideshields. Regular size designed to fit over most personal Rx eyewear. Lenses absorb 99.9% UV. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
41110-00000-100	665564291	958 Tour-Guard III w/ dispenser box	Clear	Clear	Ea



41110-00000-100

3M 3M™ Nūvo™ Safety Eyewear

Lightweight, retro-styled protective eyewear features adjustable temples, an integral brow bar and soft nosepiece. Contoured frame and sideshields offer additional comfort. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11411-00000-20	665522821	Nuvo	Gray	Clear, anti-fog	Ea
11412-00000-20	665522831	Nuvo	Gray	Gray, anti-fog	Ea



11412-00000-20



11411-00000-20

WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



14470



14472



Jackson Safety* V20 Visio* Safety Eyewear

One-piece polycarbonate lens with 3-point adjustable temples for a comfortable fit. Unique duo-tone frame. Base curve 8 lens. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
14470	C24119131	V20 Visio*	Black/silver	Clear	Ea
14471	C24119891	V20 Visio*	Black/silver	Clear, anti-fog	Ea
14472	C24119151	V20 Visio*	Black/silver	Smoke	Ea
14473	C24119901	V20 Visio*	Black/silver	Smoke, anti-fog	Ea
14474	C24119171	V20 Visio*	Black	Amber	Ea
14475	C24119181	V20 Visio*	Black	Blue mirror	Ea
14476	C24119191	V20 Visio*	Black	Indoor/outdoor	Ea



Jackson Safety* V30 Nemesis* Safety Eyewear

Sporty, flexible, lightweight design with wraparound, 8-base curve lens and soft-touch temples for added comfort. Lenses provide 99.9% UV protection. Neck cord included. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
14481	C24133581	V30 Nemesis*	Black	Blue mirror	Ea
25659	C24119491	V30 Nemesis*	Black	Amber	Ea
25685	C24124161	V30 Nemesis*	Black	Indoor/outdoor	Ea
25676	C24119441	V30 Nemesis*	Black	Clear	Ea
25679	C24119451	V30 Nemesis*	Black	Clear, anti-fog	Ea
25688	C24126061	V30 Nemesis*	Black	Smoke mirror	Ea
25692	C24119501	V30 Nemesis*	Black	IRUV 3.0	Ea
19639	C24120301	V30 Nemesis*	Blue	Light blue	Ea
19642	C24120311	V30 Nemesis*	Black	Copper blue shield	Ea
19644	C24120321	V30 Nemesis*	Camouflage	Bronze	Ea
22609	C24124441	V30 Nemesis*	Camouflage	Smoke, anti-fog	Ea
25671	C24119511	V30 Nemesis*	Black	IRUV 5.0	Ea
22611	C24124381	V30 Nemesis*	Inferno red	Smoke	Ea
28635	C24186351	V30 Nemesis* Polarized	Gunmetal	Polarized smoke	Ea
28637	C24186371	V30 Nemesis* Polarized	Brown	Polarized brown	Ea



Preventing Eye Injuries

The best way to prevent injury to the eye is to always wear the appropriate eye protection. Bureau of Labor Statistics reports that approximately three out of every five workers injured were either not wearing eye protection at the time of the accident or wearing the wrong kind of eye protection for the job. To be effective, eyewear must fit properly and be designed to effectively protect workers while they work. It is estimated that over 90% of eye injuries are preventable with the use of proper safety eyewear.



Jackson Safety* V50 Calico* Safety Eyewear

Lightweight, wraparound design for added comfort and protection. Impact-resistant polycarbonate lenses provide 99.9% UV protection. Interchangeable head strap allows tight fit; interchangeable temples can be removed. EN166 N anti-fog coating provides assured protection from fogging lens. Cushioned brow bar for additional comfort and ventilation. Base curve 8. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Meets EN166 1FT. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
25672	15405672	V50 Calico*	Black	Clear, anti-fog	Ea
25674	15405674	V50 Calico*	Black	Amber, anti-fog	Ea
25675	15405675	V50 Calico*	Black	Smoke, anti-fog	Ea



◆ Non-stock item. Minimum quantity may apply.



Jackson Safety* V40 Hellraiser* Safety Eyewear

Streamlined, sunglass styling with lightweight and flexible design. Features flex-point temples for comfort and stability and 8-base curve lens. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
20539	C24121001	V40 Hellraiser*	Black	Clear	Ea
28615	C24121011	V40 Hellraiser*	Black	Clear, anti-fog	Ea
25714	C24121021	V40 Hellraiser*	Black	Smoke	Ea
20541	C24121031	V40 Hellraiser*	Black	Amber	Ea
25716	C24121041	V40 Hellraiser*	Black	Indoor/outdoor	Ea
20543	C24121061	V40 Hellraiser*	Black	Blue mirror	Ea
20544	C24121071	V40 Hellraiser*	Black	IRUV 3.0	Ea
20545	C24121081	V40 Hellraiser*	Black	IRUV 5.0	Ea



20539



25714



20543



Jackson Safety* V60 Safeview* Safety Eyewear with Rx Inserts

Lightweight safety glasses with adjustable temples for a custom fit. Close fit Rx insert behind the polycarbonate eye shield that doesn't impede peripheral vision with a chunky frame. Base curve 8.25 lens. Universal fit. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
38503	C24185031	V60 Safeview* w/ Rx inserts	Black	Clear, anti-fog	Ea
38505	C24185151	V60 Safeview* w/ Rx inserts	Black	Smoke, anti-fog	Ea
38507	C24185071	V60 Safeview* w/ Rx inserts	Blue	Indoor/outdoor, anti-fog	Ea
38504	C24185041	V60 Safeview* w/ Rx inserts	Black	Amber, anti-fog	Ea



38507



38503



Smith & Wesson® Magnum® 3G Safety Glasses

Ergonomic design provides 3-point fit. Built-in hinge helps prevent scratches. Self-adjusting nose pads with rubber fingers for comfort. Base curve 7 lens. Provides 99.9% UV protection. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
19799	C24121351	Magnum 3G	Black	Clear	Ea
19794	C24121331	Magnum 3G	Black	Clear, anti-fog	Ea
19826	C24121391	Magnum 3G	Black	Amber	Ea
19823	C24121371	Magnum 3G	Black	Smoke	Ea
19796	C24121341	Magnum 3G	Black	Copper blue block	Ea
19831	C24121441	Magnum 3G	Metallic gray	Gradient indoor/outdoor	Ea
19961	C24121911	Magnum 3G	Platinum	Clear	Ea



19799



19823



Smith & Wesson® Elite* Safety Glasses

Lightweight, "retro-style" design with wide temples and wraparound, anti-scratch, dual base curve 8 lenses. Provides 99.9% UV protection. Includes micro-fiber carry pouch that doubles as a cleaning cloth. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
21302	C24163121	Elite*	Black	Clear, anti-fog	Ea
21303	C24163131	Elite*	Black	Smoke, anti-fog	Ea



21302



21303

 **StarLite® Safety Glasses**

Popular design resembles sunglasses to encourage worker compliance. Scratch-resistant, hardcoated 100% polycarbonate lenses with dual 9.75 base curve enhance the wearer's range of visibility and block 99.9% of UV light. Features full brow protection and deep, universal-fit temples. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
4675	323346751	StarLite	Amber	Amber	Ea
4679	323346791	StarLite	Clear	Clear, anti-fog	Ea
4680	323346801	StarLite	Clear	Clear	Ea
4683	323346831	StarLite	Gray	Gray	Ea
460M	323304601	StarLite	Clear	Clear I/O mirror	Ea
468M	323300481	StarLite	Gray	Silver mirror	Ea



 **StarLite® Squared Safety Glasses**

Squared design offers fashionable fit for both men and women. Lightweight eyewear weighs less than 1 oz. Soft, pliable temples provide comfort, and fingertip nosepiece minimizes slippage. Scratch-resistant, hardcoated 100% polycarbonate lens for long life. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
4476	323300391	StarLite Squared	Blue	Pacific blue	Ea
4479	323300401	StarLite Squared	Clear	Clear, anti-fog	Ea
4480	323300421	StarLite Squared	Clear	Clear	Ea
4483	323300431	StarLite Squared	Gray	Gray	Ea
440M	323300371	StarLite Squared	Clear	Clear mirror	Ea
448M	323300411	StarLite Squared	Gray	Silver mirror	Ea



 **Conqueror® Protective Eyewear**

Cost-effective eye protection in a sleek, sporty style. Features durable polycarbonate wraparound lens, soft, comfortable nosepiece and ergonomic, contoured temple tips. Adjustable length retainer included with each pair. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
28CM5M	323302851	Conqueror	Camouflage	Bronze mirror	Ea
28CM78	323327031	Conqueror	Camouflage	Gray, anti-fog	Ea
28GB79	323327011	Conqueror	Black	Clear, anti-fog	Ea
28GB80	323327001	Conqueror	Black	Clear	Ea
28GB83	323327021	Conqueror	Black	Gray	Ea



 **Flight® Safety Glasses**

Cushioned temple 'wings' softly hug the user's head, alleviating pinching. Floating lens design fights fogging and provides ultramodern style. Lightweight construction and soft rubber nosepiece. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
35BK83	323327121	Flight	Black/gray	Gray	Ea
35BK8M	323327141	Flight	Black/gray	Silver mirror	Ea
35BK9M	323327131	Flight	Black/gray	Blue mirror	Ea
35GY79	323327111	Flight	Gray/black	Clear, anti-fog	Ea
35GY80	323327101	Flight	Gray/black	Clear	Ea





S3760



S3775



S3765



Genesis® Readers

Dual, 9-base curve wraparound lens provides peripheral vision and protection. Soft flexible fingers adjust and conform to any nasal profile and minimize slippage. Elastomer browguard diffuses and deflects impact. Diopters available from +1.0 to +3.0. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3760	341586001	Black	Clear, +1.0	Ea
S3761	341586011	Black	Clear, +1.5	Ea
S3762	341586021	Black	Clear, +2.0	Ea
S3763	341586031	Black	Clear, +2.5	Ea
S3764	341586041	Black	Clear, +3.0	Ea
S3770	341586101	Black	Standard gray, +1.0	Ea
S3771	341586111	Black	Standard gray, +1.5	Ea
S3772	341586121	Black	Standard gray, +2.0	Ea
S3774	341586141	Black	Standard gray, +3.0	Ea
S3775	341586151	Black	SCT-Reflect 50, +1.0	Ea
S3776	341586161	Black	SCT-Reflect 51, +1.5	Ea
S3777	341586171	Black	SCT-Reflect 52, +2.0	Ea
S3778	341586181	Black	SCT-Reflect 53, +2.5	Ea
S3779	341586191	Black	SCT-Reflect 54, +3.0	Ea
S3765	341586051	Black	Amber, +1.0	Ea
S3766	341586061	Black	Amber, +1.5	Ea
S3767	341586071	Black	Amber, +2.0	Ea
S3768	341586081	Black	Amber, +2.5	Ea
S3769	341586091	Black	Amber, +3.0	Ea



S0661X



Uvex Seismic® Sealed Eyewear with Reading Magnifiers

Superior coverage provided in dirty, high-particulate work environments such as grinding and sanding. Flexible design can be worn with temples or adjustable headband as conditions change. Headband and subframe are cushion-lined, flame-resistant and replaceable. Soft, high-quality face cushioning and padded temple tips for comfort. Available in clear with Uvextra™ anti-fog coating. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0661X	341588321	Black	Clear, Uvextra, +1.5	Ea
S0662X	341588331	Black	Clear, Uvextra, +2.0	Ea
S0663X	341588341	Black	Clear, Uvextra, +2.5	Ea



BKH10

BKH10G



BearKat Magnifier® Safety Glasses

One-piece, wraparound, polycarbonate lens offers unobstructed vision and filters more than 99.9% of UV radiation. Flexible temples enhance comfort. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BKH10	331400031	Clear	Clear, +1.0	Ea
BKH15	331400051	Clear	Clear, +1.5	Ea
BKH20	331400071	Clear	Clear, +2.0	Ea
BKH25	331400091	Clear	Clear, +2.5	Ea
BKH10G	331400041	Smoke	Gray, +1.0	Ea
BKH15G	331400061	Smoke	Gray, +1.5	Ea
BKH20G	331400081	Smoke	Gray, +2.0	Ea
BKH25G	331400201	Smoke	Gray, +2.5	Ea



3M™ BX™ Readers Safety Eyewear

Contoured, fully adjustable design features soft nosebridge, three lens angles for custom fit, and polycarbonate lenses that absorb 99.9% UV. Adjustable soft-tip temples. Integrated bifocal readers for workers who need extra magnification during close-up work. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11374-00000-20



11377-00000-20

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11374-00000-20	665570241	BX readers, +1.5 diopter	Silver/black	Clear, anti-fog	Ea
11375-00000-20	665520811	BX readers, +2.0 diopter	Silver/black	Clear, anti-fog	Ea
11376-00000-20	665564091	BX readers, +2.5 diopter	Silver/black	Clear, anti-fog	Ea
11377-00000-20	665522521	BX readers, +1.5 diopter	Silver/black	Gray, anti-fog	Ea
11378-00000-20	665522001	BX readers, +2.0 diopter	Silver/black	Gray, anti-fog	Ea
11379-00000-20	665522711	BX readers, +2.5 diopter	Silver/black	Gray, anti-fog	Ea

**Turn to page 44
for Reader Goggles**



3M™ Nūvo™ Readers Safety Eyewear

"Retro" styling with molded-in magnifying diopters on the lower lens. Features adjustable temples, integral brow bar and soft nosepiece. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11436-00000-20



11434-00000-20



11435-00000-20

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11434-00000-20	665563881	Nūvo Readers	Gray	Clear, +1.5	Ea
11435-00000-20	665574221	Nūvo Readers	Gray	Clear, +2.0	Ea
11436-00000-20	665574231	Nūvo Readers	Gray	Clear, +2.5	Ea




Jackson Safety* V60 Nemesis* Rx Safety Eyewear

"Cheaters" style with diopters for vision assistance. Larger lens provides wraparound impact protection. Enhanced nosepiece design channels away sweat. Neck cord included. Base curve 8 lens. Meets ANSI Z87.1-2010 standard. Clear lenses, diopter +1.0, +1.5, +2.0, +2.5 and +3.0 are CE certified compliant and certified to the requirements of the CSA Z94.3 standard. 6/Case.



28621



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
28618	C24120551	V60 Nemesis* Rx	Black	Clear, +1.0	Ea
28621	C24120561	V60 Nemesis* Rx	Black	Clear, +1.5	Ea
28624	C24120571	V60 Nemesis* Rx	Black	Clear, +2.0	Ea
28627	C24120581	V60 Nemesis* Rx	Black	Clear, +2.5	Ea
28630	C24120591	V60 Nemesis* Rx	Black	Clear, +3.0	Ea
22516	C24124291	V60 Nemesis* Rx	Black	Smoke, +1.5	Ea
22518	C24124681	V60 Nemesis* Rx	Black	Smoke, +2.0	Ea
22519	C24124621	V60 Nemesis* Rx	Black	Smoke, +2.5	Ea

WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



UVEX
by Honeywell

Uvex Stealth® Goggles

Feature lightweight comfort, low-profile design, and toric lenses for superior optics and peripheral vision. Unique lens system for quick and simple replacement. Uvextreme® anti-fog coating and indirect ventilation system minimize fogging and direct air flow over the lens. Quick-adjust, neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3960C	341533001	Stealth	Gray/gray	Clear, Uvextreme	Ea
S39610C	341533021	Stealth	Teal/gray	Clear, Uvextreme	Ea

UVEX
by Honeywell

Uvex Stealth® OTG Goggles

Low-profile, wraparound style provides complete coverage. Dura-streme™ dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Pivoting headband clip and wide adjustable-slide neoprene headband allow a full range of adjustability. High-quality elastomer body conforms and contours for secure fit. Can be worn over most Rx eyewear. Ideal for impact, dust/airborne particles, chemical splash and optical (UV and welding/heat) radiation. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



S3970D



S3972D

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3970D	341558741	Stealth OTG	Navy	Clear, Dura-streme	Ea
S3971D	341558861	Stealth OTG	Navy	Gray, Dura-streme	Ea
S3972D	341588351	Stealth OTG	Navy	Amber, Dura-streme	Ea

UVEX
by Honeywell

Fury® Goggles

Frameless design combines fit of a goggle with styling of a spectacle. The 9-base curve polycarbonate unilens provides wraparound protection. Lenses absorb more than 99.9% of UV light and feature Uvextreme® anti-fog coating. Ideal for use in dust/mist conditions. Soft, flame-resistant, ventilated face foam and adjustable headband. Not designed for chemical applications. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



S1890X

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1890X	341531081	Fury	Black	Clear, Uvextreme	Ea



Uvex Classic™ Goggles

Available in indirect vented or indirect hooded vent models for dust, mist or chemical splash protection. Soft, PVC body is flexible for increased comfort, and durable neoprene headband prevents slippage and chemical attack. Impact-resistant polycarbonate lenses feature Uvextreme® anti-fog coating and absorb 99.9% of UV light. Fit over most Rx eyewear. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S350	341532881	Classic, indirect hooded vent	Clear	Clear, Uvextreme	Ea
S360	341532901	Classic, indirect vent	Clear	Clear, Uvextreme	Ea



S350



S360



Flex Seal® Goggles

Lightweight, all-silicone body conforms to almost any facial profile and fits easily over most prescription eyewear. Stays soft and supple in extreme temperatures. Features low-profile frame, optically correct polycarbonate lens and indirect ventilation system. Uvextreme® anti-fog coating. Pivoting clips allow for positioning on a hard hat or adjusting the neoprene headband above the ears. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3400X	341534001	Flex Seal	Navy	Clear, Uvextreme	Ea



S3400X



Uvex Futura™ Goggles

Wraparound sports style provides excellent panoramic vision. Frosted browguard reduces glare, and indirect venting increases airflow, adding to overall comfort. Uvextreme® anti-fog coating on lens. Neoprene headband. Fits over most Rx eyewear. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S345C	341532851	Futura	Frosted clear	Clear, Uvextreme	Ea



S345C



Uvex Strategy® Goggles

“Over-the-Glass” (OTG), indirect vent goggles provide protection against impact, chemical splash, dust, sand and debris. Lightweight, TPE body provides exceptional comfort and a snug fit. Lenses feature the Uvextra™ anti-fog coating and offer more than 99.9% UV protection. Neoprene headband for chemical applications. Fits over most Rx eyewear. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.



S3810

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3810	341532941	Strategy	Gray	Clear, Uvextra	Ea





Uvex Carbonvision™ Goggles

Compact, lightweight, comfortable design weighs just over an ounce and a half. Flexible, soft frame adapts perfectly to face to ensure a perfect fit and seal around eyes for high-performance protection and all-day comfort. Soft, flexible body is permanently fixed to the frame, making it easy to clean and maintain. Convenient clip makes it easy to remove headband before cleaning. Ideal for protection from impact, dust/airborne particles as well as chemical splash hazards. Low-profile design is ideal for wearing with disposable respirators and protective caps. High-quality headband available in neoprene or fabric and offers a comfortable fit and long-lasting durability. NOTE: Fabric headband is not for use in chemical applications. Available in clear and gray lens tints with Dura-streme® dual anti-fog/anti-scratch coating that combines two lens coatings for 3x longer lens life. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1650D	341563091	Carbonvision, neoprene headband	Black/gray	Clear, Dura-streme	Ea
S1651D	341562791	Carbonvision, neoprene headband	Black/gray	Gray, Dura-streme	Ea
S1650DF	341562731	Carbonvision, fabric headband	Black/gray	Clear, Dura-streme	Ea



S1650DF



S1651D



Uvex Stealth® Reader Goggles

High-quality, soft elastomer body conforms to facial contours for a secure, customized, gap-free fit. Low-profile, wraparound style for complete coverage and unobstructed vision. Features wide, adjustable slide headband with pivoting clips for a comfortable, easy-to-adjust fit even with hard hats. Economical lens replacement system extends life. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. Individually boxed; 50/case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3990X	341566261	Stealth reader	Navy blue	Clear, Uvextreme, +1.0	Ea
S3991X	341566271	Stealth reader	Navy blue	Clear, Uvextreme, +1.5	Ea
S3992X	341566281	Stealth reader	Navy blue	Clear, Uvextreme, +2.0	Ea



S3991X

3M 3M™ Fectogoggles™

DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Wraparound design features adjustable lens angle and choice of elastic headband or adjustable length temples for custom fit. Foam flange seals perimeter of lens to help keep out particulates. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
16400-00000-10	665572031	Fectogoggles, elastic headband	M	Black	Clear, DX	Ea
16420-00000-10	665572591	Fectogoggles, adjustable temple	L	Black	Clear, DX	Ea



16400-00000-10

3M 3M™ Maxim™ 2 x 2 Goggles

Ideal when protection from dust, wind and the sun is needed. Polycarbonate lenses absorb 99.9% UV. Features high-impact nylon frame construction, vented design to help reduce heat and fogging, and interchangeable lenses. Meets ANSI Z87.1-2010 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40686-00000-10	665570271	Maxim 2 x 2 w/ strap & temples	Black	Clear, anti-fog	Ea
40687-00000-10	665522401	Maxim 2 x 2 w/ strap & temples	Black	Gray, anti-fog	Ea



40686-00000-10

3M 3M™ 334 Splash Goggles

Splash goggles feature indirect venting. Tough Duralite® polycarbonate lens absorbs 99.9% UV. Anti-fog lens coating. Fits over most eyewear. Meets ANSI Z87.1-2010 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40661-00000-10	665573051	334 Splash goggles	Clear	Clear, anti-fog	Ea



40661-00000-10

3M 3M™ Lexa™ Splash GoggleGear™

Lightweight, low-profile, contoured design with soft PVC shroud that gently hugs the face. Patented ellipsoidal lens extends the viewing range in every direction. Indirect ventilation allows air to circulate and helps reduce fogging. Comes fully assembled with Lexa eyewear and headstrap. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	FRAME	LENS	UOM
16644-00000-10	665522731	Lexa Splash GoggleGear	M	Clear	Clear, DX	Ea
16645-00000-10	665522741	Lexa Splash GoggleGear	L	Clear	Clear, DX	Ea



16644-00000-10

3M 3M™ Centurion™ Goggles

Impact-resistant, wraparound lens offers exceptional peripheral vision. Large lens opening fits over most Rx eyewear. Two styles available: impact (direct vented) and splash (indirect vented). Polycarbonate lens with anti-fog coating provides 99.9% UV protection. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40301-00000-10	665572951	Centurion impact goggles	Clear	Clear, anti-fog	Ea
40305-00000-10	665572971	Centurion splash goggles	Clear	Clear, anti-fog	Ea



40301-00000-10

WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

SAS Goggles

Foam padding forms a snug fit to keep out dust and airborne particles. Buoyant design. Lenses provide 99.9% UV protection. Anti-fog, anti-scratch coating on lenses. Includes goggle strap and eyeglass temples for easy interchangeability.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
5103	G73551031	Goggles	Black	Clear	Ea
5103-01	G73551041	Goggles	Black	Gray	Ea
5103-02	G73551051	Goggles	Black	Yellow	Ea



5103

Gateway Swap® Safety Eyewear

Change from glasses to goggles to quickly and easily meet your needs. Temples and adjustable head strap included, which can be switched out with the simple push of a button. Foam-lined frame helps block dust and debris, with venting channels to minimize fogging. Meets ANSI Z87.1-2010 standard.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
21GB79	323321791	Swap	Black	Clear, anti-fog	Ea
21GB78	323321781	Swap	Black	Gray, anti-fog	Ea
21GB0F	323321601	Swap	Black	Clear I/O mirror, anti-fog	Ea
21GB9F	323327201	Swap	Black	Blue mirror, anti-fog	Ea



21GB9F



2310AF



Stryker™ Safety Goggles

Transparent PVC body works with most half mask respirators and protects against impact and splash. Features wide lens for unobstructed field of vision and indirect vents for chemical splash protection. Lenses treated with Duramass® AF4 anti-fog coating. Easy adjusting rubber strap ensures personal fit. Meets ANSI Z87.1-2010 standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2310AF	331404701	Stryker	Black	Clear, anti-fog	Ea



2220R



Protective Safety Goggles

Provides an unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body permits comfortable fit over Rx eyewear while protecting against impact. Indirect vents prevent the direct passage of liquid, providing chemical splash protection. Meets ANSI Z87.1-2010 standard.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2220R	331479911	Perforated goggles w/ rubber strap	Clear	Clear	Ea
2230R	331404681	Chemical splash goggles, indirect vent	Clear	Clear	Ea
2235R	331422351	Chemical splash goggles, indirect vent	Clear	Clear, anti-fog	Ea



18624



Jackson Safety* V80 Monogoggle* XTR* OTG Goggle Protection

Stylish goggle protects against splashes, while providing increased visibility due to the cylindrical lens. Soft pliable frame conforms to the face and is easy to clean and sanitize. Indirect ventilation. Can be worn over most Rx eyewear. Meets ANSI Z87.1-2010 standard. 6/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
18624	C24120021	V80 Monogoggle* XTR*	Blue	Clear, anti-fog	Ea



20527



Jackson Safety* V80 Wildcat* Goggle Protection

Extreme heat resistance; will not melt, drip or ignite at 360° F for 5 minutes. Adjustable side vents to help increase airflow. Fits naturally to contour of the face. Lightweight and comfortable. Pivot headband allows for optimal placement. Provides 99.9% UV protection. Meets ANSI Z87.1-2010 standard. Certified to the requirements of the CSA Z94.3 standard. 12/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
20525	C24120951	V80 Wildcat*	Black	Clear, anti-fog	Ea
20526	C24120961	V80 Wildcat*	Black	Smoke, anti-fog	Ea
20527	C24120971	V80 Wildcat*	Black	Amber, anti-fog	Ea
20528	C24120981	V80 Wildcat*	Black	IRUV 3.0, anti-fog	Ea
20529	C24120991	V80 Wildcat*	Black	IRUV 5.0, anti-fog	Ea



20525



18629



Jackson Safety* V90 Shield* Goggle Protection

Features Monogoggle* XTR* with indirect ventilation and polycarbonate shield for full face protection. Curved polycarbonate faceshield conforms to the shape of face offering added protection. Shield detaches from goggle. Can be used over most Rx eyewear. Provides 99.9% UV protection. Meets ANSI Z87.1-2010 standard. 6/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
18629	C24120111	V90 Shield*	Blue	Clear, anti-fog	Ea
18633	C24120131	V90 Shield*	Black	IRUV 5.0, anti-fog	Ea



Uvex Clear® Lens Cleaning Tissues

High-absorbency, non-abrasive tissues are specially formulated for anti-fog and scratch-resistant hardcoats. Tough enough to remove grit and grime from safety eyewear, but gentle enough not to leave abrasive marks. For best results, use with Uvex Clear cleaning solution. 60 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
S462	341533465	Lens cleaning tissues	500/Bx



S462



Fog Eliminator® Cloths

Protect against the potentially dangerous temporary loss of vision that occurs when lenses fog up. Reusable and safe for all types of lenses and lens coatings. Each cloth provides 40 applications. Streak- and film-free, alcohol- and silicone-free, non-flammable and non-toxic. Individually wrapped. 8 Boxes/case.



S477

ITEM #	ORDER #	DESCRIPTION	UOM
S477	341533515	Fog eliminator cloths	100/Bx



Eyewear Hang Cord

Provides convenient access to safety eyewear and encourage greater compliance. Universal cord fits all Uvex® spectacles. Black. 25/Bag.



S501

ITEM #	ORDER #	DESCRIPTION	UOM
S501	341533571	Hang cord, universal series	Ea



Uvex Clear® Disposable Lens Cleaning Station

Ideal for construction sites or remote locations where a permanent access location is not available. Includes everything needed to keep eyewear clean and in good condition: 16 oz. lens cleaning spray bottle and (500) tissues, packaged in a disposable box.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
S467	341533491	Disposable lens cleaning station	6/Cs	Ea
S468	341533505	Lens cleaning towelettes	10 Bx/Cs	100/Bx



S467



Uvex Clear® Permanent Lens Cleaning Station

Easy-to-use, easy-to-install and reminds employees to frequently clean safety eyewear. Refill capabilities eliminate replacing the entire system. Unit includes 16 oz. Uvex Clear cleaning solution, (4) boxes of (500) tissues, 3 1/2" x 4 1/2" mirror, screw mounts and adhesive foam for quick mounting.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
S461	341533451	Permanent lens cleaning station	1/Cs	Ea
S463	341533471	Lens cleaning solution, refill, 16 oz.	12/Cs	Ea
S464	341533481	Lens cleaning solution, refill, 1 gal.	4/Cs	Ea



S461



Lens Cleaning Products

- Towelettes are pre-moistened with anti-fog and anti-static cleaning solution. Each box contains (100) individually wrapped towelettes.
- Lens cleaning station contains (1) 8 oz. bottle of anti-fog, anti-static cleaning spray and (2) boxes of (300) tissues. Convenient, portable and ready to hang on the wall.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
LCT	331400105	Lens cleaning towelettes	10 Bx/Cs	100/Bx
LCS1	331402351	Lens cleaning station	6 Ea/Cs	Ea



LCT

◆ Non-stock item. Minimum quantity may apply.



Head & Face Protection

Face (and eye) protection must be used when workers are exposed to hazards such as flying objects and chemical splash. Head protection is required to help absorb the shock of a blow to the head.

Visit www.osha.gov for complete details and regulation requirements.



Market Leader in Above-the-Neck
Safety Products

MSA offers a comprehensive line of safety products for the parts that make you, well ... you. From the iconic V-Gard® Helmet with three sizes for a custom fit, to the V-Gard System of face protection products that cover almost every hazard, our durable "Above-the-Neck" products work hard to get you home safely.

V-Gard Helmets offer:

- Custom printing with a best-in-class logo and striping program.
- Cap styles with or without slots and vents, plus slotted full brim hats.

V-Gard System offers:

- 52+ face protection products, including visors, frames and chin protectors, designed to work with MSA helmets and retain compliance with applicable Standards.
- Global Standards compliant, including ANSI/ISEA Z87.1-2010, EN166, and CSA Z94.3.

ID 5675-AD



V-Gard® Standard Caps

Durable, injection-molded, high-density polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on features. Available with two types of suspensions: Fas-Trac® ratchet suspension: 4-pointed webbed system with large knob for easy adjustment or Staz-On® pinlock suspension: comfortable, 4-point webbed system. Include Cushionaire™ sweatband and adjustable crown straps. Meets ANSI/ISEA Z89.1-2009, Type 1, Class E.



STAZ-ON SUSPENSION



FAS-TRAC SUSPENSION

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Staz-On Suspension				
463942	308571271	V-Gard standard cap	White	Ea
463943	308571281	V-Gard standard cap	Blue	Ea
463944	308571301	V-Gard standard cap	Yellow	Ea
463945	308571321	V-Gard standard cap	Orange	Ea
463946	308571291	V-Gard standard cap	Green	Ea
463947	308571311	V-Gard standard cap	Red	Ea
463948	308571331	V-Gard standard cap	Gray	Ea
815558	308505581	V-Gard standard cap	Bright lime green	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Fas-Trac Suspension				
475358	308503581	V-Gard standard cap	White	Ea
475359	308553601	V-Gard standard cap	Blue	Ea
475360	308553621	V-Gard standard cap	Yellow	Ea
475361	308553611	V-Gard standard cap	Orange	Ea
475363	308553691	V-Gard standard cap	Red	Ea
815565	308522681	V-Gard standard cap	Bright lime green	Ea
10061512	308536791	V-Gard standard cap	Hi-viz yellow/green	Ea



V-Gard® GREEN Protective Helmets

Produced from green high-density polyethylene (GHDPE), a biopolymer made from sugarcane-based ethanol. Can be recycled. Offers the added benefits of cutting carbon emissions and reducing atmospheric CO₂. Available in standard size with Fas-Trac® ratchet suspension, in five popular colors (white, yellow, blue, green, red). Third-party SEI certified as Type I, Class E under ANSI/ISEA Z89.1-2009 and CSA Z94.1-2005.



FAS-TRAC SUSPENSION

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 10150199	308501991	V-Gard GREEN helmets	White	Ea
♦ 10150200	308502001	V-Gard GREEN helmets	Yellow	Ea
♦ 10150221	308502211	V-Gard GREEN helmets	Blue	Ea
♦ 10150222	308502221	V-Gard GREEN helmets	Green	Ea
♦ 10150223	308502231	V-Gard GREEN helmets	Red	Ea



10150222

10150223

10150200



Freedom Series™ V-Gard® Protective Hard Hat

Bright designs are unique, with a superior shiny finish. Comes equipped with MSA's Fas-Trac® suspension and meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class E) and CSA Z94.1-2005 (Class E). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for reverse donning. Look for the official reverse donning logo to determine if hard hat may be worn backwards without voiding approvals.

ITEM #	ORDER #	DESCRIPTION	UOM
10052945	308536521	American Stars & Stripes	Ea



10052945



454730

454733

475368



V-Gard® Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with choice of Staz-On® pinlock or Fas-Trac® ratchet suspension system. Also includes Cushionaire™ sweatband and adjustable crown straps. Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature (LT) and reverse donning.

ITEM #	ORDER #	COLOR	UOM
Staz-On Suspension			
454730	308547531	Yellow	Ea
454732	308547541	Blue	Ea
454733	308547331	White	Ea
454734	308547551	Orange	Ea
454735	308547561	Green	Ea
454736	308547361	Red	Ea
Fas-Trac Suspension			
475366	308555661	Yellow	Ea
475367	308555671	Gray	Ea
475368	308553681	Blue	Ea
475369	308553701	White	Ea
475370	308555681	Green	Ea
475371	308553711	Red	Ea
815570	308599251	Bright lime green	Ea
10021292	308520351	Hi-viz orange	Ea



10034019



V-Gard® 500 Protective Caps

Provide cooling vents for improved air circulation and comfort. Feature Glaregard® surface underbrim to reduce reflective glare, lateral contours above ear for easy hearing protection integration and rain trough that extends all the way around the brim. Come equipped with MSA's Fas-Trac® suspension and meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009: Vented (Class C). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT] and reverse donning.

10034020

ITEM #	ORDER #	COLOR	SUSPENSION	UOM
10034018	308528161	White	4-Pt Fas-Trac	Ea
10034019	308528171	Blue	4-Pt Fas-Trac	Ea
10034020	308528181	Yellow	4-Pt Fas-Trac	Ea
10034027	308540271	White	6-Pt Fas-Trac	Ea
10034029	308528231	Yellow	6-Pt Fas-Trac	Ea



V-Gard® Frames

Helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
10115730	3085850D1	V-Gard frame for slotted caps w/ debris control	10/Bx	Ea
10121266	3085851D1	V-Gard frame for slotted caps w/out debris control	10/Bx	Ea
10115822	3085852D1	V-Gard universal frame for slotted caps w/ debris control	10/Bx	Ea
10121268	3085853D1	V-Gard universal frame for slotted caps w/out debris control	10/Bx	Ea
10115821	308558281	V-Gard frame ET for slotted caps w/ debris control	10/Bx	Ea
10121267	308558301	V-Gard frame ET for slotted caps w/out debris control	10/Bx	Ea
10116552	308565521	V-Gard universal frame ET for slotted caps w/ debris control	10/Bx	Ea
10122466	308544261	V-Gard universal frame ET for slotted caps w/out debris control	10/Bx	Ea



10115730



10121266



V-Gard® Visors

A full line of visors for use with V-Gard chin protectors and frames. Polycarbonate is suitable for most applications where impact hazards exist. Anti-fog and anti-scratch coatings. Lightweight and durable. Only works with V-Gard frames. Meets ANSI/ISEA Z87.1-2010 requirements.



10116557



10115836

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
10116557	3085854D1	V-Gard visor, mesh w/ plastic edge	7 1/2" x 17"	10/Bx	Ea
10115840	308507381	V-Gard visor, clear, polycarbonate, flat	8" x 17" x .060"	10/Bx	Ea
10115855	3085340E1	V-Gard visor, clear, propionate, formed	7 1/2" x 17" x .098"	10/Bx	Ea
10115836	3085355E1	V-Gard visor, clear, polycarbonate, side-contours	8" x 17" x .040"	10/Bx	Ea



V-Gard® Accessory Kits

V-Gard accessory kits are designed to offer easy customer solutions for a variety of needs, in one convenient box.

10118694 Contains:

- Hi-viz orange V-Gard cap with ratchet suspension (488146)
- V-Gard frame for slotted caps with debris control (10115730)
- V-Gard mesh nitrometer (10116558)
- V-Gard retractable chin protector (10115828)
- Left/right, high (NPR 28 db) cap-mounted earmuffs (10087422)

10118695 Contains:

- White V-Gard cap with ratchet suspension (475358)
- V-Gard frame for slotted caps with debris control (10115730)
- V-Gard clear, PC visor, 8" x 17" x 0.04" (10115836)

10118697 Contains:

- V-Gard universal frame for caps with debris control (10115822)
- V-Gard clear, PC visor, 8" x 17" x 0.04" (10115836)
- Does not contain a MSA safety helmet

ITEM #	ORDER #	DESCRIPTION	UOM
10118694	308586981	V-Gard forestry kit	Ea
10118695	308586961	V-Gard accessory system kit w/ V-Gard cap	Ea
10118697	308586971	V-Gard accessory system kit w/out V-Gard cap	Ea



10118694



816645



10148708



10087218

MSA Replacement Suspensions for V-Gard® Caps and Hats

The Safety Company

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately.

- Fas-Trac® suspension is a 4-point webbed system with a large knob for easy adjustment.
- Staz-On® suspension is a comfortable, 4-point webbed system.
- Swing-ratchet suspension gives the user the ability to adjust the ratchet's location without having to remove the suspension.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10148708	308587081	Fas-Trac suspension for V-Gard cap or hat, standard	6 1/2"-8"	Ea
10087218	3085196C1	Staz-On suspension for V-Gard cap or hat, standard	6 1/2"-8"	Ea
816645	3085035A1	Swing-ratchet suspension for V-Gard cap or hat, standard	6 1/2"-7 5/8"	Ea



454617



454664

MSA Skullgard® Protective Hats and Caps

The Safety Company

Feature heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class G). Also meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature [LT].

ITEM #	ORDER #	DESCRIPTION	SUSPENSION	UOM
Caps				
454617	308547221	Skullgard cap	Staz-On®	Ea
475395	308555791	Skullgard cap	Fas-Trac®	Ea
Full Brim				
454664	308547301	Skullgard full brim hat	Staz-On	Ea
475407	308555861	Skullgard full brim hat	Fas-Trac	Ea



696688

MSA Terri-Band Sweatbands

The Safety Company

Custom design sweatband with plastic snaps fits all MSA helmets. Washable.

ITEM #	ORDER #	DESCRIPTION	UOM
696688	308566885	Custom terri-band sweatband	10/Pk



Classic Series Hard Hats

Designed with a wide profile which offers heightened protection from elements, including UV rays. Standard 1" (2.54 cm) wide seamless nylon straps increase balance and comfort. Comes with 6-point, Flex-Gear® suspensions with ratchet adjustment. Meets ANSI/ISEA Z89.1-2009, Type I, Class E and G. Also meets CSA Z94.1-2005, Type I, Class E and G.



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Cap				
C30WHR	164805231	Model C30R ratchet	White	Ea
C30YLR	164805251	Model C30R ratchet	Yellow	Ea
C30RDR	164805131	Model C30R ratchet	Red	Ea
C30FGR	164804841	Model C30R ratchet	Forest green	Ea
C30KBR	164804951	Model C30R ratchet	Kentucky blue	Ea
C30ORR	164805091	Model C30R ratchet	Orange	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Full Brim				
C33WHR	164806251	Model C33R ratchet	White	Ea
C33YLR	164806271	Model C33R ratchet	Yellow	Ea
C33RDR	164806151	Model C33R ratchet	Red	Ea
C33KBR	164805971	Model C33R ratchet	Kentucky blue	Ea

Model S51 Hard Hats


Flat front, trim profile shell design combines a perfect fit with a look that workers prefer. Features rain trough and polyester brow pad for comfort. Lightweight, high-density, polyethylene construction for durability. Available with 4-point suspension with self-sizing pinlock or Flex-Gear® ratchet adjustment. Meets ANSI/ISEA Z89.1-2009, Type I, Class E and G, and CSA Z94.1-2005, Type 1, Class E and G.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Pinlock Suspension				
51WHP	164807661	Model S51P cap	White	Ea
51YLP	164807701	Model S51P cap	Yellow	Ea
51KBP	164807111	Model S51P cap	Kentucky blue	Ea
Ratchet Suspension				
51WHR	164807681	Model S51R cap	White	Ea
51YLR	164807721	Model S51R cap	Yellow	Ea
51KBR	164807131	Model S51R cap	Kentucky blue	Ea



Model S61 Hard Hats

Features lightweight, high-density polyethylene (HDPE) construction and low-profile, rounded front design. The 4-point suspension includes cotton brow pad and Flex-Gear® ratchet adjustment. Meets ANSI/ISEA Z89.1-2009, Type I, Class E and G.



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
61WHR	164808131	Model S61 hard hat ratchet	White	Ea
61YLR	164808151	Model S61 hard hat ratchet	Yellow	Ea
61RDR	164808091	Model S61 hard hat ratchet	Red	Ea
61KBR	164808011	Model S61 hard hat ratchet	Kentucky blue	Ea
61HOR	164807971	Model S61 hard hat ratchet	Hi-viz orange	Ea



BCYLV

Bullard Bump Caps

Offers wearers a sleek style combined with user comfort and maximum versatility. Provides protection against minor bumps, bruises and lacerations. Features double hoop design for greater reinforcement and durability along with an easy-to-assemble user replaceable suspension. Lightweight polyester, high-density polyethylene (HDPE). Interchangeable brow pad available in easy-to-clean vinyl and absorbent poly for comfortable fit.

ITEM #	ORDER #	DESCRIPTION	UOM
BCWHV	164823321	Bump cap w/ white shell, suspension & vinyl brow pad	Ea
BCWHP	164823331	Bump cap w/ white shell, suspension & polyester brow pad	Ea
BCYLV	164823341	Bump cap w/ yellow shell, suspension & vinyl brow pad	Ea
BCYLP	164823351	Bump cap w/ yellow shell, suspension & polyester brow pad	Ea



Logo Shop




Customized hard hats are quick and easy with the Bullard Logo Shop.

The Bullard Logo Shop will create a hard hat that promotes your organization's unique identity. Pad printing process creates permanent logos that will not peel, crack or fade like a decal or sticker. The minimum order requirement is 20 pieces, and there are no hidden charges for logo set-up or artwork changes. Bullard uses the latest technology to print clear, crisp logos in up to six different colors and in eight locations.

Visit www.bullard.com to customize your next hard hat order!

Hat Color Chart



100G



Faceshield Bracket

Securely attach hard hats with the faceshield bracket that suits your needs. Gold Line® aluminum faceshield brackets, made from resilient,

gold-anodized aluminum, resist corrosion and heat, making them ideal for chemical handling and high-heat industrial applications. Front-mounting. Meets ANSI/ISEA Z87.1-2010 High Impact.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
100G	164804331	Aluminum bracket, fits cap Models C30, S51, S61, S62, 911C & bump cap	25/Cs	Ea



860P



Visors

Flat acetate is for chemical applications and light impact protection. Heat-formed polycarbonate is for high-heat applications with little or no exposure to chemicals. (Heat-formed visors are curved to the shape of the bracket to minimize stress cracking and improve ease of attachment.) Visors are also available in polyester and mesh screen. Meets ANSI/ISEA Z87.1-2010 Basic Impact.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	CASE QTY	UOM
840M	164808201	Flat acetate visor, basic impact	8" x 15" x .040"	Clear	50/Cs	Ea
840MG	164808811	Flat acetate visor, basic impact	8" x 15" x .040"	Dark green	50/Cs	Ea
860P	164808871	Polycarbonate visor, basic impact	8" x 15" x .060"	Clear	50/Cs	Ea



Dielectric Faceshield Brackets

Securely attach hard hats with faceshield bracket. Dielectric brackets are constructed from lightweight, durable nylon and are suited for general-duty applications. Front-mounting. Meets ANSI Z87.1-2010 High Impact when used in combination with Bullard headgear or faceshield brackets.



300BW

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
300BW	164805271	Dielectric bracket w/ neoprene gasket, fits cap Models C30, Advent®, S51, S61, bump cap & S62	25/Cs	Ea
300B	164805261	Dielectric bracket, fits cap Models C30, Advent, S51, S61, bump cap & S62	25/Cs	Ea



Replacement Brow Pads

Brow pads cushion while absorbing moisture to keep wearers feeling cool and clean. Replaceable on all Standard and Classic Series hard hats. Velcro® easily in place over original pads, ensuring comfort and protection. **RBPCOOL** replacement brow pad is made of Polartec® wicking material that moves sweat away from the worker's brow. **RBPCOTTON** is a large, absorbent cotton replacement pad. Both styles fit all current Bullard® hard hats.



RBPCOOL

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
RBPCOOL	164810511	Polartec replacement brow pad	20/Cs	Ea
RBPCOTTON	164802961	Large cotton replacement brow pad	20/Cs	Ea



Jackson Safety* SC-16 Fiberglass Caps

Fiberglass protection for higher heat applications. Smooth dome design. Firm, comfortable fit with padded, absorbent brow pad. Accessory slots for attaching additional personal protective equipment. 4-Point ratchet suspension. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class G and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14829	C24115841	SC-16 cap	Yellow	Ea
14831	C24115851	SC-16 cap	White	Ea



Jackson Safety* SC-6 Hard Hats

Smooth dome design. Lightweight, molded from dielectric high-density polyethylene (HDPE). Features 4-point ratchet suspension and accessory slots for attaching additional personal protection equipment. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class C, G and E.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14833	C24115871	SC-6 cap	Yellow	Ea
14834	C24115881	SC-6 cap	White	Ea
14837	C24115901	SC-6 cap	Green	Ea
14838	C24115911	SC-6 cap	Blue	Ea



Jackson Safety* Blockhead* Hard Hats

Full 360° brim protects wearer from nature's elements. Lightweight for comfort. Molded from high-density polyethylene (HDPE). 8-Point ratchet system. Soft, absorbent cloth absorbs sweat, keeping wearer comfortable. Meets ANSI Z89.1, Type 1, Class G, E and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
20697	C24121131	Blockhead* hard hat	White	Ea
20698	C24121141	Blockhead* hard hat	Yellow	Ea
20699	C24121151	Blockhead* hard hat	Blue	Ea
20701	C24121161	Blockhead* hard hat	Orange	Ea



Jackson Safety* Plastic Cap Adapter

Plastic cap adapter is fully dielectric and mounts faceshields to slotted caps. Includes integral spark deflector and pivoting blades. Faceshields are secured with integral plastic lugs and can be used bill forward or backward.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
14944	C24116191	382-B Cap adapter	12/Cs	Ea



Jackson Safety* HDG 30 170-SB Headgear

Enables attachment of Jackson Safety* faceshields. Headgear with large spark deflector. Ratchet suspension.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
14940	C24116141	170-SB headgear	12/Cs	Ea





29087

29091

29084

29080

29102



Jackson Safety* Faceshields

Polycarbonate: Impact performance. Good performance against heat. Excellent cold flexibility.

Acetate: Robust combination of weight and strength. Excellent cold flexibility.

Propionate: Lightweight.

Polycarbonate Special: Perform well in high heat or cold environments for specialty applications.

Wire Mesh: Wear with faceshield to dissipate heat. Ideal for flying debris applications. Airflow for comfort. Headgear sold separately. Meets ANSI Z87.1 2010 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
F20 Polycarbonate Faceshields					
29087	C24118581	34-60-PC Clear, unbound	8" x 15 1/2" x .060"	12/Bx	Ea
29099	C24153781	8140 Clear, unbound	8" x 15 1/2" x .040"	36/Bx	Ea
F30 Acetate Faceshields					
29052	C24114231	8154 Clear, bound	8" x 15 1/2" x .040"	24/Bx	Ea
29053	C24114301	8154M Medium green, bound	8" x 15 1/2" x .040"	24/Bx	Ea
29054	C24114341	8156 Clear, bound	8" x 15 1/2" x .060"	24/Bx	Ea
29079	C24118381	34-40 Clear, bound	9" x 15 1/2" x .040"	24/Bx	Ea
29082	C24118471	34-41 Light green, bound	9" x 15 1/2" x .040"	12/Bx	Ea
29091	C24118671	34-40 Clear, bound, bulk	9" x 15 1/2" x .040"	50/Bx	Ea
29090	C24118641	34-42 Dark green, bound, bulk	9" x 15 1/2" x .040"	50/Bx	Ea
F40 Propionate Faceshields					
29084	C24118561	915-60 Clear, unbound	9" x 15 1/2" x .060"	12/Bx	Ea
F50 Polycarbonate Special Faceshields					
29080	C24118401	34-65 Shade 5.0, unbound	8" x 15 1/2" x .060"	12/Bx	Ea
F60 Wire Faceshields					
29102	C24126011	6513 Wire mesh, bound	6 1/2" x 15 1/2" x .020"	30/Bx	Ea
29055	C24114221	815 Wire mesh, bound	8" x 15 1/2" x .020"	12/Bx	Ea



Jackson Safety* 37 Hatshield

Curved aluminum channel and coil spring attachment allows attachment of any Jackson Safety* faceshield to protective full brim hat.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
14945	C24116201	37 Hatshield	12/Cs	Ea
14393	C24112701	Model-H bracket hat adapter	24/Cs	Ea



14945

14393



Jackson Safety* HDG 10 Model K Headgear

Ratchet headgear with spark deflector. Soft, absorbent, wraparound, foam-cushioned sweatband gently hugs the natural shape of the head.



14381

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
14381	C24112961	Model K headgear	12/Cs	Ea



Jackson Safety* Capshields

337 Capshield is a fully dielectric device for non-slotted caps. Features curved channel that fits over the bill of the cap for bill forward wear and secures with adjustable rubber headband that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

437 Blade-mount capshield is a fully dielectric plastic attachment for slotted caps. Curved channel fits over bill of cap for bill forward wear and includes pivoting blades, which snap easily into cap slots. Faceshields secured with integral plastic lugs.

137 Capshield is a metal device for non-slotted caps. Features curved aluminum channel that fits over bill of cap for bill forward wear and secures with coiled spring that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.



14946

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
14946	C24116211	337 Capshield	12/Cs	Ea
14947	C24116221	437 Blade-mount capshield	12/Cs	Ea
14948	C24116231	137 Capshield	12/Cs	Ea



Jackson Safety* Hard Hat Interchange System

Quickly attach or detach faceshield or welding helmet from hard hat without removing hard hat. Features audible click that indicates assembled correctly, 1-button quick-release action, and vertical lock that eliminates helmet/faceshield creep. Works with SC-6 hard hat forward or backward.



39477

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 39477	C24194771	Interchange hard hat system; hard hat sold separately	Ea



UVEX Bionic® Faceshields and Replacement Visors

Provides excellent optics, visibility and enhanced protection from airborne debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position visors are easy to replace and attach securely. Comfortably worn with most goggles, Rx eyewear and respirators. Black matte. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
Bionic Faceshields				
S8500	341535081	Polycarbonate visor, uncoated	Clear	Ea
S8510	341535101	Polycarbonate visor, anti-fog/hardcoat	Clear	Ea
Replacement Visors				
S8550	341535121	Polycarbonate visor, uncoated	Clear	Ea
S8555	341535131	Polycarbonate visor, anti-fog/hardcoat	Clear	Ea
S8560	341535141	Polycarbonate visor, uncoated	Shade 3.0	Ea
S8565	341535151	Polycarbonate visor, uncoated	Shade 5.0	Ea

S8500



S8560



S8565



Uvex Turbosshield™

Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Visor slides back 7", improving balance and weight distribution. Headgear features breathable, removable, washable headband; toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments. Clear and Gray lenses available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Hard hat adapter accessory is compatible with multiple hard hats. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Faceshields offer secondary protection and must be worn with spectacles or goggles.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
S9500	341595011	Turbosshield ratchet headgear, black		Ea
S9510	341595101	Turbosshield hard hat adapter, black		Ea
S9550	341595501	Polycarbonate replacement visor, uncoated	Clear	Ea
S9555	341595551	Polycarbonate replacement visor, anti-fog/hardcoat	Clear	Ea
S9575	341595751	Polycarbonate replacement visor, anti-fog/hardcoat	Gray	Ea
S9560	341595601	Polycarbonate replacement visor, uncoated	Shade 3.0	Ea
S9565	341595651	Polycarbonate replacement visor, uncoated	Shade 5.0	Ea

NORTH Protecto-Shield® Prolok® Headgear and Visors

Tough thermoplastic headgear provides impact and splash protection and feature heat-resistant browguard. Specially designed with chemical splash drip edge to prevent fluids from splashing down inside the visor. Easy sizing and tension adjustment for individual visor positioning. Visors measure 8 1/2" x 15" x .070" and attach easily without snaps, posts or levers. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

Note: Faceshields [and face screens] provide secondary eye protection only and must be worn along with approved primary eye protection, such as safety glasses or goggles, in order to provide complete eye protection.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Prolok Headgear				
11380048	341500481	V5N Prolok headgear w/ ratchet adjustment & sweatband		Ea
Visors				
11390065	341500471	Polycarbonate visor	Clear	Ea
11390064	341500441	Propionate visor	Clear	Ea
11390068	341537901	Propionate visor	Shade 5.0	Ea
11390069	341537891	Propionate visor	Shade 6.0	Ea





3M 3M™ Hard Hats with Uvicator™ Sensor

Helps deliver lightweight protection and durability for extended comfort. Uvicator™ sensor offers workers an easy way to monitor hard hat's exposure to the sun, so they will know when to replace it. Features a low-profile design for stability and balance, and includes accessory slots for 3M's cap-mounted earmuffs, headgear, faceshields and welding helmets. Available in 4-point ratchet suspension only. Meets requirements of ANSI/ISEA Z89.1, Type I, Class C (vented versions); Class C, G and E (non-vented versions).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
H-701V-UV	665555081	Hard Hat w/ Uvicator™ Sensor, Vented	White	Ea
H-702R-UV	665555041	Hard Hat w/ Uvicator™ Sensor	Yellow	Ea
H-702V-UV	665555091	Hard Hat w/ Uvicator™ Sensor, Vented	Yellow	Ea
H-703R-UV	665555051	Hard Hat w/ Uvicator™ Sensor	Blue	Ea
H-703V-UV	665555101	Hard Hat w/ Uvicator™ Sensor, Vented	Blue	Ea
H-704R-UV	665555061	Hard Hat w/ Uvicator™ Sensor	Green	Ea
H-704V-UV	665555111	Hard Hat w/ Uvicator™ Sensor, Vented	Green	Ea
H-709R-UV	665555071	Hard Hat w/ Uvicator™ Sensor	Bright yellow	Ea

H-702R-UV

WARNING

These hard hats provide limited protection only. **Misuse or failure to follow warnings and User Instructions may result in serious person injury or death.** For proper use, see supervisor, or *User Instructions*, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3M 3M™ H8A Deluxe Ratchet Headgear

Five-position crown strap with ratchet adjustment offers comfortable, snug fit. No snaps, caps or bands. High-strength thermoplastic crown provides impact resistance over a wide range of temperatures. Easy-Change feature allows for quick faceshield replacement. Faceshields sold separately. Meets the High Impact requirements of ANSI Z87.1-2010 when worn with 3M™ Faceshields.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
82501-00000	665520871	H8A Deluxe Ratchet Headgear	Ea



82501-00000



82701-00000

3M 3M™ Faceshields

Polycarbonate faceshields help provide good heat resistance and high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. WP96C features dark green color for high glare reduction. Non-infrared absorbing. Meets the High Impact requirements of ANSI Z87.1-2010 when worn with 3M™ headgear.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
82701-00000	665564341	WP96 Clear Polycarbonate Faceshield	9" x 14 1/2" x .080"	Ea
82702-00000	665573571	WP96C Dark Green Polycarbonate Faceshield	9" x 14 1/2" x .080"	Ea

WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



Roughneck P2 Hard Hats

Made of an injection-molded fiberglass compound. Solid color resin for permanent, no-chip, no-peel finish. Features smooth, matte finish for cleaner, crisper logo imprints. Impact resistance up to 500° F. Compatible with Quick-Lok® or Speedy® Loop helmet attachment system for faceshields and welding helmets. SEI third-party certified. Meets ANSI-Z89.1-2009, Type 1, Class G and CSA Z94.1-2005, Type 1, Class G or C (Class C for Quick-Lok model).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Ratchet				
P2HNRW74A000	347686661	High heat hard hat	Green	Ea
P2HNRW71A000	347686651	High heat hard hat	Blue	Ea
P2HNRW02A000	347691201	High heat hard hat	Yellow	Ea
P2HNRW01A000	347686681	High heat hard hat	White	Ea
Quik-Lok and Ratchet				
P2HNQRW74A000	347691211	High heat hard hat	Green	Ea
P2HNQRW71A000	347688661	High heat hard hat	Blue	Ea
P2HNQRW02A000	347691221	High heat hard hat	Yellow	Ea
P2HNQRW01A000	347691231	High heat hard hat	White	Ea

P2HNRW74A000

P2HNRW71A000



P2HNRW02A000

P2HNRW01A000



SuperEight® Caps and Hats

High-quality thermoplastic hats and caps feature unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots. Wearer can adjust head size by using rear-located ratchet mechanism and tilting the headband. All hats and caps include 8-point suspension and available with Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear. All styles are SEI certified to meet ANSI Z89.1-2009, Type 1, Class E.

Note: Available in a variety of colors. E2 cap is compatible with Quik-Lok® or Speedy® Loop helmet attachment system for faceshield and welding helmets. Call customer service for more information.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
Caps				
E2RW01A000	614609301	Hard cap	White	Ea
E2RW02A000	614609321	Hard cap	Yellow	Ea
E2RW15A000	614609311	Hard cap	Red	Ea
E2RW71A000	347686911	Hard cap	Blue	Ea
Full Brim				
E1RW01A000	614609151	Full brim hard hat	White	Ea
E1RW02A000	614609251	Full brim hard hat	Yellow	Ea
E1RW15A000	614609261	Full brim hard hat	Red	Ea
E1RW71A000	614609271	Full brim hard hat	Blue	Ea



SWINGSTRAP



E1RW71A000



E2RW02A000

E1RW01A000



SE-2 Sensor Hard Hats

A lateral impact activates the patented attenuator band which provides protection for the periphery of the cap. SE-2 Air-Flow design provides air circulation within shell. Exclusive smooth crown design and technically advanced SuperEight® suspension with (8) load-bearing points to stabilize and balance hat during everyday wear. Meets ANSI Z89.1-2009, Type 2, Class E and CSA Z94.1-2005, Type 2, Class E.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
SE271A000	347688451	Cap-style hard hat	Blue	Ea
SE215A000	347688651	Cap-style hard hat	Red	Ea
SE209A000	347690041	Cap-style hard hat	Gray	Ea
SE203A000	347687901	Cap-style hard hat	Orange	Ea
SE201A000	347687501	Cap-style hard hat	White	Ea



SE271A000



SE203A000



F300



F500



F4400

F5400



FH66

FM70



4178CL

4178IRUV5



F300, F400, F500 and Dual Crown Series Faceshield Headgear

A variety of faceshield headgear with crown protectors provides the level of protection you need. All models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands. (Windows sold separately.) Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

F300 lightweight faceshield headgear provides general face protection for light-duty applications. Easily fits over spectacles, leaving room for air circulation to prevent fogging. Accommodates standard size (8" x 11 1/2") windows.

F400 features a deeper 4" crown protector to extend protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators.

F500 includes a broader, deeper 7" crown protector to provide an extra margin of protection when harsh working conditions require it. Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris. Includes Fibre-Metal classic 3-C, free-floating headgear.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
F300	347686341	Light-duty faceshield headgear w/ 3" crown protector	12/Cs	Ea
F400	614601731	Medium-duty faceshield headgear w/ 4" crown protector	12/Cs	Ea
F500	614601761	Heavy-duty faceshield headgear w/ 7" crown protector	12/Cs	Ea



Faceshield Headgear Combinations

Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats. Constructed from Noryl®, these faceshield brackets offer durable protection. Model 4000 with Quick-Lok® cups is for mounting on Fibre-Metal caps equipped with Quick-Lok blocks for more permanent mounting. Model 5000 with Speedy® Loops is adjustable and provides easy on and off mounting on protective caps.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
F4400	614601741	F-400 faceshield bracket w/ Quick-Lok cups, 4" crown	12/Cs	Ea
F5400	614601771	F-500 faceshield bracket w/ Speedy Loop mounts, 4" crown	12/Cs	Ea
F5500	614601781	F-500 faceshield bracket w/ Speedy Loop mounts, 7" crown	12/Cs	Ea
5000	614606911	5000 Speedy attachment & adapter headband kit	12/Cs	Ea
4000	614606191	Fibre Metal 4000 Quick-Lok complete adapter kit	12/Cs	Ea



Faceshield Hard Hat Brackets

Provides positive seal to keep debris from filtering between cap and shield. May be pivoted above cap between uses without removing the cap. Hard hat and faceshield not included.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
FM70	614602441	Fully dielectric mounting bracket for Fibre-Metal P2, E2 hard hats	100/Cs	Ea
FH66	614601811	Aluminum mounting bracket for Fibre-Metal P2, E2 hard hats	100/Cs	Ea
FM71	614602471	Dielectric frame for extended outdoor use, fits wide windows only, for Fibre-Metal E1 full brim hats	100/Cs	Ea



High-Performance® Faceshield Windows

Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris. They are .060" thick, yet cost no more than ordinary .040" thick windows. Easily fit over required protective spectacles or respirators. Hard hat and frame not included.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	CASE QTY	UOM
4118CL	614606221	Standard window, fits F300 Series	8" x 11 1/4"	Clear	12/Bx	Ea
4178CL	614606241	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Clear	12/Bx	Ea
4178IRUV5	614606321	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Shade 5.0	12/Bx	Ea
4178DGN	614606251	Wide window, fits F400, F500 Series & FH66, FM70, FM71	8" x 16 1/2"	Dark green	12/Bx	Ea
4199CL	614606291	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Clear	12/Bx	Ea
4199DGN	614606301	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Dark green	12/Bx	Ea
4199IRUV5	614606321	Extended view window, fits F400, F500 Series & FH66	9 3/4" x 19"	Shade 5.0	12/Bx	Ea



Gateway Serpent® Safety Helmets

Ultra-comfortable safety helmets that offer durable head protection for a wide range of work environments. Sleek, snake-head-like shell design provides modern style. Manufactured from lightweight (13.1 oz.), high-density polyethylene (HDPE) material. Comfortable 8-point ratchet, 6-strap nylon suspension provides exceptional impact absorption. Independently tested to meet the ANSI Z89.1 standard for Type 1, Class E, G and C safety helmets. Independently tested to meet the voluntary ANSI Z89.1-2009 standards for lower temperature, reverse donning and high visibility (hi-viz shell colors only).



ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
72200	323327301	Serpent safety helmet	White	Ea
72201	323327311	Serpent safety helmet	Yellow	Ea
72203	323327321	Serpent safety helmet	Blue	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
72216	323327331	Serpent safety helmet	Hi-viz orange	Ea
72218	323327341	Serpent safety helmet	Hi-viz limon	Ea

Gateway Venom® Face Protection

Contemporary design offers lightweight construction with soft brow pad and nape strap for comfortable use. Three-part adjustment system provides custom fit, and tension adjustment ensures that visor will stay in place when raised. Combo-Pak includes 677 headgear and 675 visor. Visors measure 8" x 15 1/2" x .060". Certified by UL® to meet ANSI Z87.1+ and CSA Z94.3 standards.



Gateway Venom® Headgear Unit

Contemporary, contoured visor design creates a more complete seal to block debris. Three-part comfort adjustment system makes it easy to wear for all-day applications. Extra-soft brow pad and nape strap delivers superior comfort. Faceshields sold separately. Independently tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3 standards.





ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
679	323306791	Venom Combo-Pak		Ea
675	323301071	Venom visor	Clear	Ea
678	323327251	Venom visor	Smoke	Ea
676	323327261	Venom visor	Clear, anti-fog	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
677	323301061	Venom headgear unit	Ea

CREWS GLASSES Headgear Brackets and Faceshields

Headgear features locking cams which eliminate snaps and lower replacement costs. Aluminum rim headgear bracket (102) features a 5-system cam lock for added impact resistance. Ratchet, take-up headgear (103) also features a 5-system cam lock for heightened impact resistance, a large ratchet handle and a cotton sweatband for comfortable fit. All headgear accepts most manufacturers' universally punched windows. Meets or exceeds ANSI Z87.1+. For use as secondary protection only. Faceshields and brackets are sold separately.



ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	CASE QTY	UOM
102	331404401	Aluminum rim headgear bracket			24/Cs	Ea
103	331401031	Ratchet take-up headgear bracket			24/Cs	Ea
101640	331404391	Universal PETG faceshield	10" x 15 1/2" x .040"	Clear	25/Cs	Ea
102040	331404411	Universal PETG faceshield	10" x 20" x .040"	Clear	25/Cs	Ea
181540	331404461	Universal PC faceshield	8" x 15 1/2" x .040"	Clear	25/Cs	Ea
181640	331410721	Universal PETG faceshield	8" x 15 1/2" x .040"	Clear	50/Cs	Ea
181541	331439331	Universal poly faceshield	8" x 15 1/2" x .040"	Medium green	25/Cs	Ea
181640A	331404481	PETG aluminum bound faceshield	8" x 15 1/2" x .040"	Clear	25/Cs	Ea



WELDAS® SWEATSOpad® Headbands

Made from absorbent, 100% fleece cotton. Feature air cushion layer, absorb excessive perspiration and help to minimize "helmet-head" and helmet slippage. Eliminates the frustration of wearing a helmet over a sweatband. Flame-retardant treated with hook-and-loop fastener. Russet.

ITEM #	ORDER #	DESCRIPTION	UOM
20-3100V	C25400605	Welding helmet headband	2/Pk
20-3200V	C25400615	Hard hat headband	2/Pk

CCOU%OMIX Baseball Cap Bump Caps

Outer 100% polyester twill baseball cap features high-profile, 6-panel design with top of cap holes for cooling ventilation. Inside, a separate hard plastic polyethylene shell cap insert encircles top, front and both sides of head to protect against bumps and scrapes. Foam padding enhances comfort. Bump cap insert also sold separately. Universal. Navy. Non-ANSI compliant.

ITEM #	ORDER #	DESCRIPTION	UOM
V410	325302161	Baseball cap bump cap w/ insert	Ea
V400	325302171	Bump cap insert	Ea



CCOU%OMIX Vulcan® Cowboy Hard Hats


High-density polyethylene (HDPE) outer shell resists penetration. Features custom-curved extra wide brim for UV and rain protection plus vintage-inspired pinch-front top for authentic cowboy appeal. Water-resistant. Includes 6-point ratchet suspension. One size fits most. Complies with ANSI Z89.1-2009, Type 1, Class E, G and C. Hard hat shell made in USA.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
VCB200-W	325302771	Vulcan cowboy hard hat	White	Ea
VCB200-B	325302741	Vulcan cowboy hard hat	Black	Ea
VCB200-G	325302751	Vulcan cowboy hard hat	Gray	Ea
VCB200-T	325302761	Vulcan cowboy hard hat	Tan	Ea

CCOU%OMIX Terry Toppers® Snap-On Sweatbands for Hard Hats

Constructed from 100% super-absorbent, soft terry cotton and offers plush, not scratchy, texture. Sweatband absorbs without needing to be washed first. Installs easily with snap-on application and helps hard hat fit securely. No foam middle. Universal. Machine washable.

ITEM #	ORDER #	DESCRIPTION	COLOR	CASE QTY	UOM
870B20-01	325302671	Snap-on hard hat sweatband	Navy	100/Cs	Ea
870B20-15	325302651	Snap-on hard hat sweatband	Beige	100/Cs	Ea





Tuff Nougies® Doo Rags

Made of 100% absorbent cotton fabric with rear ties for secure fit and double layer of cotton around forehead for added comfort and absorption. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN5-NAV	325302411	Tuff Nougies doo rag	Navy	Ea
TN5-BLACK	325302341	Tuff Nougies doo rag	Black	Ea
TN5-JFL	325302391	Tuff Nougies doo rag	Jungle flage	Ea
TN5-WAV	325302441	Tuff Nougies doo rag	Wavy flag	Ea
TN5-CRD	325302371	Tuff Nougies doo rag	Cowboy red	Ea



Workers who are exposed to extreme heat or work in hot environments may be at risk of heat stress. Heat stress can result in heat stroke, heat exhaustion, heat cramps, or heat rashes. Prevention of heat stress in workers is vital! Employers should provide training so workers understand what heat stress is, how it affects their health and safety, and how it can be prevented.

For complete details go to www.osha.gov.




TN5-CRD

TN5-BLACK

TN5-NAV

TN5-JFL

TN5-WAV



Premium Flame-Resistant, Shoulder-Length Two-Way Winter Liner

Upper cap is FR-treated 100% cotton twill lined with modacrylic/cotton jersey. ATPV: 21 cal/cm², NFPA 70E/HRC=2. Lower cap is 18 oz. modacrylic soft rib-knit. ATPV: 28.6 cal/cm², NFPA 70E/HRC=3. Features Nomex® zipper and thread. Flame-resistant through 50 washings. Universal. Midnight blue. Meets ASTM F1506.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ LZ620-FR	325363501	Premium FR shoulder-length winter liner	Ea



LZ620-FR

More Flame-Resistant products starting on page 145




Classic Flame-Resistant Mid-Length Winter Liner

Outer shell is 100% FR-treated cotton twill. Lining is modacrylic/cotton jersey. Features Nomex® thread. Flame-resistant through 50 washings. Universal. Blue with red lining. Meets ASTM F1506. ATPV: 21 cal/cm², NFPA 70E/HRC=2.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ LP690	325363511	Classic FR mid-length winter liner	Ea



LP690




Premium Flame-Resistant, Quilted Shoulder-Length Winter Liner

Outer shell is 100% FR-treated cotton twill. Lining is FR-treated cotton with 3M™ Thinsulate™ Platinum Insulation FR. Features Nomex® thread. Flame-resistant through 50 washings. Universal. Blue. ATPV: 26 cal/cm², NFPA 70E/HRC=3. Meets ASTM F1506.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ SX700	325317001	Premium FR, quilted shoulder-length winter liner	Ea



SX700




Hot Rods® 3-in-1 Balaclava

Plush double-napped middle weight stretch polyester balaclava can be worn three ways. Can cover the neck only, cover the neck and head, or cover the neck, head and face. Adjustable drawstring can be tightened to keep the liner snug, and (2) hook-and-loop tab closures make it easy to wear with a hard hat. Black.



1070E

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1070E	325310711	Hot Rods 3-in-1 balaclava	Ea



Winter Liners

Various winter liners to protect user from cold environments.

Classic shoulder-length Sherpa: 100% Cotton twill outer shell with 50% acrylic/50% polyester Sherpa lining.

Classic shoulder-length HD fleece: 100% Polyester anti-pilling heavy weight fleece.

Value mid-length twill: 100% Cotton twill top with FR treatment until washed and fleece lining.

Value regular-length quilted: 100% Quilted nylon shell, 4 mm foam center layer and fleece lining.

Classic mid-length twill: 100% Cotton twill top with FR treatment until washed and fleece lining-mid length.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
SS550	325302291	Classic shoulder-length Sherpa	Navy	Ea
SF560	325302271	Classic shoulder-length HD fleece	Gray	Ea
◆ XX600	325303031	Value mid-length twill	Blue	Ea
XX301	325343045	Value regular-length quilted	Blue	6/Pk
◆ LB600	325316001	Classic mid-length twill	Blue	Ea



V-Gard® Value Winter Liners

Provides excellent protection against cold with maximum economy.

V-Gard supreme liner is a 2-piece, flame-resistant liner.

V-Gard liner knit cap is a stylish skullie cap that prevents liner from obstructing vision. Made from 100% high bulk acrylic.

V-Gard liner knit hat-cap cover is made from 100% acrylic. Bright yellow-green for greater visibility. Full face tube mounts under or over brim of MSA caps or hats, covering ears, mouth, cheeks and neck. Extended nape and wraparound collar for tucking into coat/shirt.

V-Gard value liner is made of 100% cotton twill with adjustable chin strap.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
◆ 10118427	3085845D5	V-Gard supreme liner	3/Pk	Ea
◆ 10118417	3085866D1	V-Gard liner knit cap	12/Cs	Ea
◆ 10118418	3085867D1	V-Gard liner knit hat-cap cover	12/Cs	Ea
◆ 10118422	3085869D1	V-Gard value liner, extended	12/Cs	Ea



Employers must ensure that their employees wear head protection if any of the following apply:

- Objects might fall from above and strike them on the head;
- They might bump their heads against fixed objects, such as exposed pipes or beams; or
- There is a possibility of accidental head contact with electrical hazards.

In general, protective helmets or hard hats should do the following:

- Resist penetration by objects.
- Absorb the shock of a blow.
- Be water-resistant and slow burning.
- Have clear instructions explaining proper adjustment and replacement of the suspension and headband.

Types of Hard Hats

Hard hats are divided into three industrial classes:

- **Class A hard hats provide impact and penetration resistance along with limited voltage protection (up to 2,200 volts).**
- **Class B hard hats provide the highest level of protection against electrical hazards, with high-voltage shock and burn protection (up to 20,000 volts). They also provide protection from impact and penetration hazards by flying/falling objects.**
- **Class C hard hats provide lightweight comfort and impact protection but offer no protection from electrical hazards.**

Another class of protective headgear on the market is called a “bump hat,” designed for use in areas with low head clearance. They are recommended for areas where protection is needed from head bumps and lacerations. These are not designed to protect against falling or flying objects and are not ANSI approved. It is essential to check the type of hard hat employees are using to ensure that the equipment provides appropriate protection. Each hat should bear a label inside the shell that lists the manufacturer, the ANSI designation and the class of the hat.

Always replace a hard hat if it sustains an impact, even if damage is not noticeable. Suspension systems are offered as replacement parts and should be replaced when damaged or when excessive wear is noticed. It is not necessary to replace the entire hard hat when deterioration or tears of the suspension systems are noticed.

For complete details go to www.osha.gov.

Face Protection

Faceshields are intended to protect the entire face or portions of it from impact hazards such as flying fragments, objects, large chips, and particles. When worn alone, face shields do not protect employees from impact hazards. Use face shields in combination with safety spectacles or goggles, even in the absence of dust or potential splashes, for additional protection beyond that offered by spectacles or goggles alone.

Faceshield windows are made with different transparent materials and in varying degrees or levels of thickness. These levels should correspond with specific tasks. Window and headgear devices are available in various combinations to enable the worker to select the appropriate equipment.

Face shield windows extend from the brow to below the chin and across the entire width of the face.

Windows are available in both removable or lift-front designs:

- Removable windows allow the replacement of damaged windows
- Lift-front windows may be raised, as needed, or left in the lowered position

Plastic windows:

- Protect against light impact
- May include a glass insert
- Are available clear or filtered

Wire-screen windows:


- May include a plastic/glass insert
- Protect against some moderate impact
- Are not recommended for use involving chemical or liquid hazards



Hearing Protection

Exposure to high levels of noise causes hearing loss and may cause other harmful health effects as well.

Visit www.osha.gov for complete details and regulation requirements.



3M 3M™ E-A-R™ Classic™ Earplugs

Moisture- and flame-resistant. Slow-recovery foam provides comfortable, effective seal while exerting low pressure in ear canal. Fits wide range of ear canals. Classic™ Plus are slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
310-1001	665564465	Classic, uncorded, pillow pack	29	200 Pr/Bx	\$29.44
311-1101	665522755	Classic, corded, poly bag	29	200 Pr/Bx	\$55.67
312-1201	665521395	Classic, uncorded, poly bag	29	200 Pr/Bx	\$29.55
310-1101	665572675	Classic Plus, uncorded, pillow pack	33	200 Pr/Bx	\$34.13
311-1105	665573745	Classic Plus, corded, poly bag	33	200 Pr/Bx	\$62.12
391-1001	665521305	Classic, uncorded, One Touch™ refill bottle	29	500 Pr/Btl	\$77.43



3M™ E-A-R™ Classic™ SuperFit™ 30 and SuperFit™ 33 Earplugs

Cylindrical shape fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
310-1009	665572645	SuperFit 30, uncorded, pillow pack	30	200 Pr/Bx	\$32.65
310-1008	665572635	SuperFit 33, uncorded, pillow pack	33	200 Pr/Bx	\$36.18




3M™ E-A-R™ E-Z Fit™ Earplugs

Soft, smooth, low-pressure foam rolls down easily and expands to fit ear canal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
312-1208	665520855	E-Z Fit, uncorded	28	200 Pr/Bx	\$31.11
312-1222	665564205	E-Z Fit, corded	28	200 Pr/Bx	\$59.93



3M 3M™ E-A-R™ Push-Ins™ Earplugs

Simple-to-use design features soft Earform™ tip that expands in ear canal for comfortable seal against noise. Blue stem makes fitting and removal easy and helps keep tips clean. Ready-to-use, reusable plugs form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR*	UOM	PRICE/UOM
318-1000	665564225	Push-Ins, uncorded	2,000 Pr/Cs	28	100 Pr/Bx	\$33.96
318-1001	665564235	Push-Ins, corded	400 Pr/Cs	28	100 Pr/Bx	\$54.23
318-1002	665564245	Push-Ins, uncorded	2,000 Pr/Cs	28	200 Pr/Bx	\$57.63
318-1003	665573665	Push-Ins, corded	2,000 Pr/Cs	28	200 Pr/Bx	\$97.56



WARNING


These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

3M 3M™ E-A-R™ Express™ Pod Plugs™

Reusable with unique pod shape and soft, flexible grip for pushing earplug into position. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.


ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
321-2100	665564275	Express Pod Plugs, uncorded w/ blue color grips	25	100 Pr/Bx	\$56.99
311-1114	665572275	Express Pod Plugs, corded w/ blue grips	25	100 Pr/Bx	\$91.42
321-2200	665574665	Express Pod Plugs, uncorded w/ assorted color grips	25	100 Pr/Bx	\$54.14
311-1115	665574975	Express Pod Plugs, corded w/ assorted color grips	25	100 Pr/Bx	\$86.85



3M 3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

Soft foam provides low-pressure comfort. Optional breakaway cord keeps earplugs handy. Yellow Neon Blasts have red flames. Regular size. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
312-1250	665522765	Yellow Neons, uncorded, poly bag	33	200 Pr/Bx	\$22.13
311-1250	665572075	Yellow Neons, corded, poly bag	33	200 Pr/Bx	\$44.97
312-1252	665572295	Yellow Neon Blasts, uncorded, poly bag	33	200 Pr/Bx	\$26.40
311-1252	665563975	Yellow Neon Blasts, corded, poly bag	33	200 Pr/Bx	\$53.19



3M 3M™ E-A-R™ TaperFit™ 2 Earplugs

Soft, roll-down foam expands to fit ear canal and provides low-pressure, comfortable seal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	SIZES	NRR*	UOM	PRICE/UOM
312-1219	665564195	TaperFit 2, uncorded	Regular	32	200 Pr/Bx	\$30.73
312-1223	665564445	TaperFit 2, corded	Regular	32	200 Pr/Bx	\$58.10
312-1221	665520085	TaperFit 2, uncorded	Plus	32	200 Pr/Bx	\$31.65
312-1224	665564455	TaperFit 2, corded	Plus	32	200 Pr/Bx	\$60.14



3M 3M™ E-A-R™ UltraFit™ Earplugs


Triple-flange design fits a wide range of ear canals. No rolling or touching during insertion. Washable and reusable. Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR*	UOM	PRICE/UOM
340-4002	665522775	UltraFit w/ carrying case, corded	200/Cs	25	50 Pr/Bx	\$76.37
340-4003	665564285	UltraFit, uncorded	400/Cs	25	100 Pr/Bx	\$92.07

WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



3M 3M™ E-A-R™ Metal Detectable Earplugs

Yellow Neons™ include stainless steel ball encapsulated into foam of the earplug with metal detectable cord. Roll-down required.

UltraFit™ include stainless steel ball positioned in stem with metal detectable cord. Feature pre-molded, triple-flanged design and require no roll-down or sizing. Comfortable, effective, washable and reusable. Available with metal-detectable Econopack cord.

Express™ Pod Plugs™ feature easy insertion, paddle-style grips for correct fitting and no roll-down. Packaged in pillow packs.


Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR*	UOM	PRICE/UOM
311-4106	665574835	Yellow Neons, metal detectable, corded	2,000 Pr/Cs	33	200 Pr/Bx	\$81.86
340-4007	665574985	UltraFit, metal detectable, corded	400 Pr/Cs	25	100 Pr/Bx	\$150.75
340-4017	665522155	UltraFit, metal detectable, corded, Econopack	2,000 Pr/Cs	25	200 Pr/Bx	\$211.39
311-1127	665573795	Express Pod Plugs, metal detectable, corded	400 Pr/Cs	25	100 Pr/Bx	\$126.94

3M 3M™ Skull Screws™ Earplugs

Steel-gray color and soft foam provide look and comfort level younger workers prefer. Screw "threads" molded into foam make insertion convenient and easy. No roll-down required. Test compatible with 3M™ E-A-Rfit™ Validation System. 480 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
P1300	665570235	Skull Screws, uncorded	32	120 Pr/Bx	\$56.78
P1301	665521895	Skull Screws, corded	32	120 Pr/Bx	\$77.95



3M 3M™ Tri-Flange™ Earplugs

Conforms to shape of ear canal. Soft, flexible, translucent flanges form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
P3000	665563965	Tri-Flange, corded	26	100 Pr/Bx	\$112.21
P3001	665521905	Tri-Flange, cloth corded	26	100 Pr/Bx	\$114.33

3M 3M™ No-Touch™ Foam Earplugs

"Hands off the foam" earplugs feature soft purple foam fused with LiveWire stem for easy insertion. No roll-down required. Tapered shape for good seal. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
P2000	665564415	No-Touch, uncorded	29	100 Pr/Bx	\$42.36
P2001	665563895	No-Touch, corded	29	100 Pr/Bx	\$72.18



WARNING


These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

3M 3M™ Foam Earplugs 1100 and 1110

Soft, comfortable earplugs conform to unique shape of each ear canal for excellent hearing protection and comfort. Foam is tapered to fit most ear canals. Bright orange color aids in compliance checks. Can be combined with earmuffs for additional protection. Test compatible with 3M™ E-A-Rfit™ Validation System. Corded plugs are not for use in the 3M™ Foam Earplug Dispenser. CSA Class AL.


ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR*	UOM	PRICE/UOM
1100	665511005	Foam Earplugs 1100, uncorded	1,000 Pr/Cs	29	200 Pr/Bx	\$25.00
1110	665511045	Foam Earplugs 1110, corded	500 Pr/Cs	29	100 Pr/Bx	\$25.00



3M 3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

Silicone pods contain foam core for an effective seal and good noise reduction. Pods swivel to properly align with and enter ear canal. Band can be worn under the chin for use with hard hats or safety eyewear. NRR 20 (under-the-chin) and NRR 17 (behind-the-head). 100/Case.


ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
320-2001	665564265	Caboflex Model 600	20	10/Bx	\$73.38



MOLDEX Flip to Listen® Dual Mode Earplugs

Dual mode earplugs that protect wearers from noise and, with a quick Flip, also allow better communication when needed, without the inconvenience of removing earplugs. Flip cap allows user to easily switch from a closed position (NRR 24 dB) for protection from continuous noise, to an open position (NRR 4 dB) to communicate or hear. Effective hearing protection for most noisy environments, plus the ability to hear more clearly away from the workplace. All without taking out earplugs and having to refit them again. Flip to Listen features a triple flange design that provides maximum comfort for all day wear. Soft flexible flanges provide a superior seal and fit most ear canals. Flip to Listen stem helps user insert earplug into ear canal to get a good and secure fit. Can be easily washed and reused. Each pair comes with a Pocket-Pak® carrying case to keep them clean when not in use, plus an optional cloth cord. PVC-free. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6770	222267705	Flip to Listen w/ cord & Pocket-Pak	24 Closed/ 4 Open	50 Pr/Bx	\$140.81



MOLDEX Comets® Reusable Earplugs

Convenient finger pocket allows for easy insertion, and soft flanges adjust to ear canal to hold earplug in place. Reusable design features extra soft material and air pocket for an extremely comfortable fit. Tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6490	222200505	Comets, uncorded	25	50 Pr/Bx	\$54.90
6495	222200515	Comets, corded	25	50 Pr/Bx	\$73.72



MOLDEX Softies® Foam Earplugs

Made from extra-soft, lightweight foam for a comfortable fit. Tapered design provides easy insertion and is shaped to fit even the smallest ear canals. Radiant orange color for easy compliance checks. Non-irritating, smooth surface contributes to wearer comfort. Highest independently tested NRR 33. Tested to ANSI S3.19-1974. 2,000 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6600	222200535	Softies, uncorded	33	200 Pr/Bx	\$34.40
6650	222200645	Softies, corded	33	100 Pr/Bx	\$35.77





MOLDEX Go in Green® Foam Earplugs

"Officially Licensed Earplugs of NASCAR®" feature extra soft, low-pressure, PVC-free tapered foam for comfortable fit. Look for the colored streaks and swirls as a symbol of Moldex quality. Available with recyclable PlugStation® dispenser. Tested to ANSI S3.19-1974.

NASCAR is a registered trademark of The National Association for Stock Car Auto Racing, Inc.

The NASCAR trademarks are used under license by The National Association for Stock Car Auto Racing, Inc.

*The random color patterns are registered trademarks of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
6620	222200575	Go in' Green, uncorded	2,000 Pr/Cs	33	200 Pr/Bx	\$41.03
6622	222200585	Go in' Green, corded	2,000 Pr/Cs	33	100 Pr/Bx	\$40.74
6646	222200615	PlugStation w/ Go in' Green, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp	\$55.39
6647	222200625	PlugStation w/ Go in' Green, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp	\$106.66

MOLDEX SparkPlugs® Foam Earplugs

"Officially Licensed Earplugs of NASCAR®" feature random multi-color swirl design. Made of extra soft, PVC-free foam with a tapered shape that fits snugly and comfortably. Metal detectable version for food processing applications comes with metal detectable cord. Available with recyclable PlugStation® dispenser. Highest Independently tested NRRs, tested to ANSI S3.19-1974.

NASCAR is a registered trademark of The National Association for Stock Car Auto Racing, Inc.

The NASCAR trademarks are used under license by The National Association for Stock Car Auto Racing, Inc.

*The random color patterns are registered trademarks of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
6604	222200545	SparkPlugs, uncorded	2,000 Pr/Cs	33	200 Pr/Bx	\$37.86
6654	222228235	SparkPlugs, corded	2,000 Pr/Cs	33	100 Pr/Bx	\$38.55
6615	222266155	SparkPlugs, metal detectable	2,000 Pr/Cs	33	100 Pr/Bx	\$60.33
6644	222200591	PlugStation w/ SparkPlugs, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp	\$51.11
6645	222200601	PlugStation w/ SparkPlugs, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp	\$98.27
6881	222268815	PlugStation w/ SparkPlugs, metal detectable, corded	600 Pr/Cs	33	150 Pr/Dsp	\$95.49
6880	222268805	PlugStation w/ SparkPlugs, corded	600 Pr/Cs	33	150 Pr/Dsp	\$61.46



MOLDEX Pura-Fit® Foam Earplugs

Features longer design for easy fitting and removal. Soft, PVC-free foam has non-irritating smooth surface. Tapered for easy insertion into any size ear canal. The bright green color is a symbol of Moldex quality. Available with recyclable PlugStation® dispenser. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
6800	222268005	Pura-Fit, uncorded	2,000 Pr/Cs	33	200 Pr/Bx	\$42.78
6900	222231035	Pura-Fit, corded	2,000 Pr/Cs	33	100 Pr/Bx	\$41.37
6844	222200701	PlugStation w/ Pura-Fit, uncorded	1,500 Pr/Cs	33	250 Pr/Dsp	\$57.12
6845	222268451	PlugStation w/ Pura-Fit, uncorded	2,000 Pr/Cs	33	500 Pr/Dsp	\$111.09
6882	222268825	PlugStation w/ Pura-Fit, corded	600 Pr/Cs	33	150 Pr/Dsp	\$65.96



MOLDEX Rockets® Reusable Earplugs

Easy-grip handle allows for effortless insertion and air bubble in tip provides cushioned comfort.

Soft, flexible flanges provide a superior seal. Each pair includes Pocket-Pak® carrying case.

Washable and reusable. Bright blue metal detectable model has new metal detectable cord and enclosed metal spring that eliminates any exposed metal. Tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM	PRICE/UOM
6400	222200465	Rockets, uncorded	Purple	27	50 Pr/Bx	\$77.04
6405	222256905	Rockets, corded	Purple	27	50 Pr/Bx	\$106.92
6415	222256895	Rockets, metal detectable, corded	Blue	27	50 Pr/Bx	\$127.36
6420	222200475	Rockets, cloth corded	Purple	27	50 Pr/Bx	\$117.92
6404	222264045	Rockets, corded in poly bag w/out Pocket-Pak	Purple	27	50 Pr/Bx	\$100.70
6480	222200485	Rockets, Special Ops®, uncorded	Camouflage	27	50 Pr/Bx	\$80.56
6485	222200495	Rockets, Special Ops®, corded	Camouflage	27	50 Pr/Bx	\$111.53





MOLDEX Meteors® Disposable Earplugs

Foam roll-down earplugs feature a unique undercut shape with a smaller diameter that fits comfortably in narrower part of ear canal. Larger base ensures proper insertion, fit and removal. 100% PVC-free slow-recovery foam molds with individual contours of ear canal, and soft, smooth surface will not irritate skin. Available in a small size for women and other workers with smaller ear canals. Available with recyclable PlugStation® dispenser. Tested to ANSI S3.19-1974.

*The random color patterns are a registered trademark of Moldex-Metric, Inc.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
6630	222266305	Meteors, small, uncorded	2,000 Pr/Cs	28	200 Pr/Bx	\$43.41
6632	222266325	Meteors, small, corded	2,000 Pr/Cs	28	100 Pr/Bx	\$42.82
6634	222266345	PlugStation w/ Meteors small	1,500 Pr/Cs	28	250 Pr/Dsp	\$57.96
6870	222268705	Meteors, uncorded	2,000 Pr/Cs	33	200 Pr/Bx	\$43.41
6970	222269705	Meteors, corded	2,000 Pr/Cs	33	100 Pr/Bx	\$42.82
6875	222268755	PlugStation w/ Meteors	2,000 Pr/Cs	33	500 Pr/Dsp	\$112.73

MOLDEX Mellows® Foam Earplugs

Made of extra-soft, extra-light foam. Tapered shape fits easily in ear canal and gently and snugly seals without pressure. Smaller design is perfect for extended wear. Provide maximum foam comfort with appropriate protection for mid- to high-level noise areas. Hi-viz bright orange plug. Non-irritating, 100% PVC-free. Available with recyclable PlugStation® dispenser. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
6820	222268205	Mellows, uncorded	2,000 Pr/Cs	30	200 Pr/Bx	\$33.29
6840	222268405	Mellows, corded	2,000 Pr/Cs	30	100 Pr/Bx	\$34.98
6846	222268465	PlugStation w/ Mellows	1,500 Pr/Cs	30	250 Pr/Dsp	\$48.84
6847	222268475	PlugStation w/ Mellows	2,000 Pr/Cs	30	500 Pr/Dsp	\$93.91



MOLDEX JETZ® Reusable Earplugs

Ideal choice for cost effective hearing protection for most high noise environments. Special grip at end of plug stem makes insertion and removal simple, even when wearing gloves. Extra-soft material and triple flange design gently seals without pressure for all-day comfort. Cord attachment with locking loop helps keep optional braided cloth cord securely in place. Washable, reusable and 100% PVC-free. Independently tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6450	222264505	JETZ, uncorded	27	50 Pr/Bx	\$52.55
6455	222264555	JETZ, corded	27	50 Pr/Bx	\$70.55

MOLDEX Jazz Band® Canal Cap Hearing Protector

Comfortable alternative to earmuffs. Optional breakaway cord hangs around neck when not in use. Designed to not interfere with safety glasses. Soft, PVC-free foam pods gently cap ear canal providing maximum comfort. Packaged with spare pods. NRR 25 (under-the-chin). Tested to ANSI S3.19-1974. 50/Case.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
6506	222265065	Jazz Band hearing protector	50/Cs	25	10 Pr/Bx	\$74.84
6504	222265045	Replacement pods (5 pair) & neck cord	50 Bg/Cs	25	Bg	\$3.21





Glide® Trio Triple Flange Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Simply push and twist to find your fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug is washable and reusable. Cord can be attached at any desired length. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6445	222264455	Glide Trio reusable, corded	27	50 Pr/Bx	\$73.42



Glide® Foam Twist in Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Large handle on curved stem for easy insertion and removal. Simply push and twist to find your fit. Cord can be attached at any desired length. Bright green color is a symbol of Moldex quality. 4 Boxes/case.


ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6940	222269405	Glide Foam, uncorded	26	100 Pr/Bx	\$52.79
6945	222269455	Glide Foam, corded	26	100 Pr/Bx	\$76.78



GloPlugz® Earplugs

Soft, comfortable, disposable earplugs. Extremely smooth, tapered design allows for incredibly easy insertion. Non-allergenic polyurethane formula is extraordinarily soft and comfortable. Available with a glossy purple cord to make compliance checks easy. Blue.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
92202	323327401	GloPlugz, uncorded	31	200/Bx	\$28.04
92212	323322125	GloPlugz, corded	31	100/Bx	\$29.75



MAX® Earplugs

Maximum noise-blocking performance in a single-use design. Easy-to-insert contoured shape resists backing out of ear canal, while soft foam delivers long-lasting comfort. Smooth, soil-resistant skin. Max USA features patriotic red/white/blue colors. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	CASE QTY.	NRR	UOM	PRICE/UOM
MAX-1	341501695	MAX, uncorded, polybag	Coral	2,000 Pr/Cs	33	200 Pr/Bx	\$39.71
MAX-30	341501735	MAX, corded, polybag	Coral	1,000 Pr/Cs	33	100 Pr/Bx	\$37.57
MAX-1S	341592425	MAX Small, uncorded, polybag	Dreamsicle orange	2,000 Pr/Cs	30	200 Pr/Bx	\$39.71
MAX-30S	341563415	MAX Small, corded, polybag	Dreamsicle orange	1,000 Pr/Cs	30	100 Pr/Bx	\$37.57
MAX1-USA	341501725	MAX USA, uncorded, polybag	RWB	2,000 Pr/Cs	33	200 Pr/Bx	\$40.19
MAX30-USA	341501755	MAX USA, corded, polybag	RWB	1,000 Pr/Cs	33	100 Pr/Bx	\$38.02
MAX-LS4	34153956	MAX, uncorded, LS-400 dispenser refill	Coral	2,000 Pr/Cs	33	200 Pr/Bg	\$35.01
MAX-1-D	341501705	MAX, uncorded, LS-500 dispenser refill	Coral	2,000 Pr/Cs	33	500 Pr/Bx	\$89.47



Leight® Source 500 Earplug Dispenser

Highly visible, user-friendly, permanent hearing protection center. Built with heavy-duty anodized aluminum and designed for wall installation. Dispenses earplugs with simple turning of handle. Ideal for large factories and process industries that have zero tolerance for packaging waste. Holds (500) pairs of Howard Leight single-use earplugs. Can be used with Matrix™, Max®, Max Lite®, Laser Lite®, Multi Max® and Quiet® ear plugs (not included). 1/Case.



LS-500

ITEM #	ORDER #	DESCRIPTION	UOM	PRICE/UOM
LS-500	341501651	Leight Source 500 earplug dispenser	Ea	\$210.04



Multi Max® Earplugs

Single-use design is 2-sizes-in-1 for best fit. Smooth, soil-resistant skin prevents dirt from penetrating surface prior to insertion. Self-adjusting, polyurethane foam expands to fit virtually every wearer. Improves individual fit while simplifying inventory. Coral/yellow. Tested to ANSI S3.19-1974. 2,000 Pair/case.




MM-1

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
MM-1	341501785	Multi Max, uncorded, polybag	31	200 Pr/Bx	\$44.96

When most people think of the word "disease," noise-induced hearing loss is probably not the first thing that comes to mind. Maybe it should be. The Center for Disease Control reports that it is one of the most common occupational diseases and the second most self-reported illness or injury.

An estimated 30 million workers contend with hazardous noise in their workplace and another nine million face hearing loss from agents such as solvents and metals.

Source: www.cdc.gov/niosh



LPF-1


LPF-30



Max Lite® Earplugs

Ideal for smaller ear canals. Low-pressure polyurethane foam expands gently inside ear canal for comfortable long-term wear, while contoured T-shape is easy to handle. Single-use design. Green. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
LPF-1	341501595	Max Lite, uncorded, polybag	2,000 Pr/Cs	30	200 Pr/Bx	\$32.51
LPF-30	341501615	Max Lite, corded, polybag	1,000 Pr/Cs	30	100 Pr/Bx	\$31.96
♦ LPF-30-PB	341501625	Max Lite, corded, paper bag	1,000 Pr/Cs	30	100 Pr/Bx	\$48.75
LPF-1-D	341501605	Max Lite, uncorded, LS-500 dispenser refill	2,000 Pr/Cs	30	500 Pr/Bx	\$77.84



SMF-30



SmartFit® Multiple-Use Earplugs

Multiple-use earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Fit almost every wearer. Includes HearPack® storage case and detachable cord system. Orange. Tested to ANSI S3.19-1974. 1,000 Pair/case.


ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
SMF-30	341502115	SmartFit, detachable cord	25	100 Pr/Bx	\$126.75





SmartFit® Detectable Earplugs

Designed for processing industries, detectable earplugs use body heat to adapt to shape of ear canal. Blue color provides high visual detection. Ring on stem and attached cord can be detected by automated equipment. Triple-flange distributes pressure evenly. Packaged in polybags. Tested to ANSI S3.19-1974. 500 Pair/case.




ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
SDT-30	341502105	SmartFit detectable, attached cord	25	100 Pr/Bx	\$182.51



Quiet® Earplugs

Multiple-use earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. Smooth, non-irritating skin provides all-day comfort. Easy to clean for long-term use. Regular size. Tested to ANSI S3.19-1974. 1,000 Pair/case.





ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
QD1	341502045	Quiet, uncorded, polybag	26	100 Pr/Bx	\$52.95
QD30	341502065	Quiet, polycord, polybag	26	100 Pr/Bx	\$87.37



Laser Lite® Earplugs

Single-use design features self-adjusting polyurethane foam that expands to fit virtually every wearer. Contoured T-shape for easy insertion and wear. Vibrant magenta/yellow color. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
LL-1	341501475	Laser Lite, uncorded, polybag	2,000 Pr/Cs	32	200 Pr/Bx	\$32.77
LL-30	341501495	Laser Lite, corded, polybag	1,000 Pr/Cs	32	100 Pr/Bx	\$31.71
LL-LS4	341539525	Laser Lite, uncorded, LS-400 dispenser refill	2,000 Pr/Cs	32	200 Pr/Bg	\$30.01
LL-1-D	341501485	Laser Lite, uncorded, LS-500 dispenser refill	2,000 Pr/Cs	32	500 Pr/Bx	\$77.84



Fusion® Earplugs

Multiple-use earplugs made with FlexiFirm® core for easy insertion and SoftFlange™ design for all-day comfort and easy handling. Four-flange design distributes pressure evenly on ear canal for superior attenuation. Include detachable cord and HearPack® storage case. Tested to ANSI S3.19-1974. 1,000 Pair/case.


ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	NRR	UOM	PRICE/UOM
FUS30S-HP	341539515	Fusion, detachable cord, HearPack	Small	Green/yellow	27	100 Pr/Bx	\$171.58
FUS30-HP	341501385	Fusion, detachable cord, HearPack	Regular	Blue/yellow	27	100 Pr/Bx	\$171.58



AirSoft® Multiple-Use Earplugs

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket, providing dependable attenuation upon proper insertion. Firm stem and tapered shape facilitate easy insertion/removal and allow plug to sit comfortably in ear canal. Regular size. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
AS-30R	341501315	AirSoft, red polycord, reusable case	500 Pr/Cs	27	50/Bx	\$95.30
DPAS-30R	341501345	AirSoft, red polycord, polybag	1,000 Pr/Cs	27	100/Bx	\$158.75
DPAS-30W	341501365	AirSoft, white nylon cord, polybag	1,000 Pr/Cs	27	100/Bx	\$158.75
DPAS-1	341501335	AirSoft, uncorded, polybag	1,000 Pr/Cs	27	100/Bx	\$119.15






Pilot™ Push-In Reusable Earplugs

Unique Navigation Stem allows user to easily insert earplug with a simple twist. No roll-down required. Soft, pearl-skinned polyurethane foam is smooth, resilient and easy to clean. Bell shape design minimizes pressure and fits snugly. Tested to ANSI S3.19-1974. 1,000 Pair/case.


ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
PLT-1	341559995	Pilot, uncorded	26	100 Pr/Bx	\$44.79
PLT-30	341560015	Pilot, corded	26	100 Pr/Bx	\$73.25



Laser Trak® Detectable Earplugs

Single-use, detectable earplug features self-adjusting, polyurethane foam to fit virtually any wearer and contoured T-shape for easy handling. Non-ferrous metal grommet is detectable by automated processes. Bright orange/blue color for easy compliance checks. Blue polycord attached. Tested to ANSI S3.19-1974. 1,000 Pair/case.


ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
LT-30	341501665	Laser Trak detectable, corded, polybag	32	100/Bx	\$50.86



Banded Earplugs

Patented band design prevents ear pods from touching dirty or contaminated surfaces when set down. Great for environments with intermittent noise hazards. Packaged in a resealable bag with (1) pair replacement pods. QB1HYG® features molded pods that fit inside ear canal and a bell-flared shape for inner-aural protection. QB2HYG® provides supra-aural protection with soft foam pods that rest partially in ear and a flat-arrow shape.


ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM	PRICE/UOM
QB1HYG	341501935	QB1HYG, inner-aural protection	Yellow	27	10/Bx	\$60.64
QB2HYG	341501955	QB2HYG, supra-aural protection	Orange	25	10/Bx	\$60.64



FirmFit™ Disposable Earplugs

Comfortable, classic style, firm foam earplug provides excellent protection in most medium-to-high noise environments. Easy to insert- requires less pressure to roll down. Slow recovery rate allows plenty of time to correctly insert in ear canal and exerts less expansion pressure on the ear canal. Distinct warning orange color makes compliance checks easy.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	NRR	UOM	PRICE/UOM
FF-1	341513915	FirmFit, uncorded in polybag	2,000 Pr/Cs	30	200 Pr/Bx	\$29.54
FF-30	341563965	FirmFit, corded in polybag	1,000 Pr/Cs	30	100 Pr/Bx	\$37.89





Hearing Protection Styles:

Disposable Earplugs

Are made of formable material and are designed to be inserted into a person's ear canal, where they expand and conform to the shape of each individual's ear canal.



Reusable Earplugs

Usually are premolded and made from silicone, plastic or rubber and are available in several different sizes.



Ear Caps

Seal the opening to the ear without entering the ear canal. Similar to band-type hearing protectors, they usually come on a band that can be placed around the neck when the caps are not in use for convenience in work areas with varying noise levels.



Earmuffs

Suppress unwanted noise by completely covering the outer ear.



Communication Headsets

Block unwanted noise while at the same time allowing the wearer to communicate clearly with co-workers.



Active Noise Canceling Headsets

Use an electronic system to cancel unwanted background noise while at the same time enhancing the quality of audio delivered through the headset.



3M 3M™ Peltor™ Optime™ 98 Series Earmuffs

Lightweight earmuff recommended for noise levels up to 98 dBA. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
H9A	665564061	Optime 98 Series, headband	25	Ea	\$14.33
H9P3E	665564051	Optime 98 Series, cap-mount	23	Ea	\$14.33



3M 3M™ Peltor™ Optime™ 101 Series Earmuffs

Recommended for noise levels up to 101 dBA. Provides attenuation at low and high frequencies. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions provide excellent seal and lower pressure. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
H7A	665570071	Optime 101 Series, headband	27	Ea	\$18.55
H7B	665570211	Optime 101 Series, behind-the-head	26	Ea	\$18.55
H7P3E	665564431	Optime 101 Series, cap-mount	24	Ea	\$18.55



3M 3M™ Peltor™ Optime™ 95 Series Earmuffs

Recommended for noise levels up to 95 dBA. Slim design with 2-point suspension exerts lower pressure for comfortable, long-term use. Soft, liquid foam-filled ear cushions provide added comfort and protection. Beige. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
H6A/V	665570121	Optime 95 Series, headband	21	Ea	\$12.27
H6B/V	665570131	Optime 95 Series, neckband	21	Ea	\$11.80
H6F/V	665521581	Optime 95 Series, folding	21	Ea	\$19.29



3M 3M™ Peltor™ Optime™ 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features "double-shell" earcup design (two cups connected via foam inner layer to reduce structural resonances). Designed with wide, softly padded headband and stainless steel headband wires. Liquid foam-filled cushions provide good seal and low surface pressure. Weight: 9.3 oz. Also available in twin cup neckband, cap-mount, and hi-viz headband styles. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
H10A	665564031	Optime 105 Series, headband	30	Ea	\$23.59
H10B	665570291	Optime 105 Series, neckband	29	Ea	\$23.59
H10AHV	665570111	Optime 105 Series, hi-viz headband	30	Ea	\$26.94



WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



3M 3M™ Peltor™ X Series Earmuffs

Lightweight. Electrically insulated (dielectric) wire headband on over-the-head models. Earcups tilt for optimum comfort and efficiency. Twin headband design helps reduce heat buildup with good fit and balance. Wire headband offers comfortable pressure during prolonged usage. Ear cushion foam technology for an effective acoustic seal and reliable protection. Spacer design on X3, X4 and X5 models improves attenuation without excess bulk or weight. Despite larger earcups, the X5 is lightweight with excellent balance and comfort; features NRR 31 dB; provide high noise reduction in both standard headband and hard hat-attached models; and unique attenuation from combination of foam in the earcups, cushions and spacer and cup design. 10/Case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
X1A	665510071	X1, over-the-head	22	Ea	\$13.20
X1P3E	665510271	X1, cap-mount	21	Ea	\$13.20
X2A	665510731	X2, over-the-head	24	Ea	\$15.03
X2P3E	665510891	X2, cap-mount	24	Ea	\$15.03
X3A	665511181	X3, over-the-head	28	Ea	\$20.43

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
X3P3E	665511201	X3, cap-mount	25	Ea	\$20.43
X4A	665511281	X4, over-the-head	27	Ea	\$27.51
X4P3E	665511641	X4, cap-mount	25	Ea	\$27.51
X5A	665511961	X5, over-the-head	31	Ea	\$30.04
X5P3E	665521801	X5, cap-mount	31	Ea	\$30.04



H7A-PTL

WTD2600

3M 3M™ Peltor™ PTL™ Earmuffs

Push-to-listen (PTL) earmuffs help provide noise protection plus ability to hear surrounding sounds with the touch of a button. On/off listening button with fingertip control on one ear cup activates listening mode for 30 seconds at a time- workers no longer need to lift or remove earmuffs to hear sounds. (Note: The other cup is standard protective style.) Include liquid and foam-filled ear cushions, easily accessible battery compartment and 4-point headband suspension. AA battery (not included). 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
H7A-PTL	665519711	PTL earmuffs, headband w/ 4-pt. suspension	26	Ea	\$51.89

3M 3M™ Peltor™ Digital Worktunes™ Headset

AM/FM and MP3 compatible headset features easy fingertip controls, (5) station presets, seek and scan options, and liquid and foam-filled cushions for comfort. MP3 cord included. Requires (2) AA batteries (not included). 1/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM	PRICE/UOM
WTD2600	665574761	Digital Worktunes headset	26	Ea	\$94.30

3M 3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 10/Case.

ITEM #	ORDER #	DESCRIPTION	UOM	PRICE/UOM
NI-100	665523571	Noise Indicator NI-100	Ea	\$43.63

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, and the user instructions, warnings, and limitations accompanying each product.



NI-100



WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



MOLDEX

M1 Premium Earmuffs

SoftCoat® covering on cups and yoke helps muffle sound transmission. Black-chrome, spring-steel headband resists fatigue, folds into a super-compact size for easy storage and helps maintain stability without twisting out of shape like other wire-band earmuffs. Six different adjustment points for comfortable fit for most head sizes. Exclusive iridescent color and sculpted shape for great looks. Tested to ANSI S3.19-1974. 10/Case.




ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6100	222261001	M1 Premium earmuffs, iridescent cups	29	Ea	\$41.46

MOLDEX

M2 Multi-Position Earmuffs

Low-profile design can be worn over-the-head, behind-the-head or under-the-chin. SoftCoat® covering helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. NRR 26 (over-the-head). Tested to ANSI S3.19-1974. 20/Case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
6200	222262001	M2 multi-position earmuffs, iridescent cups	26	Ea	\$23.11



QM24+

HOWARD LEIGHT
By Honeywell

QM24+® Earmuffs

Three-position, ultra-lightweight earmuffs weigh only 6 oz. Feature high-visibility red cups, black headband and replaceable muff cushions. Adjustable crown strap provides a secure fit when worn behind-the-head or under-the-chin. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM	PRICE/UOM
QM24+	341502081	QM24+ earmuffs	25	Ea	\$10.85

HOWARD LEIGHT
By Honeywell

Thunder® Noise-Blocking Earmuffs

Unique dual-headband offers better positioning and breathability, and non-deforming outer headband minimizes pressure. Dielectric construction withstands use and abuse while protecting workers in electrical environments. Features patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Cap-mounted earmuffs include a pair of adapters for use with most popular hard hats. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM	PRICE/UOM
1010928	341536771	T1 Thunder, headband	Green	26	Ea	\$13.64
1010970	341536791	T3 Thunder, headband	Black	30	Ea	\$32.34
1011601	341500541	T1H Thunder, cap-mount	Green	23	Ea	\$13.64
1011602	341500551	T2H Thunder, cap-mount	Dark green	25	Ea	\$24.26
1011603	341500581	T3H Thunder, cap-mount	Black	27	Ea	\$32.34



1010922

1010924

HOWARD LEIGHT
By Honeywell

Lightning® Noise-Blocking Earmuffs

Steel wire construction stands up to daily use and abuse without compromising comfort. Padded foam headband and super soft ear cushions eliminate “squeezing pressure” on the head. Patented Air Flow Control™ technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM	PRICE/UOM
1010922	341500261	L1 Lightning, headband	Light gray	25	Ea	\$13.64
1010924	341500281	L3 Lightning, headband	Black	30	Ea	\$30.99

HOWARD LEIGHT
By Honeywell

Viking® Noise-Blocking Earmuffs

Flexibility for wearing earmuffs in multiple positions (over-the-head, behind-the-head or under-the-chin). Can be worn with hard hats, faceshields, respirators and other PPE. Robust, non-deforming dielectric construction. Features patented Air Flow Control™ technology for optimal attenuation and snap-in ear cushions. Includes elastic headband strap for better positioning. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM	PRICE/UOM
1010925	341500291	V1 Viking, multi-position headband	Light blue	25	Ea	\$12.41
1010926	341500301	V2 Viking, multi-position headband	Dark blue	27	Ea	\$23.59
1010927	341500321	V3 Viking, multi-position headband	Black/silver	29	Ea	\$29.64



1010926



Respiratory Protection

A respirator is a protective device that covers the nose and mouth or the entire face or head to guard the wearer against hazardous atmospheres.

Visit www.osha.gov for complete details and regulation requirements.



8210

3M 3M™ Particulate Respirators, N95

Designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles in suggested applications including grinding, sanding, sweeping, bagging and other dusty operations. Lightweight construction helps promote greater worker acceptance and comfort. Features 3M's Advanced Electret Media, welded strap attachment, soft nose foam and adjustable noseclip to help provide a custom and secure seal. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8210	665501755	Particulate Respirator 8210, N95	8/Bx/Cs	20/Bx
8210PLUS	665514535	Particulate Respirator 8210 PLUS, N95	8/Bx/Cs	20/Bx
8211	665514545	Particulate Respirator 8211, N95 w/ Faceseal	8/Bx/Cs	10/Bx
8511	665585115	Particulate Respirator 8511, N95	8/Bx/Cs	10/Bx



8576

8271

3M 3M™ Particulate Respirators, P95 with Exhalation Valve

Combines P-Series versatility with comfort and fit. Excellent choice in work environments that may contain oil aerosols. Suggested applications include grinding, sanding, sweeping, bagging, machining and other dusty/oily operations. Features 3M™ Cool Flow™ Exhalation Valve, comfortable faceseal (Model 8271 only) and M-noseclip to help provide a custom fit and secure seal. NIOSH 42 CFR 84 Approved.

*3M™ recommended for relief against nuisance levels of acid gas. Nuisance level acid gas refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

**3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level organic vapor refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8576	665514665	Particulate Respirator P95 w/ Nuisance Level* Acid Gas Relief	8/Bx/Cs	10/Bx
8577	665514675	Particulate Respirator P95 w/ Nuisance Level** Organic Vapor Relief	8/Bx/Cs	10/Bx
8271	665514595	Particulate Respirator P95	8/Bx/Cs	10/Bx



8240

8247

8246

3M 3M™ Particulate Respirators, R95

Designed to help provide protection against certain oil and non-oil based particles. Features a collapse-resistant shell for increased durability in most hot, humid conditions. Workplace applications include grinding, sanding, sweeping, machining and other dust producing/oily operations. Meets NIOSH 42 CFR 84 requirements.

*3M™ recommended for relief against nuisance levels of acid gas or organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or other applicable government exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8240	665514565	Particulate Respirator R95	6/Bx/Cs	20/Bx
8247	665514585	Particulate Respirator R95 w/ Nuisance Level* Organic Vapor Relief	6/Bx/Cs	20/Bx
8246	665514575	Particulate Respirator R95 w/ Nuisance Level* Acid Gas Relief	6/Bx/Cs	20/Bx



3M 3M™ Particulate Respirator 9210, N95

Three-panel respirator is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles. Suggested applications include grinding, sanding, sweeping, bagging and other operations that create dust. Also useful in textile operations, dry chemical handling, surface preparation, food preparation and handling, woodworking, grain handling and milling, processing of minerals, coal and certain other substances. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
9210	665592105	Particulate Respirator N95	12/Bx/Cs	20/Bx



3M 3M™ Particulate Respirator 9211, N95

Three-panel respirator is ideally suited for work settings that involve heat, humidity or long periods of wear. Features 3M™ Cool Flow™ Exhalation Valve. Suggested applications include grinding, sanding, sweeping, bagging and other operations that create dust. Also useful in textile operations, dry chemical handling, surface preparation, food preparation and handling, woodworking, grain handling and milling, processing of minerals, and certain other substances. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
9211	665592115	Particulate Respirator N95	12/Bx/Cs	10/Bx

3M 3M™ Particulate Respirator 8233, N100

Excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving select OSHA substance-specific particle exposures in concentrations up to 10 x the OSHA PEL, excluding those containing oil aerosols and asbestos. Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam face seal, adjustable straps and lightweight construction. Respirators are individually packaged. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8233	665582331	Particulate Respirator N100	20/Ea/Cs	20/Bx



3M 3M™ Particulate Respirator 8293, P100

Suggested applications including select OSHA substance-specific particle exposures in concentrations up to 10 x OSHA PEL (Lead, Cadmium, Arsenic, MDA). Features 3M™ Cool Flow™ Exhalation Valve, comfortable foam face seal and adjustable straps. Respirators are individually packaged. Do not use for asbestos exposures. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8293	665514601	Particulate Respirator P100	20/Ea/Cs	20/Bx



WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



Disposable

3M 3M™ Particulate Respirator 8210V, N95 with 3M™ Cool Flow™ Valve

Proprietary 3M™ Cool Flow™ valve is designed for easy exhalation and reduces heat build-up inside respirator to help keep wearer more comfortable. Features adjustable noseclip and 2-strap design with dual point attachment. Ideally suited for many work settings that involve heat, humidity or longer periods of wear. Meets NIOSH 42 CFR 84 N95 requirements.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8210V	665582235	Particulate Respirator N95 w/ Cool Flow™ Valve	6/Bx/Cs	10/Bx



8210V



3M 3M™ Particulate Welding Respirators

Suggested applications include welding, brazing, soldering, torch cutting, and metal pouring, as well as grinding, sanding, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, cake-resistant filter media, comfort foam face seal (excluding 8515) and adjustable noseclip and straps. Flame-resistant protective layer is not a substitute for a faceshield. Meets NIOSH 42 CFR 84 N95 requirements.

*3M™ recommended for ozone up to 10 x PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

**3M™ recommended for relief against nuisance levels of organic vapors. Nuisance level refers to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
8212	665582145	Particulate Welding Respirator N95 w/ Face Seal	8/Bx/Cs	10/Bx
8214	665582155	Particulate Welding Respirator N95 w/ Face Seal, Ozone Protection* & Nuisance Level** Organic Vapor Relief	8/Bx/Cs	Ea
8512	665514625	Particulate Welding Respirator N95	8/Bx/Cs	10/Bx
8514	665514635	Particulate Welding Respirator N95 w/ Ozone Protection* & Nuisance Level** Organic Vapor Relief	8/Bx/Cs	Ea
8515	665514645	Particulate Welding Respirator N95	8/Bx/Cs	10/Bx

8214

8512

8515

3M 3M™ Half Facepiece Respirators 5000 Series, Disposable

Suited for intermittent respirator wearers. Preassembled with permanently attached cartridges for ease of use and no maintenance. Use against a variety of gases, vapors and particles according to NIOSH approvals. Meets NIOSH 42 CFR 84 requirements. (Cartridges sold separately.)

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
5201	665512621	Organic Vapor Respirator Assembly	M	12/Bx	Ea
5301	665513231	Organic Vapor Respirator Assembly	L	12/Bx	Ea
52P71	665512211	Organic Vapor/P95 Respirator Assembly	M	12/Bx	Ea
53P71	665513221	Organic Vapor/P95 Respirator Assembly	L	12/Bx	Ea
5203	665512631	Organic Vapors/Acid Gas Respirator Assembly	M	12/Bx	Ea
5303	665513241	Organic Vapors/Acid Gas Respirator Assembly	L	12/Bx	Ea



53P71



52P71

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

3M 3M™ VFlex™ Particulate Respirators 9105, 9105S, N95

V-shaped pleats flex with mouth movement for easier talking and expand to help ease breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M™ proprietary technology filter media. Flat-fold style for convenient storage. Potential applications include: sweeping, sanding, grinding, bagging, food preparation, general maintenance and more. Meets NIOSH 42 CFR 84 N95 requirements.



9105

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
◆ 9105S	665591075	VFlex™ Particulate Respirator, N95, small	8/Bx/Cs	50/Bx
9105	665591065	VFlex™ Particulate Respirator, N95, standard	8/Bx/Cs	50/Bx

Honeywell

ONE-Fit™ Molded Cup N95 Particulate Respirators

14110445



Features one-size molded cup design with durable, ridged outer shell and form-fitted nosebridge. Soft inner liner. Latex-free woven suspension straps. Optional exhalation valve expels warm air. Offers 95% filtration efficiency against solid particulates and non-petroleum based liquid aerosols. Universal fit. Meets NIOSH and CDC standards for N95 protection against airborne pathogens and MTuberculosis.

Sperian is now Honeywell.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
14110444	341557865	Particulate respirator	20/Bx/Cs	20/Bx
14110445	341560905	Particulate respirator w/ exhalation valve	10/Bx/Cs	10/Bx

Honeywell

SAF-T-Fit® Plus Disposable Particulate Respirators

14110394



Lightweight, humidity-resistant design features a latex-free filter media for lower breathing resistance. Options include: boomerang nose seal, full-sealing flange and an exhalation valve. NIOSH approved N95, N99, P95 and P100 protection.

Sperian is now Honeywell.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 14110439	341523331	P100 w/ full-sealing flange & valve	S	Ea
◆ 14110440	341523341	P100 w/ full-sealing flange & valve	M/L	Ea
14110391	341523215	N95 w/ boomerang nose seal	M/L	20/Bx
14110394	341523235	N95 w/ boomerang nose seal & valve	M/L	20/Bx
◆ 14110430	341523325	P95 w/ full-sealing flange & valve (Nuisance level OV relief)	M/L	10/Bx

MOLDEX 2-Strap Respirators

Dura-Mesh® shell protects the filter media so that it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy comfortable fit. The 2300N95 Series features an exhale valve and is suitable for most welding applications. The exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. The 2400N95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Suitable for most welding applications and fits easily under welding hoods. No metal noseband to adjust and the seal is maintained without pressure points. Straps are securely attached to avoid breakage at the seal. The 2500N95 Series has an added carbon layer to help filter out nuisance levels of acid gases (less than OSHA PEL). All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.



ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2200N95	222205555	Particulate respirator w/out valve	M/L	12/Bx/Cs	20/Bx
2207N95	222200215	Particulate respirator w/out valve, low-profile nose bridge	Low-profile	12/Bx/Cs	20/Bx
2300N95	222200955	Particulate respirator w/ valve	M/L	10/Bx/Cs	10/Bx
2307N95	222200255	Particulate respirator w/ valve, low-profile nose bridge	Low-profile	10/Bx/Cs	10/Bx
2400N95	222204525	Particulate respirator w/ nuisance OV	M/L	10/Bg/Cs	10/Bg
2500N95	222225005	Particulate respirator w/ acid gas relief	M/L	10/Bg/Cs	10/Bg



2300N95

2400N95


2500N95



MOLDEX Particulate Respirators with HandyStrap®

HandyStrap with buckle allows mask to hang around neck when not in use. Ventex® valve lets hot air out faster so workers stay cool longer. Dura-Mesh® shell resists collapsing in heat and humidity. Molded nosebridge seals easily without a metal noseband. Naturally contoured facepiece and Softspun® lining offers added comfort and durability as well as relief on pressure points. NIOSH certified for a filter efficiency level of 95% or greater against particulate aerosols free of oil. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2600N95	222271455	Dura-Mesh shell w/ cloth HandyStrap	M/L	10/Bx/Cs	10/Bx
2700N95	222200305	N95 Particulate respirator w/ HandyStrap & Ventex valve	M/L	10/Bx/Cs	10/Bx
2800N95	222200355	N95 particulate respirator w/ nuisance OV, HandyStrap & Ventex valve	M/L	10/Bx/Cs	10/Bx



MOLDEX R95 Particulate Respirators

HandyStrap® allows mask to conveniently hang around neck so it's always ready for use and helps prevent premature disposal. Cloth strap feels cool and comfortable against the skin. Exclusive Ventex® valve lets the hot air out faster, so workers breathe easier and stay cooler. Exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity so the respirator holds its shape. The 2840R95 Series has an added carbon layer to help filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). The 2940R95 Series with added sorbent helps to filter nuisance levels of acid gas irritants (less than OSHA PEL). Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2740R95	222227405	R95 Particulate respirator w/ HandyStrap & Ventex valve	M/L	10/Bx/Cs	10/Bx
2840R95	222200375	R95 Particulate respirator w/ HandyStrap, Ventex valve & nuisance OV/ozone	M/L	10/Bx/Cs	10/Bx
2940R95	222200405	R95 Particulate respirator w/ HandyStrap, Ventex valve & nuisance AG	M/L	10/Bx/Cs	10/Bx



MOLDEX Dirt Dawgs® N95 Particulate Respirator

Dura-Mesh® shell protects filter media from dirt and prevents mask from collapsing. Offers N95 protection for a variety of industrial applications. Contour-molded nosebridge seals easily and comfortably without having to pinch metal noseband. Softspun® inner lining is soft to the touch. NIOSH certified for a filter efficiency of 95% or greater against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
1200N95	222220955	Dirt Dawgs N95 particulate respirator	M/L	18/Bx/Cs	20/Bx



MOLDEX 4200 Series AirWave® N95 Disposable Respirators

Breathes easier than a valve respirator. Patented wave design technology allows more airflow in and out for cool comfort. Unique waves double the filter area of comparable respirators. Dura-Mesh® shell provides bi-directional protection from dirt on the outside and moisture on the inside. FlexFit® design expands and contracts as there is movement and speaking, for optimal comfort. Features pinch-free molded nosebridge and Softspun® lining. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
◆ 4201	222242015	AirWave N95 disposable respirator	S	8/Bx/Cs	10/Bx
4200	222242005	AirWave N95 disposable respirator	M/L	8/Bx/Cs	10/Bx



MOLDEX 4600 Series AirWave® SmartStrap® Respirator

Breathes easier than a valve respirator. Exclusive wave design for less resistance and better breathability. Breathes like it has a valve, but without one. SmartStrap is adjustable, metal-free and hangable. Features pinch-free nosebridge and soft, foam nose cushion. Longer wear means less cost.


ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
4600	222260955	AirWave SmartStrap	M/L	10/Bx/Cs	10/Bx



MOLDEX 4800 Series AirWave® Respirator 

Exclusive easy-breathing wave design provides relief from nuisance levels of Organic Vapors. Features soft foam full flange for ultimate comfortable fit and adjustable, metal-free SmartStrap® allows respirator to hang around the neck for convenient storage during breaks. Collapse-resistant Dura-Mesh® shell helps respirator last longer, reduces waste and increases cost savings.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
4800	222248005	AirWave respirator w/ smart strap, nuisance OV	10/Bx/Cs	8/Bx



4800

SOFT FOAM FULL FLANGE



2360P100

MOLDEX

2360P100 Particulate Respirator

Dura-Mesh® shell protects the filter media so it stays cleaner looking longer. Resists collapsing in regular use and even under hot and humid conditions. Molded nosebridge with foam face cushion eliminates pressure points for added comfort. Also features adjustable cloth straps, Ventex® exhalation valve, and Softspun® lining for increased comfort and durability. NIOSH certified to have a filter efficiency of 99.97% against oil and non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2360P100	222200285	P100 Particulate respirator	M/L	4/Bg/Cs	5/Bg



MOLDEX Respirator Lockers®

Provides hygienic storage for respirators. Ideal for workers required to travel to remote locations. Fits easily in employee lockers or work vehicles. Separate compartment permits storage of a used respirator during breaks, preventing premature disposal of respirators. NIOSH certified to have a filter efficiency level of 95% or greater against non-oil based particulates. Masks meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.



2850

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2850	222200395	2800N Series respirator locker w/ (4) 2800N95 respirators	M/L	16/Lockers/Cs	4/Locker



◆ Non-stock item. Minimum quantity may apply.



Disposable

MOLDEX N99 Premium Welding Particulate Respirators

Offers a higher level of protection. Workers stay cooler with an exhale valve that reduces breathing resistance and hot air buildup. Exclusive Dura-Mesh® shell protects filter media so it stays cleaner looking longer. Resists collapsing in heat and humidity so respirator holds its shape longer. Suitable for most welding applications. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1. If used for welding, wear appropriate eye and face protection.



2310 N99

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
2310 N99	222210995	N99 Premium particulate respirator w/ valve	M/L	6/Bg/Cs	10/Bg
2315 N99	222200265	N99 Premium particulate welding respirator w/ valve & adjustable cloth straps	M/L	6/Bg/Cs	10/Bg


MOLDEX N100 Series Particulate Respirators with HandyStrap®

HandyStrap allows mask to hang around neck so it's always ready for use, preventing premature disposal. Dura-Mesh® shell protects filter media so it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Contour-molded nosebridge with soft foam nose cushion for an easy, comfortable fit. No metal noseband to adjust and the seal is maintained without pressure points. Softspun® lining offers added comfort and durability. NIOSH certified to have a filter efficiency of 99.97% effective against non-oil based particulates. Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.



2730N100

ITEM #	ORDER #	DESCRIPTION	SIZES	STYLE	UOM
2730N100	222200325	N100 Particulate respirator w/ HandyStrap & Ventex valve	M/L	6/Bx/Cs	5/Bx



80102V



PeakFit® Particulate Respirators

Large, contoured design facilitates breathing, reducing worker fatigue and promoting compliance. Features molded nosebridge, internal nose cushion, polypropylene inner lining and integrated, adjustable 1-piece head strap. Latex-free, cloth head strap is cooler than traditional, rubber versions. Available with an exhalation vent reducing hot air build-up. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
80101	323381015	Unvented N95 particulate respirator	12/Bx/Cs	20/Bx
80102V	323301025	Vented N95 particulate respirator	12/Bx/Cs	10/Bx
80104CV	323380105	Vented N95 OV particulate respirator	12/Bx/Cs	10/Bx
80105A	323311055	Unvented N95 AG particulate respirator	12/Bx/Cs	20/Bx



1501M



Nuisance Dust Mask

Provides relief from irritation of non-toxic, nuisance dusts. Effective for pollen, common household dust, cut grass and other non-toxic particles. Adjustable nosepiece contours to fit individual facial features. Not a NIOSH approved respirator.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1501M	422300035	Nuisance dust mask	12/Bx/Cs	50/Bx



1730

Low-Profile N95 Respirator

Durable, latex-free polymer head straps are pre-stretched and ultrasonically welded to withstand tough use and prolong life. Adjustable contoured nosepiece and soft, open-cell foam nose cushion help ensure proper fit and reduced fogging. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1730	422300045	N95 Particulate respirator	12/Bx/Cs	20/Bx



1740

Low-Profile N95 Respirator with Exhalation Valve

Produced from state-of-the-art filtration media and electrostatically charged to enhance filtration. Provides low breathing resistance, making the wearer comfortable for extended periods. Respirator life extended by double-shell construction which is collapse resistant and withstands hot and humid conditions. Built-in low pressure drop (LPD) exhalation valve for easier breathing. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
1740	422300055	N95 Particulate respirator w/ exhale valve	10/Bx/Cs	10/Bx



Smart*Mask N95 Respirators

Unique design eliminates pressure points for increased comfort. Opens to a traditional away from the face cup design. Side panels provide added durability in industrial applications. Low breathing-resistance and ultra-soft inner layer assure comfortable wear. Soft foam nosepiece adjusts for a safe, secure fit. Folds for easy storage and portability. Features non-latex headbands. 95% Efficient. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
2130C	422300085	N95 Particulate respirator, box packaging	200/Ea/Cs	20/Bx
2130	422321305	N95 Particulate respirator, case packaging	200/Ea/Cs	20/Bx



2130



About Disposable Respirators

A respirator is a device that protects you from inhaling dangerous substances, such as chemicals and infectious particles.

Respirators are among the most important pieces of protective equipment for working in hazardous environments. Selecting the right respirator requires an assessment of all the workplace operations, processes or environments that may create a respiratory hazard. The identity of the hazard and its airborne concentrations need to be determined before choosing a respirator. This assessment should be done by experienced safety personnel or by an industrial hygienist.

Particulate respirators are the simplest, least expensive, and least protective of the respirator types available. These respirators only protect against particles (e.g., dust). They do not protect against chemicals, gases, or vapors, and are intended only for low hazard levels. The commonly known N95 filtering facepiece respirator or "dust mask" is one type of particulate respirator, often used in hospitals to protect against infectious agents. Particulate respirators are "air-purifying respirators" because they clean particles out of the air as you breathe.

Particulate respirators are generally made directly from a cloth-like filter material designed to filter out dusts, fumes and mists. These types of respirators are considered disposable and must be replaced when they become discolored, damaged, or clogged.



Signature Series® One-Step® Maintenance-Free Respirators

Maintenance-free respirators come completely assembled with organic vapor cartridges and P95 particulate filters. Offers state-of-the-art design, performance and comfort. Features a soft, lightweight elastomeric facepiece, and cradle suspension with easy-adjust headstraps that facilitate a comfortable and proper fit. Low-profile, swept-back design provides greater field of vision and allows workers to use glasses or goggles.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8211	422300291	One-Step respirator	M	Ea
8311	422300131	One-Step respirator	L	Ea



8211



3M™ 3M™ Replacement Cartridges and Filters

Use with 3M™ Respirators 5000, 6000, 7000 and FF-400 Series, according to NIOSH approvals. When properly selected, cartridges and filters help provide protection from a variety of gases, vapors and particulate hazards.

ITEM #	ORDER #	DESCRIPTION	UOM	ITEM #	ORDER #	DESCRIPTION	UOM		
	6001	665513305	Organic Vapor Cartridge	2/Bx		2071	665511655	Particulate Filter P95	2/Bx
	6002	665510021	Acid Gas Cartridge	2/Bx		2078	665511675	Particulate Filter, P95 w/ Nuisance Level Organic Vapor*/Acid Gas** Relief & Ozone Protection***	2/Pk
	6004	665513315	Ammonia/Methylamine Cartridge	2/Bx		2091	665520915	Particulate Filter P100	2/Bx
	6005	665514795	Formaldehyde****/Organic Vapor Cartridge	2/Bx		2096	665511685	Particulate Filter P100 w/ Nuisance Level Acid Gas** Relief	2/Bx
	6006	665513325	Multi-Gas/Vapor Cartridge	2/Bx		2097	665511695	Particulate Filter P100 w/ Nuisance Level Organic Vapor* Relief & Ozone Protection***	2/Bx
	6009S	665513335	Mercury Vapor/Chlorine or Sulfur Dioxide Gas Cartridge	2/Bx		2297	665522975	Advanced Particulate Filters P100 w/ Nuisance Level Organic Vapor Relief** & Ozone Protection***	2/Pk
	60921	665513355	Cartridge/Filter Organic Vapor/P100	2/Bx		2291	665522915	Advanced Particulate Filters P100	2/Pk
	60923	665513375	Cartridge/Filter Organic Vapor/Acid Gas/P100	2/Bx		7093	665513935	Particulate Filter P100, Solid Top Air Inlet	12/Bx
	60924	665513385	Cartridge/Filter Ammonia/Methylamine/P100	2/Bx		501	665512085	Filter Retainer	20/Bx
	60925	665513395	Cartridge/Filter Formaldehyde****/Organic Vapor/P100	2/Bx		5N11	665512065	Particulate Filter N95	10/Bx
	60926	665513405	Cartridge/Filter Multi-Gas/Vapor/P100	2/Bx		5P71	665512075	Particulate Filter P95	10/Bx
	60929S	665513425	Mercury Vapor/Chlorine or Sulfur Dioxide Gas/ P100 Particulate Filter Combination Cartridge	2/Bx		504	665512105	Respirator Cleaning Wipes	100/Bx

*Nuisance level organic vapors refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

**Nuisance level acid gases refer to concentrations less than the OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against acid gases.

***3M™ recommended for ozone protection up to 10 x OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH approved for use against ozone.

****OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

Only 3M™ filters 2000 Series, 7093, 5N11 or 5P71 are approved for use with 3M™ 5000 Series Respirators. Cartridges on 5000 Series Respirators cannot be replaced. The 3M™ Filter Adapter 502 is required for use of the 2000 Series and 7093 filters with the 5000 Series Respirators and 6000 Series Cartridges. The 3M™ Filter Retainer 501 is required for use of the 5N11 and 5P71 prefilters with the 5000 Series Respirators and 6000 Series Cartridges. The 502 adapter cannot be reused.

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

3M 3M™ Rugged Comfort Half Facepiece Reusable Respirators, 6500 Series

Helps provide respiratory protection against airborne contaminants in harsh, dirty environments. Facepiece is designed to help promote comfort, durability and stability with a firm, lightly textured silicone face seal and strong body construction. Helps provide respiratory protection at concentrations up to 10 x the Permissible Exposure Limit (PEL) when respirator is properly fitted. Sleek, overmolded/low-profile design helps to give a wide field of view that suits compact work spaces and simplifies cleaning. Resilient silicone face seal offers an extended facepiece life, even keeping its shape in high-heat environments. Facepiece offers numerous other comfort features including a special valve cover that helps to direct exhaled breath and moisture downward and 3M's proprietary Cool Flow™ Valve that helps to make breathing easier by reducing heat and moisture. Made to fit securely and comfortably on the head, the facepiece comes with an adjustable head harness assembly featuring polyester/spandex straps that maintain elasticity for lasting performance. Facepiece is compatible with all 3M™ bayonet-style filters and cartridges to help provide respiratory protection against a variety of gases, vapors, and particulate hazards according to NIOSH approvals. The 6500QL Series features a proprietary Quick Latch design offering an easy, one-hand touch drop-down mechanism for putting the facepiece on and off while moving in and out of contaminated areas. NIOSH/MSHA Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6501	665565271	6500 Series Half Facepiece	S	Ea
6502	665565291	6500 Series Half Facepiece	M	Ea
6503	665565311	6500 Series Half Facepiece	L	Ea
6501QL	665565281	6500 Series Half Facepiece, Quick Latch	S	Ea
6502QL	665565301	6500 Series Half Facepiece, Quick Latch	M	Ea
6503QL	665565321	6500 Series Half Facepiece, Quick Latch	L	Ea
6581	665565335	Rugged Comfort Head Harness Assembly		5/Bx
6582QL	665565345	Rugged Comfort Quick Latch Head Harness Assembly		5/Bx
6583	66556535	Rugged Comfort Exhalation Valve		10/Cs



6502



6501QL



6200



3M™ Half Facepiece Respirators 6000 Series, Reusable

Lightweight facepiece and easy-to-adjust headstraps. Facepiece can be disassembled, cleaned and reused. Cartridges and filters can be easily replaced. Swept-back design of cartridges helps improve balance and visibility. Bayonet-style cartridges and filters sold separately. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6200	665501761	Half Facepiece	M	Ea
6300	665513541	Half Facepiece	L	Ea



3M™ Half Facepiece Respirator Assemblies, 6000 Series

Reusable respirator assembly offers comfort and particulate protection. Each facepiece is remarkably comfortable and soft. Assemblies use the simple bayonet mounting system with low-profile P100 filters. Meets NIOSH 42 CFR 84 requirements.



6291

6391

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6291	665513521	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	M	Ea
6391	665513571	Half Facepiece Respirator Assembly w/ 3M™ Particulate Filters, P100	L	Ea

WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M

3M™ Half Facepiece Respirators 7500 Series, Reusable 7501

Soft seal design and unique 3M™ Cool Flow™ Valve for unsurpassed comfort. Made from advanced silicone and can be used with any of the 3M™ bayonet-style filters and cartridges. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7501	665514051	Half Facepiece	S	Ea
7502	665514061	Half Facepiece	M	Ea
7503	665514801	Half Facepiece	L	Ea



3M

3M™ Full Facepiece Respirators 6000 Series, Reusable 6800

Faceseal is made of silicone rubber for enhanced comfort and durability. Lightweight and well-balanced. Features large, hard-coated lens providing user a wide field of vision.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6800	665513621	Full Facepiece	M	Ea
6900	665513871	Full Facepiece	L	Ea
6885	665513765	Faceshield Covers		25/Bx



3M

3M™ Ultimate FX Full Facepiece FF-400 Series, Reusable FF-402

Rugged facepiece designed to provide flexibility in extreme environments. Features soft, silicone nose cup and large lens allowing for superior peripheral vision. Comfort cradle positions respirator to help reduce pressure points. Scotchgard™ protector helps lens resist dirt, paint and stains, making it easier to clean. Cool Flow™ exhalation valve helps reduce heat and moisture buildup inside the facepiece. Durable, long-lasting head harness features a 6-strap configuration for secure fit. Low-profile bayonet design helps improve balance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
FF-402	665520241	Ultimate FX Full Facepiece	M	Ea
FF-403	665520251	Ultimate FX Full Facepiece	L	Ea



3M

3M™ Full Facepiece Respirators 7800S Series, Reusable 7800S

Durable, silicone facepieces are designed for a wide range of applications. Full facepiece features a double flange silicone faceseal and (6) easy-adjusting straps for comfort and durability. Hard-coated polycarbonate lens. Extra-large inhalation and exhalation valves help make breathing easier. Available in three sizes to comfortably fit many faces. Meets NIOSH 42 CFR 84 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7800S-M	665514131	Full Facepiece Respirator	M	Ea
7800S-L	665514121	Full Facepiece Respirator	L	Ea

⚠ WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



North® 5500 Series Half Mask Respirators

Thermoplastic elastomer mask is soft and comfortable; free of latex allergens. Cartridges and filters are replaceable so facepiece can be re-used. Ideal as an economical respirator for sub-contractors, plant guests and occasional users. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. Combines comfort and design of the popular 7700 Series half mask in a convenient version. Compatible with North cartridges and filters.



5500030M



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
550030M	347657231	5500 Series half mask respirator	M	Ea
550030L	347657241	5500 Series half mask respirator	L	Ea



North® 7700 Series Silicone Half Mask Respirators

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Dual elasticity headstraps provide a secure and flexible fit. Wide contoured sealing area fits a greater variety of facial types. Variable thickness in sealing area provides the optimal amount of seal on each area of the face for superior comfort without sacrificing fit. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.



770030M



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
770030M	347657201	7700 Series half mask respirator	M	Ea
770030L	347657211	7700 Series half mask respirator	L	Ea



North® 7600 Series Full Facepiece Respirator

The 100% silicone facepiece is flexible, to provide a soft, secure and comfortable fit. Wide sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Speech diaphragm is standard to amplify workers' conversations. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.



760008A



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
760008A	347637481	Full facepiece, dual flange silicone seal	M/L	Ea



North® 5400 Series Low-Maintenance Full Facepiece Respirators

Wide-sealing area for improved fit and ability to fit more facial types. Nose cup provides less dead air space and channels exhaled breath. Latex-free with no natural rubber proteins which may cause an allergic reaction. Lens offers 200° field of vision and downward view for optimal viewing area in all directions. Polycarbonate lens meets ANSI requirements for high impact. Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace. NIOSH Approved. Cartridges sold separately.



54001



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
54001S	347640001	5400 Series full facepiece respirator	S	Ea
54001	347640011	5400 Series full facepiece respirator	M/L	Ea



North® Cartridges, Filters and Cartridge/Filter Combinations

Air-purifying respirators with cartridges provide respiratory protection against gases and vapors by using sorbents to purify the inhaled air. Cartridges with filters also remove dusts, fibers, and other particles. N750036 Assembly for filters includes: (2) N750027 covers and (2) N750038 filter supports to attach filter pads to gas and vapor cartridges. All North cartridges and filters are NIOSH approved with North air-purifying half masks and full facepiece respirators.

ITEM #	ORDER #	DESCRIPTION	UOM	ITEM #	ORDER #	DESCRIPTION	UOM		
	75SCL	347657411	Defender™ multi-purpose cartridge	2/Pk		7584P100L	347637461	Ammonia, methylamine cartridge & P100 particulate filter	2/Pk
	75SCP100L	347637001	Defender multi-purpose cartridge w/ P100 particulate filter	2/Pk		7580P100	347637441	P100 Particulate filter	2/Pk
	N75001L	347650011	Organic vapor cartridge	2/Pk		75FFP100	347651001	P100 Particulate low-profile flexible filter	2/Pk
	7582P100L	347601001	Acid gas cartridge P100 particulate filter	2/Pk		7506N95	347637025	N95 Pad filters	10/Pk
	N75003L	347657485	Organic vapor, acid gas cartridge	2/Pk		7506N99	347637035	N99 Pad filters	10/Pk
	7583P100L	347631001	Organic vapor, acid gas cartridge w/ P100 particulate filter	2/Pk		7506R95	347637045	R95 Pad filters	10/Pk
	N75004L	347675001	Ammonia, methylamine cartridge	2/Pk		N750036	347600361	Filter assembly	Ea



North® Mouthbit Respirator

Mouthbit respirators offer quick and economical method to escape non-IDLH emergency situations. Large, soft and flexible nose pads hold securely without pinching. Wider nose clip fits a variety of facial types. Silicone mouthpiece is more comfortable to wear over long periods. Packed in sealable plastic bag.



7902



ITEM #	ORDER #	DESCRIPTION	UOM
7902	347638021	Mouthbit respirator/specific acid gases	Ea



MOLDEX 9000 Reusable Full Facepiece Respirators

Exclusive over-molded lens design eliminates usual heavy-clamping frame. Lightweight respirator features stand away head harness with extra wide opening for easy on/off. Strap buckles are securely molded directly to facepiece for rugged use and ease of adjustment. Coated lens for scratch resistance. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9002	222290021	Reusable full facepiece respirator	M	Ea
9003	222290031	Reusable full facepiece respirator	L	Ea



MOLDEX 7000 Reusable Half Mask Respirators

Lightweight design plus extra-wide sealing area provides all-day comfort. Mask drops down for convenient storage around neck or locks down for custom fit. Features adjustable head cradle and curved neck buckles for extra comfort. Low-profile design allows a wide field of vision. Fits under welding helmets and with safety glasses. Easy to clean and maintain. Paint-spray/pesticide respirators include the added convenience of coming with organic vapor cartridges and N95 prefilters. Multi-gas respirators come with 7600 Smart® cartridges which replace up to five gas/vapor cartridges, making cartridge selection easier for workers. P100 respirator comes with 7940P100 filter disks. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7001	222270011	Half mask respirator	S	Ea
7002	222270021	Half mask respirator	M	Ea
7003	222270031	Half mask respirator	L	Ea
7101	222271011	Organic Vapor pre-assembled half mask respirator	S	Ea
7102	222271021	Organic Vapor pre-assembled half mask respirator	M	Ea
7103	222271031	Organic Vapor pre-assembled half mask respirator	L	Ea
7111	222271111	Paint spray/pesticide pre-assembled half mask respirator	S	Ea
7112	222271121	Paint spray/pesticide pre-assembled half mask respirator	M	Ea
7113	222271131	Paint spray/pesticide pre-assembled half mask respirator	L	Ea
7171	222271711	Pre-assembled respirator for oil or water-based aerosols	S	Ea
7172	222271721	Pre-assembled respirator for oil or water-based aerosols	M	Ea
7173	222271731	Pre-assembled respirator for oil or water-based aerosols	L	Ea
7941	222279411	P100 pre-assembled respirator	S	Ea
7942	222279421	P100 pre-assembled respirator	M	Ea
7943	222279431	P100 pre-assembled respirator	L	Ea
7601	222276011	Multi-gas pre-assembled half mask respirator	S	Ea
7602	222276021	Multi-gas pre-assembled half mask respirator	M	Ea
7603	222276031	Multi-gas pre-assembled half mask respirator	L	Ea

MOLDEX 7000/9000 Series Combo Stacked Cartridge/Filters

Pre-assembled units save time and reduce chance of error in selecting or assembling cartridge/filter combinations.

The 7140 combines the 7100 organic vapor cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. The 7640 combines the 7600 multi-gas/vapor Smart® cartridge, the 7920 piggyback adapter and the 7940 P100 particulate filter disk. For use with 7000 half mask or 9000 full face respirators.



ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
7140	222271401	Organic Vapor cartridge/P100	30/Cs	1 Pr/Bg
7640	222276401	Multi-Gas/Vapor Smart cartridge/P100	30/Cs	1 Pr/Bg

MOLDEX Moldex® Replacement Cartridges and Filters

A variety of cartridges and filters for use with 7000 Series half mask respirators or 9000 Series full facepiece respirators. NIOSH Approved.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
7100	222271001	Organic Vapor cartridge	30/Bg	1 Pr/Bg
7200	222272001	Acid Gas cartridge	30/Bg	1 Pr/Bg
7300	222273001	Organic Vapor/Acid Gas cartridge	30/Bg	1 Pr/Bg
7400	222274001	Ammonia/Methylamine cartridge	30/Bg	1 Pr/Bg
7500	222275001	Formaldehyde cartridge	30/Bg	1 Pr/Bg
7600	222276001	Multi-Gas/Vapor Smart® cartridge	30/Bg	1 Pr/Bg
7940	222279401	P100 filter disk	30/Bg	1 Pr/Bg
7920	222279201	Piggyback adapter	30/Bg	1 Pr/Bg
7960	222279601	P100 filter w/ nuisance OV	30/Bg	1 Pr/Bg
7990	222279901	P100 filter cartridge	30/Bg	1 Pr/Bg
8970	222289705	R95 Prefilters	10/Bg	5 Pr/Bg
8910	222243425	N95 Prefilters	10/Bg	5 Pr/Bg
7020	222270201	Prefilter retainer	50/Bg	1 Pr/Bg

◆ Non-stock item. Minimum quantity may apply.



Advantage® 200 LS Respirators

Lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber for greater comfort and stability. AnthroCurv™ sealing surface instantly conforms to wearer's unique facial characteristics. MultiFlex® system equalizes pressure on face seal area.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
815444	308599131	Advantage 200 LS respirator w/ single neckstrap	M	Ea
815452	308599151	Advantage 200 LS respirator w/ single neckstrap	L	Ea



815444



10028995



Advantage® 3200 Full Facepiece Respirators

Engineered for comfort and versatility. Offers ease of use and low breathing resistance. Preset upper straps make it easy to don and remove while also providing a tighter, more secure seal. Users can also opt for the European-style Advantage Head Harness, which dons like a catcher's mask. Unit also features a scratch-resistant, wraparound faceplate that eliminates distortion and increases peripheral vision, these components can be replaced by hand in seconds.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10028995	308524661	Advantage 3200 Twin Port Respirator w/ rubber harness	M	Ea
10028997	308524681	Advantage 3200 Twin Port Respirator w/ rubber harness	L	Ea







Advantage® Respirator Cartridges

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors. Combination cartridges deliver protection from both particulate and gaseous contaminants. All cartridges are interchangeable between the Advantage respirators and are color-coded to indicate the type of protection offered. Approved under 42 CFR Part 84.



815362

ITEM #	ORDER #	DESCRIPTION	UOM
	815355	308598981 GMA OV cartridge	2/Pk
	815359	308553591 GME multi-gas cartridge	2/Pk
	815362	308599031 GMA/P100 OV cartridge	2/Pk
	815369	308599075 P100 low-profile cartridge	2/Pk






Flexi-Filter® Pads for Advantage® Respirators

Low-profile, flexible filter pads for Advantage respirator fit well under a welding hood and with other personal protective equipment. Offers great balance and weight distribution for maintaining a good face seal, while swept-back design provides improved vision and comfort. Multi-layer composite construction offers durability and spark resistance.



818342

ITEM #	ORDER #	DESCRIPTION	UOM
	818342	308583425 P100 Flexi-Filter pads	2/Pk
	818343	3085163A5 P100/OV/O3 Flexi-Filter pads	2/Pk
	818344	3085164A5 P100/AG/HF Flexi-Filter pads	2/Pk



OSHA clearly specifies that it is important to inspect all respirators for wear and tear before and after each use, giving special attention to rubber or plastic parts that can deteriorate or lose pliability. The facepiece, headband, valves, connecting tube, fittings, and cartridges, canisters or filters must be in good condition. A respirator inspection must include checking the tightness of the connections.

For more complete information visit www.osha.gov.

Honeywell

Sperian Survivair Opti-Fit™ Full Facepiece Respirators, S-Series

Designed for superior fit, comfort and optics in a full face respirator. Features a distortion-free lens with exceptional view. Lightweight construction reduces head and neck stress even during extended wear. High-impact resistant polycarbonate lens is treated with anti-scratch coating. Three sizes fit almost any facial type. Molded-in speaking diaphragm provides improved communication. NIOSH Approved. Compatible with S-Series filter cartridges. Replacement parts available; cartridges sold separately.



762000

Sperian is now Honeywell.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
762000	341527511	Opti-Fit full facepiece respirator	M	Ea
772000	341527671	Opti-Fit full facepiece respirator	L	Ea

Honeywell

Sperian Survivair S-Series Cartridges and Filters

Full line of NIOSH-approved cartridges and filters are available. S-Series filters work with both full and half mask respirators that only accept threaded cartridge connections. *Sperian is now Honeywell.*



B100100



ITEM #	ORDER #	DESCRIPTION	UOM
B100100	341521865	Organic vapor cartridge	6/Bx
105110	341522805	Organic vapor cartridge w/ P100 particulate filter	4/Bx
105310	341522845	Organic vapor/acid gas cartridge w/ P100 particulate filter	4/Bx
105810	341522905	Multi-contaminant cartridge w/ P100 particulate filter	4/Bx
105005	341522785	P100 particulate filter	10/Bx
106010	341522925	N95 pad filter, S-Series	24/Bx

Respirator Styles

Disposable (Air-Purifying)
Disposable respirators offer a full range of comfort, convenience and value.

Reusable (Air-Purifying)
Reusable respirators are specifically designed to offer versatility, comfort and extended wear. They are suitable for either negative or positive pressure uses and use filters and/or cartridges offered in a vast variety of combinations for a wide range of applications.

Maintenance-Free (Air-Purifying) Respirators
These APR's are supplied fully assembled with cartridges permanently attached. Optional replaceable filters provide additional protection against particulates. Maintenance-free air-purifying respirators should be disposed of after their predetermined usage.

Low-Maintenance (Air-Purifying) Respirators
These respirators offer affordable protection with the flexibility of reusable respirators. Users have the ability to interchange filters, pre-filters and cartridges.

Powered (Air-Purifying) Respirators - PAPR
A PAPR is a motorized (battery powered) air system that delivers a continuous flow of filtered air. These systems are designed for use with specific headgear such as hoods, helmets and facepieces.

Supplied Air & Airline Respirators
These respirators, which can be used with both loose- and tight-fitting facepieces, are designed to comfortably deliver clean air to the user from a variety of sources: high pressure, low pressure, or cylinder sources.

Self-Contained Breathing Apparatus - SCBA
These self-contained systems allow users to transport their own supply of air. With a variety of harness and cylinder choices, an SCBA offers the protection needed in most oxygen deficient or Immediately Dangerous to Life and Health (IDLH) situations such as in confined space environments.

Emergency Escape Breathing Apparatus - EEBA
EEBAs are compact systems easily donned and used within a matter of seconds. These systems are lightweight and utilize small air tanks allowing for quick, comfortable and safe exits from IDLH atmospheres and/or confined spaces.



3M 3M™ Versaflo™ Complete PAPR System Kits

Lightweight, compact and well-balanced. Equipped with automatic flow control, low battery alarm and low flow alarm. Quick Release Swivel (QRS) breathing tubes allow fast and easy connection. Provides excellent peripheral and downward vision. Easily removable parts allow simple cleaning, maintenance and replacement. Kits offer convenience of a complete system ideal for industrial applications, hospitals and pharmaceutical applications.

- **TR-300-HKL** includes S-133L headcover, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, charger, TR-3710N filter and storage bag
- **TR-300-ECK** includes S-655 hood, TR-307N PAPR with Easy Clean belt, BT-30 breathing tube, battery charger, TR-3710N filter and prefilter
- **TR-300-HIK** includes M-307 respiratory hard hat, TR-306N PAPR with high-durability leather belt, BT-40 heavy-duty breathing tube, battery charger, TR-3710N filter and spark arrestor/prefilter

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TR-300-HKL	665524751	3M™ Headcover PAPR Kit	L	Ea
◆ TR-300-ECK	665524721	3M™ Easy Clean PAPR Kit	M/L	Ea
TR-300-HIK	665524731	3M™ Heavy-duty Industrial PAPR Kit	M/L	Ea



3M Versaflo PAPR accessories available, please contact customer service for more information. For a complete list of Versaflo accessories please visit: www.3m.com/Versaflo

For air filtration panels, compressors and air pumps, please contact customer service.

3M 3M™ Mold Remediation Respirator Kit

Includes a 3M™ Full Facepiece 6000 and two pairs of 3M™ Particulate Filters 2097, P100, to help reduce exposure to mold and low level organic compounds produced by mold. Simple, one-stop solution to help provide respiratory protection during most mold remediation activities such as vacuuming, sanding, removal and disposal. A separate chemical cartridge may be needed for exposure to disinfectants.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
68097	665513661	Mold Remediation Respirator Kit	M	Ea



WARNING



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



ALLEGRO Fit Test Kits

Choose from a variety of OSHA-compliant fit test products. Saccharin fit

test kit includes poly-coated hood, (2) nebulizers, sensitivity and fit test solutions and instructions. Bitrex™ is safer than saccharin tests while producing identical results. Disposable glass ampules make pouring solution into nebulizers easier and reduces the chance of contamination. Use smoke test kits for air purifying respirators. Standard kit includes irritant smoke tubes, aspirator assembly and record form in a protective carry pouch. Deluxe smoke test kit includes a smoke fit tube pump with batteries which generates the required 200 mL per minute of smoke, (6) smoke tubes with caps and instructions.



2041

ITEM #	ORDER #	DESCRIPTION	UOM
2041	334200611	Bitrex test kit	Ea
2041-11K	334200625	Sensitivity solution only	6/Bx
2041-12K	334200635	Test solution only	6/Bx
2040	334200571	Saccharin test kit	Ea
2040-11K	334200595	Sensitivity solution only	6/Bx
2040-12K	334200605	Test solution only	6/Bx
♦ 2055	334200661	Deluxe pump smoke test kit	Ea
2050	334200641	Standard smoke test kit	Ea
2050-01	334200651	Replacement tubes	6/Bx



Respirator Fit and Testing

Every respirator wearer must receive fitting instructions that include practice and demonstrations on how the respirator should be worn, adjusted and how to determine a proper fit.

To ensure the most protection, every time the respirator is put on, the facepiece fit must be checked again. OSHA requires that employers establish a record of the qualitative and quantitative fit tests which are administered to employees. Record must include:

- The name or identification of the employee tested
- Type of fit test performed
- Specific make, model, style, and size of respirator tested
- Date of test
- The pass/fail results for QLFTs or the fit factor and strip chart recording or other recording of the test results for QNFTs
- Fit test records shall be retained for respirator users until the next fit test is administered
- A written copy of current respirator programs must also be retained by the employer

For complete details, visit www.osha.gov.



1001

3001



Respirator Accessories

Cleaning pads are designed specifically for rubber respirator facepieces and other personal safety equipment. Alcohol wipes contain 70% Isopropanol. Active ingredient in alcohol-free wipe is Benzalkonium chloride. Will not harm even the most sensitive rubber facepieces. Made in USA.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1001	334210015	Respirator cleaning pads	5" x 8"	100/Bx
3001	334230015	Alcohol-free cleaning pads	5" x 8"	100/Bx
1001-05	334200431	The Big Ones, alcohol	8" x 11"	50/Bx
3001-05	334200701	The Big Ones, alcohol-free	8" x 11"	50/Bx



Respirator Storage Bags

Reusable storage bags keep equipment contaminant free. Single-use disposable storage bags with gusset help prevent cross contamination of any personal safety equipment such as respirators or earmuffs.



2000

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000	33422000	Respirator storage bags	14" x 16"	100/Bg
2025	334220251	Full mask storage bag	16" x 14"	Ea
4001-05	33420105	Large disposable respirator storage bags	21" L x 11" W x 8" D	100/Pk
4001-06	334205495	Extra large disposable respirator storage bags	28" L x 12" W x 8" D	50/Pk



Spray Socks

Provides comfortable protection against overspray and other particulates. Fits over the head and can be worn with goggles, half mask or full mask respirators. Stretch knit material is breathable and cool to wear. One size fits all.



1410

ITEM #	ORDER #	DESCRIPTION	UOM
1410-12	334200465	Spray socks	12/Pk


♦ Non-stock item. Minimum quantity may apply.



Hand Protection

With the diversity of industrial glove applications, OSHA provides guidelines regarding the types of gloves needed, whether single use or repeated use.

Visit www.osha.gov for complete details and regulation requirements.



11-600W



11-600B

Ansell HyFlex® 11-600 Light-Duty Multi-Purpose Gloves

Safety without sacrificing performance. Polyurethane palm coating offers maximum tactile sensitivity in finger area for exceptional feel, and an ultra-cool stretch nylon liner increases worker acceptance and safety compliance. Barehand dexterity, excellent fit and performance help to maintain high productivity. Available in black or white. 12/Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
White				
11-600W-7	220100865	HyFlex 11-600 gloves	7	12/Pk
11-600W-8	220100895	HyFlex 11-600 gloves	8	12/Pk
11-600W-9	220100925	HyFlex 11-600 gloves	9	12/Pk
11-600W-10	220100755	HyFlex 11-600 gloves	10	12/Pk
Black				
11-600B-7	220100875	HyFlex 11-600 gloves	7	12/Pk
11-600B-8	220100915	HyFlex 11-600 gloves	8	12/Pk
11-600B-9	220100935	HyFlex 11-600 gloves	9	12/Pk
11-600B-10	220100765	HyFlex 11-600 gloves	10	12/Pk



80-100

Ansell PowerFlex® 80-100 Heavy-Duty Multi-Purpose Gloves

Rugged, comfortable glove designed to handle more demanding jobs. Advanced ergonomic design features a soft, seamless poly/cotton knit liner for unbelievable comfort. Superior wet and dry grip. Powerful combination of grip, abrasion and puncture resistance. Fully-coated thumb provides added protection in this high risk area. Uncoated back allows air to circulate, keeping hands cool and dry. 12/Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
80-100-8	220111995	PowerFlex 80-100 gloves	8	12/Pk
80-100-9	220112005	PowerFlex 80-100 gloves	9	12/Pk
80-100-10	220111965	PowerFlex 80-100 gloves	10	12/Pk



11-800

Ansell

HyFlex® 11-800 Light-Duty Multi-Purpose Gloves

Big comfort when handling small parts. Ansell® original foam nitrile coating channels oil away from glove surface for sure grip in light oil. Glove molds naturally to the hand, minimizing fatigue and providing exceptional, unmatched comfort for workers. ANSI level 1 cut resistance, ANSI level 3 abrasion resistance. 12/Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-800-6	220101225	HyFlex 11-800 gloves	6	12/Pk
11-800-7	220118005	HyFlex 11-800 gloves	7	12/Pk
11-800-8	220118015	HyFlex 11-800 gloves	8	12/Pk
11-800-9	220118025	HyFlex 11-800 gloves	9	12/Pk
11-800-10	220118035	HyFlex 11-800 gloves	10	12/Pk

Ansell

HyFlex® 11-801 Light-Duty Multi-Purpose Gloves

Safety without sacrificing performance. Polyurethane palm coating offers maximum tactile sensitivity in the finger area for exceptional feel. Excellent fit and performance to maintain high productivity. Ultra-cool stretch nylon liner. Barehand dexterity. 12/Pk/Cs.



11-801

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-801-7	220101275	HyFlex 11-801 gloves	7	12/Pk
11-801-8	220101285	HyFlex 11-801 gloves	8	12/Pk
11-801-9	220101295	HyFlex 11-801 gloves	9	12/Pk
11-801-10	220101235	HyFlex 11-801 gloves	10	12/Pk



NF11

NORTH by Honeywell
NorthFlex Red™ Foamed PVC Palm-Coated Gloves

Lightweight, 15-gauge seamless knit nylon liner with a knit wrist for minimal resistance and comfort. Foamed PVC coating for firm wet grip, abrasion resistance and a degree of shock and vibration absorption. Used in applications where workers handle both wet and dry objects and need moderate protection from mechanical hazards, including automotive and other assembly work, manufacturing, maintenance and small parts handling. 12/Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NF11/9	347684895	Foamed PVC palm-coated gloves	L	12/Pk
NF11/10	347684905	Foamed PVC palm-coated gloves	XL	12/Pk



4500



Nitri-Flex® Lite Gloves

Features a breathable, seamless nylon liner/shell with flat-dipped nitrile coating, knit wrist and smooth finish. Puncture and abrasion protection. Palm-dipped in nitrile for lower electrostatic discharge. Ideal for jobs requiring tactile sensitivity. Light green/green. 6/Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
4500-08	384101495	Nitri-Flex Lite gloves	M	12/Pk
4500-09	384101505	Nitri-Flex Lite gloves	L	12/Pk
4500-10	384101515	Nitri-Flex Lite gloves	XL	12/Pk



Atlas Fit® Gloves

Made of 10-cut medium weight cotton/polyester blend with a natural rubber coating provides outstanding abrasion resistance. Features a seamless knit shell construction, open back configuration for ventilation and a patented dipping process for fit, dexterity and durability. Excellent wet/slippy and flexible, ergonomically correct design. Gray fabric does not show dirt or grime, allowing longer glove use. Color coded over-edge allows for easy sorting after laundering. Gray/blue. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
300M-08	384123065	Atlas Fit gloves, cotton/poly shell w/ rubber palm & fingertips	M	12/Pk
300L-09	384123075	Atlas Fit gloves, cotton/poly shell w/ rubber palm & fingertips	L	12/Pk
300XL-10	384123085	Atlas Fit gloves, cotton/poly shell w/ rubber palm & fingertips	XL	12/Pk



300



Jackson Safety* G40 Foam Nitrile Coated Gloves

Provides 25% better productivity than leather. Excellent grip and dexterity. Features seamless knit nylon back for comfort. Highest EN388 abrasion rating. Blue/black. 5 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 40226	154002265	G40 Foam Nitrile Coated Gloves	8 (M)	12/Pk
◆ 40227	154002275	G40 Foam Nitrile Coated Gloves	9 (L)	12/Pk
◆ 40228	154002285	G40 Foam Nitrile Coated Gloves	10 (XL)	12/Pk



40226

◆ Non-stock item. Minimum quantity may apply.



13838



Jackson Safety* G40 Polyurethane Coated Gloves

Thin mil feel for tactile sensitivity. Offers excellent grip and dexterity. Features seamless knit construction for comfort. Tear- and abrasion-resistant. Ideal for small parts handling, electronics/precision assembly, controls handling and warehousing/shipping. Black. 5 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
13838	154038005	G40 Polyurethane Coated Gloves	8 (M)	12/Pk
13839	154038015	G40 Polyurethane Coated Gloves	9 (L)	12/Pk



3228

3228HVY



SuperDex™ Gloves

Features micro foam nitrile and a very lightweight, durable 15-gauge seamless knit liner. Provides excellent dexterity and unmatched grip. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ 3228/M	337916595	SuperDex gloves	M	Black	12/Pk
◆ 3228/L	337916605	SuperDex gloves	L	Black	12/Pk
◆ 3228/XL	337916615	SuperDex gloves	XL	Black	12/Pk
◆ 3228HVY/M	337916695	SuperDex gloves	M	Hi-viz yellow	12/Pk
◆ 3228HVY/L	337916705	SuperDex gloves	L	Hi-viz yellow	12/Pk
◆ 3228HVY/XL	337916715	SuperDex gloves	XL	Hi-viz yellow	12/Pk



3229HVY



SuperDex™ Elite Gloves

Features an extra dip micro foam nitrile and a very lightweight, durable 15-gauge high-visibility seamless knit liner. Excellent dexterity and unmatched grip. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3229HVY/M	337916795	SuperDex Elite gloves	M	12/Pk
◆ 3229HVY/L	337916805	SuperDex Elite gloves	L	12/Pk
◆ 3229HVY/XL	337916815	SuperDex Elite gloves	XL	12/Pk



3382



M-Safe® Rubber-Coated Gloves

Cotton string knit gloves with rubber palm-dipped coating and knit wrist. Excellent gripping power and abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3382/9	337916995	Rubber-coated gloves	9	12/Pk
◆ 3382/10	337917005	Rubber-coated gloves	10	12/Pk
◆ 3382/11	337917015	Rubber-coated gloves	11	12/Pk



Summer Penguin Knit Gloves with Foam Latex Palm

Lightweight, cotton/poly blend hi-viz summer weight glove. Features hi-viz orange or yellow knit with black foamed latex palm to hide dirt. Pre-curved design promotes easy flexing. Latex palm offers excellent wear and resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Hi-Viz Orange				
◆ 3397HO/9	337917095	Summer Penguin knit gloves w/ foam latex palm	M	12/Pk
◆ 3397HO/10	337917105	Summer Penguin knit gloves w/ foam latex palm	L	12/Pk
◆ 3397HO/11	337917115	Summer Penguin knit gloves w/ foam latex palm	XL	12/Pk
Hi-Viz Yellow				
◆ 3397HY/9	337917195	Summer Penguin knit gloves w/ foam latex palm	M	12/Pk
◆ 3397HY/10	337917205	Summer Penguin knit gloves w/ foam latex palm	L	12/Pk
◆ 3397HY/11	337917215	Summer Penguin knit gloves w/ foam latex palm	XL	12/Pk



81/1762



Smitty® Nitrile Palm-Coated Gloves

Made with a blended cotton/polyester shell and nitrile palm coating for grip and abrasion resistance. Complies with USDA and FDA regulations, 21 CFR, for use in food processing. Used in auto assembly, general maintenance, manufacturing and small parts handling. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
81/1762/10	347639785	Smitty nitrile palm-coated gloves	Men's	12/Pk



NorthFlex Duro Task™ Natural Rubber-Coated Poly/Cotton Gloves

Latex palm dipped coating is an economical alternative to nitrile-coated gloves. Seamless liner provides comfort and lessens hand fatigue. Textured finish provides a sure grip on objects. Coating on fingertips and thumb crotch minimizes wear on high stress areas. Launderable. Used in auto assembly, general maintenance, janitorial, small parts handling and shipping/receiving. 12 Pk/Cs.

Caution: This product contains natural rubber latex proteins which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
NF14/9	347620425	Natural rubber-coated poly/cotton gloves	L	12/Pk



NF14



Flex-Tuff® Latex-Dipped Work Gloves

Made from 10-gauge 50% cotton/50% polyester shell dipped in natural rubber latex, which provides exceptional abrasion resistance. Features textured palm and fingertips for added durability and grip. Ideal for use in material and glass handling, fishing and plywood industries, sanitation, and general maintenance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
9681-L	331418755	Economy latex-dipped gloves	L	Green	12/Pk
9688-L	331419025	Value latex-dipped work gloves	L	Gray	12/Pk
9688-XL	331419055	Value latex-dipped work gloves	XL	Gray	12/Pk
9680-L	331496795	Premium latex-dipped & textured gloves	L	Blue	12/Pk
9680-XL	331496805	Premium latex-dipped & textured gloves	XL	Blue	12/Pk



9680

9688

◆ Non-stock item. Minimum quantity may apply.



N9680



Ninja® Flex Latex-Coated Gloves

Excellent for use in dry grip applications. Made of a 15-gauge, 100% nylon shell with a crinkle latex coating provides superb flexibility, elasticity and durability. Component materials comply with all relevant federal regulations for food contact. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9680-L	331496001	Ninja Flex latex-coated gloves	L	Pr



N9677



Ninja Force™ Gloves

Made from 13-gauge Dyneema® with fiberglass shell and polyurethane coating on the palm and fingertips. Gray coating conceals dirt and provides excellent dexterity. Ideal for lathe operations, metal grinding/filing, automotive and ceramics industries. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ N9677-L	331496871	Ninja Force gloves	L	Pr



Ninja Lite™ Gloves

Features skin-tight, athletic-grade nylon shell with feather-light PU coating for high abrasion protection. Offers dexterity and tactile sensitivity. Ideal for intricate assembly, micro processors, optics and photography industries. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9696-L	331438365	Ninja Lite gloves	L	12/Pk



N9696



Honeywell Pure Fit™ Nylon Gloves

Lightweight, 13-gauge knit, dipped gloves offer excellent dexterity and superior tactile sensitivity for work requiring precision handling. Seamless knit liner is made from low-linting nylon filament fibers. Palm-dipped design is lightweight to enhance tactile sensitivity and add abrasion resistance. 12 Pk/Cs.



390

375

PF525

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
390-M	341520065	Pure Fit 390 gloves, white nylon w/ gray foamed nitrile coating	M	12/Pk
390-L	341520055	Pure Fit 390 gloves, white nylon w/ gray foamed nitrile coating	L	12/Pk
390-XL	341520085	Pure Fit 390 gloves, white nylon w/ gray foamed nitrile coating	XL	12/Pk
375-M	341519985	Pure Fit gloves, black nylon w/ gray nitrile coating	M	12/Pk
375-L	341519975	Pure Fit gloves, black nylon w/ gray nitrile coating	L	12/Pk
375-XL	341520005	Pure Fit gloves, black nylon w/ gray nitrile coating	XL	12/Pk
PF525-M	341516955	Pure Fit gloves, white nylon w/ gray polyurethane coating	M	12/Pk
PF525-L	341516965	Pure Fit gloves, white nylon w/ gray polyurethane coating	L	12/Pk
PF525-XL	341516975	Pure Fit gloves, white nylon w/ gray polyurethane coating	XL	12/Pk



WELLS LAMONT
Industrial

FlexTech™ Hi-Viz Palm-Coated Gloves

Features a hi-viz green lightweight synthetic knit shell with gray nitrile palm coating for outstanding grip. Knit wrist construction prevents dirt and debris from entering glove. 12 Pk/Cs.



Y9239

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y9239TL	416492465	FlexTech hi-viz palm-coated gloves, lined	L	12/Pk
Y9239TXL	416492475	FlexTech hi-viz palm-coated gloves, lined	XL	12/Pk
Y9239L	416490415	FlexTech hi-viz palm-coated gloves	L	12/Pk
◆ Y9239XL	416490425	FlexTech hi-viz palm-coated gloves	XL	12/Pk

WELLS LAMONT
Industrial

Protective Glove Liners

Protects hands and the products handled in critical environments. Made of 100% continuous nylon filament. Extremely thin and comfortable. Superior fit and feel. Manufactured in a controlled environment for low particulates. Fully launderable up to 30 times without shrinkage. Reduces cost of waste disposal. Ambidextrous. White. 72 Dz/Cs.



M005XL.WLC

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ M005XL.WLC	416401165	Full finger glove liners	XL	12/Pk

Check out our General Purpose Apparel products, starting on page 190



7100

MEMPHIS
GLOVES

Brown Jersey Gloves

Breathable and absorbent. Features Clute cut with knit wrist. For comfort in general-purpose applications. 25 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7100	331414285	Brown jersey gloves	Men's	12/Pk



8100C

MEMPHIS
GLOVES

Cotton Canvas Gloves

Made from 8 oz. woven cotton canvas fabric. Cut and sewn in Clute pattern with straight thumb and knit wrist for comfort and breathability in general purpose applications.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8100C	331414465	Cotton canvas gloves	Men's	12/Pk



According to OSHA, gloves are often relied upon to prevent cuts, abrasions, burns, and skin contact with chemicals that are capable of causing local or systemic effects following dermal exposure. OSHA is unaware of any gloves that provide protection against all potential hand hazards. Commonly available glove materials provide only limited protection against many chemicals. Therefore, it is important to select the most appropriate glove for a particular application and to determine how long it can be worn and whether it can be reused.

It is also important to know the performance characteristics of gloves relative to the specific hazard anticipated; e.g., chemical hazards, cut hazards, flame hazards, etc. These performance characteristics should be assessed by using standard test procedures. Before purchasing gloves, the employer should request documentation from the manufacturer that the gloves meet the appropriate test standard(s) for the hazard(s) anticipated.

Source: www.osha.gov





Ansell

KSR® 22-515 Light-Duty Multi-Purpose Gloves

Very light, flexible, well ventilated and easy to wear for an entire shift. Vinyl coated glove is extremely comfortable for long-wearing light-duty work. Interlock knit lining stretches to a comfortably snug, sensitive fit. Outwears 8 oz. cotton gloves by at least 6-to-1. Coating breathes for ventilation while providing superior grip and liquid repellency. Launderable, won't shrink, stiffen or lose grip. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
22-515-8	220145385	KSR 22-515 gloves	8	12/Pk
22-515-9	220102315	KSR 22-515 gloves	9	12/Pk
22-515-10	220145405	KSR 22-515 gloves	10	12/Pk



22-515



Y9277

WELLS LAMONT Industrial FlexTech™ Series Gloves

Seamless design offers increased dexterity. Features charcoal gray nylon with gray polyurethane palm coating for grip and tactility. Gray fibers hide dirt and grime. Ideal for electronic assembly and small parts handling. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y9277L	416411765	FlexTech nylon-dipped gloves	L	12/Pk
Y9277XL	416492775	FlexTech nylon-dipped gloves	XL	12/Pk



32-105

Ansell Hynit® 32-105 Medium-Duty Multi-Purpose Gloves

A light, comfortable and longer-lasting replacement for cotton and leather. Outwears standard 8 oz. cotton by as much as 10-to-1, standard goatskin by 3-to-1 and standard lightweight leather by 4-to-1. Nitrile-impregnated fabric provides excellent snag, puncture, abrasion and cut resistance. Superior dry grip without silicone. Lightweight, comfortable and launderable. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
32-105-7	220103605	Hynit 32-105 gloves	7	12/Pk
32-105-8	220103625	Hynit 32-105 gloves	8	12/Pk
32-105-9	220103635	Hynit 32-105 gloves	9	12/Pk
32-105-10	220103555	Hynit 32-105 gloves	10	12/Pk



377



SHOWA® Foam Grip Gloves

Features a liquid-proof undercoat for oil protection, fully-coated foam nitrile overcoat for grip in oily applications and a 13-gauge seamless, knit liner. Elastic wrist holds glove firmly in place. Ideal for automotive, assembly, construction, handling oily objects, refineries and inspection. Blue/black. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
377M-07	384133015	Foam nitrile gloves	M	12/Pk
377L-08	384133025	Foam nitrile gloves	L	12/Pk
377XL-09	384133035	Foam nitrile gloves	XL	12/Pk
3772XL-10	384113775	Foam nitrile gloves	2XL	12/Pk



ORHD CR5 Series Cut-Resistant Gloves

Dual-density thermoplastic rubber (TPR) disperses forceful impact to knuckles and metacarpals and provides pinch-point protection to tip of each finger. Internal 2 mm EVA foam insert absorbs impact to top of hand. PVC bonded dots disperse liquids, enhance grip and reduce abrasion to entire palm. Entire palm is layered with Armortex® for added cut resistance. Features slip-on cuff and stretch neoprene wrist panels. Machine washable.



ORHD-CR5



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ORHD-CR5-009	C24527011	ORHD CR5 Series cut-resistant gloves	9	Pr
ORHD-CR5-010	C24527021	ORHD CR5 Series cut-resistant gloves	10	Pr
ORHD-CR5-011	C24527031	ORHD CR5 Series cut-resistant gloves	11	Pr

More Sizes Available.



ORHD Knit CR5 Series Gloves

Features a 13-gauge knitted shell with thermoplastic rubber (TPR) knuckle and metacarpal impact protection. TPR finger guards extend to tip of each finger to prevent crushing impact injuries. Textured nitrile-coated palm provides enhanced gripping power. Durable blend of Armortex® and Kevlar® provides webbing reinforcement. Extended slip-on cuff for better fit and 3 mm internal palm padding relieves hand fatigue. Machine washable.



KHD-CR5



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KHD-CR5-009	C24527291	ORHD Knit CR5 Series gloves	9	Pr
KHD-CR5-010	C24527301	ORHD Knit CR5 Series gloves	10	Pr
KHD-CR5-011	C24527311	ORHD Knit CR5 Series gloves	11	Pr

More Sizes Available.



DN100



KV100



ForceFlex™ Dyneema® PU Gloves

Features 13-gauge salt and pepper Dyneema shell with thermoplastic rubber cage on back of hand and black PU coating on palms and fingers. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ DN100M	331497201	ForceFlex Dyneema PU gloves	M	Pr
◆ DN100L	331497211	ForceFlex Dyneema PU gloves	L	Pr
◆ DN100XL	331497221	ForceFlex Dyneema PU gloves	XL	Pr



ForceFlex™ Nitrile KV100 Gloves

Offers outstanding comfort and protection. Features 13-gauge stretch Kevlar® shell with black nitrile dipped palm and fingers. Thermoplastic rubber cage on back for additional protection. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ KV100M	331497301	ForceFlex KV100 gloves	M	Pr
◆ KV100L	331497311	ForceFlex KV100 gloves	L	Pr
◆ KV100XL	331497321	ForceFlex KV100 gloves	XL	Pr

◆ Non-stock item. Minimum quantity may apply.



HV200



ForceFlex™ Multi-Task Gloves

Made from orange mesh material with injection molded TPR padding covering finger ribs and cage on back of hand. Features neoprene slip-on cuff with dual side flex panels and micro-prismatic retro-reflective material on both sides of cuff. Ergonomically designed rough Kevlar® palm with sure grip fingertips. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ HV200M	331497401	ForceFlex multi-task gloves	M	Pr
◆ HV200L	331497411	ForceFlex multi-task gloves	L	Pr
◆ HV200XL	331497421	ForceFlex multi-task gloves	XL	Pr



ForceFlex™ KV200 Gloves

Features ForceFlex full sock Kevlar® lining, Clarino® leather palm and hi-viz yellow back with thermoplastic rubber cage. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ KV200M	331497701	ForceFlex KV200 gloves	M	Pr
◆ KV200L	331497711	ForceFlex KV200 gloves	L	Pr
◆ KV200XL	331497721	ForceFlex KV200 gloves	XL	Pr



KV200



47-402

Ansell

Hylite® 47-402 Medium-Duty Multi-Purpose Gloves

A smart alternative that outperforms cotton, leather and PVC gloves. Outwears cotton up to 12-to-1, lightweight leather 5-to-1, and PVC-coated gloves 3-to-1. Comfortable cotton lining with nitrile coating for exceptional snag, puncture, abrasion and cut resistance. Unique interlock knit liner and contoured design ensure excellent flexibility and dexterity. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
47-402-8	220105475	Hylite 47-402 gloves	8	12/Pk
47-402-9	220105485	Hylite 47-402 gloves	9	12/Pk
47-402-10	220105445	Hylite 47-402 gloves	10	12/Pk



11-624

Ansell HyFlex® 11-624 Light-Duty Cut Protection Gloves

Dyneema® engineered yarn composition with ergonomic design offers users an unmatched combination of comfort, softness, coolness and cut protection. Black proprietary coating provides a sure grip in light oil and dry applications. Good resistance to tears and punctures that might occur when handling sharp parts. ANSI cut level 2, ANSI abrasion level 5. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-624-8	220114225	HyFlex 11-624 gloves	8	12/Pk
11-624-9	220114235	HyFlex 11-624 gloves	9	12/Pk
11-624-10	220100545	HyFlex 11-624 gloves	10	12/Pk



Ansell

HyFlex® 11-500 Light-Duty Cut Protection Gloves

Performance and safety combined. Ergonomically designed DuPont™ Kevlar® stretch liner with spandex provides “second skin” closeness, reducing risk of snags and cuts. Ability to handle sharp parts with confidence, increasing productivity and safety. Black foam nitrile-coated palm enhances grip in light oil conditions with good abrasion resistance. Silicone-free and natural rubber latex-free for worker and product protection. ANSI level 2 cut resistance, ANSI level 3 abrasion. 12 Pk/Cs.



11-500

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11-500-8	220100665	HyFlex 11-500 gloves	8	12/Pk
◆ 11-500-9	220100675	HyFlex 11-500 gloves	9	12/Pk
◆ 11-500-10	220100615	HyFlex 11-500 gloves	10	12/Pk

Ansell

HyFlex® 11-501 Medium-Duty Cut Protection Gloves

Lightweight fit and feel with superior cut protection. Ansell INTERCEPT Technology™ with DuPont™ Kevlar® Stretch Armor liner provide enhanced cut protection, reducing the risk of injury and related expenses. High cut protection increases worker confidence and morale when handling sharp objects. Ergonomic stretch liner provides barehand closeness, reducing risk of snags and hang-ups. Nitrile foam coating enhances grip in light oil conditions. ANSI cut level 4, ANSI abrasion level 3. 12 Pk/Cs.



11-501

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11-501-8	220100735	HyFlex 11-501 gloves	8	12/Pk
◆ 11-501-9	220100745	HyFlex 11-501 gloves	9	12/Pk
◆ 11-501-10	220100685	HyFlex 11-501 gloves	10	12/Pk



11-518



Ansell

HyFlex® 11-518 First-To-Market Ultralight Cut-Resistant Gloves

First-to-market 18-gauge style glove provides barehand-like dexterity for high tactility. Dyneema® Diamond Technology provides high cut-to-dexterity ratio for safety with comfort. D3 Pinky matches natural contours of hand. Thin polyurethane coating enables high tactility. High abrasion resistance extends glove life. ANSI cut level 2, ANSI level 3 abrasion resistance. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11-518-8	220151885	HyFlex 11-518 gloves	8	12/Pk
◆ 11-518-9	220151895	HyFlex 11-518 gloves	9	12/Pk
◆ 11-518-10	220151905	HyFlex 11-518 gloves	10	12/Pk



S-TEX541



S-TEX® 541 Gloves

Features Hagane Coil® fiber to provide extra protection against sharp edges. Lightweight polyurethane palm coating ensures maximum dexterity, grip and flexibility. Open back design with breathable palm keeps hands comfortable and dry. Gray on black. ASTM cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ S-TEX541L-08	384149085	S-TEX 541 gloves	L	12/Pk
◆ S-TEX541XL-09	384149095	S-TEX 541 gloves	XL	12/Pk
◆ S-TEX541XXL-10	384149105	S-TEX 541 gloves	2XL	12/Pk

◆ Non-stock item. Minimum quantity may apply.



4560



Zorb-IT® Ultimate Gloves

Flat-dipped, form-fitting gloves. Made of cut-resistant Kevlar® fibers spun with stretchable, breathable Lycra®. Sponge nitrile-coated gloves have Maximum Oil Absorbency (MXOA). Used for small and sharp parts handling, cutting instruments and blade changing. ANSI cut level 3. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
4560-08	384101585	Zorb-IT Ultimate gloves	M	12/Pk
4560-09	384101595	Zorb-IT Ultimate gloves	L	12/Pk
4560-10	384101605	Zorb-IT Ultimate gloves	XL	12/Pk



KV300



Atlas® KV300 Gloves

Made with a yellow, 10-cut medium weight Kevlar® fiber knit shell coated with blue natural rubber to provide protection from cuts, slashes and punctures. Features a seamless knit shell construction, open back configuration and an ergonomically correct design. Provides excellent wet/slippy grip and helps inhibit liquid penetration. Meets ANSI cut level 3. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV300M-08	384123165	Atlas Kevlar gloves	M	12/Pk
KV300L-09	384123175	Atlas Kevlar gloves	L	12/Pk
KV300XL-10	384123185	Atlas Kevlar gloves	XL	12/Pk



250



AEGIS KVS4® Gloves

Features a blend of 13-gauge Kevlar® stainless steel and polyester knit with sponge nitrile palm coating. Provides excellent protection in applications where oil and sharp edges are prevalent. Offers durable resistance to abrasions, snags and punctures. Meets ANSI/ISEA 105-2005 cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
250-08	384150085	AEGIS KVS4 gloves	8	12/Pk
250-09	384150095	AEGIS KVS4 gloves	9	12/Pk

Ansell HyFlex® 11-627 Light-Duty Cut Protection Gloves

Dyneema® and Lycra® liner offer cool and comfortable feeling. Relaxed, natural fit liner helps reduce hand fatigue. Polyurethane coating and liner combination offer improved tactile sensitivity. Excellent grip in dry environments. Effective control in minimally oily environments. Launderable, durable materials. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11-627-8	220101201	HyFlex 11-627 gloves w/ Dyneema	8	Pr
11-627-9	220101211	HyFlex 11-627 gloves w/ Dyneema	9	Pr
11-627-10	220101051	HyFlex 11-627 gloves w/ Dyneema	10	Pr



11-627



Memphis Hero Gloves

Made from 13-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations, metal stamping and food processing. Made with FDA-accepted materials for use in food processing applications. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
93840M	331488025	Memphis Hero gloves	M	12/Pk
93840L	331488035	Memphis Hero gloves	L	12/Pk
93840XL	331488045	Memphis Hero gloves	XL	12/Pk



93840



93847



Memphis Hero Gloves with PVC Dots

Made from 13-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Features PVC dots on one side. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations and metal stamping. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
93847M	331488095	Memphis Hero gloves w/ PVC dots one side	M	12/Pk
93847L	331488105	Memphis Hero gloves w/ PVC dots one side	L	12/Pk
93847XL	331488115	Memphis Hero gloves w/ PVC dots one side	XL	12/Pk



Memphis Hero Gloves with PVC Stripes

Made from 7-gauge blended Kevlar®, stainless steel and other fibers for high levels of cut and comfort. Features PVC stripes on one side. Allows manual dexterity in industry applications such as manufacturing, automotive, glass operations and metal stamping. ANSI cut level 4. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
93868M	331488175	Memphis Hero gloves w/ PVC stripes one side	M	12/Pk
93868L	331488185	Memphis Hero gloves w/ PVC stripes one side	L	12/Pk
93868XL	331488195	Memphis Hero gloves w/ PVC stripes one side	XL	12/Pk



93868



Memphis™ PU Gloves

Salt and pepper Dyneema®/nylon/spandex blend shell with gray polyurethane coating on palm and fingers. Features 13-gauge thickness. Ideal for automotive, metal fabrication, ceramics, paper/pulp industry, textile industry and other applications requiring ultimate cut protection. CE cut level 3. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 9672-M	331497055	Memphis PU gloves	M	12/Pk
◆ 9672-L	331497025	Memphis PU gloves	L	12/Pk
◆ 9672-XL	331497035	Memphis PU gloves	XL	12/Pk



9672



Jackson Safety* G60 Purple Nitrile* Level 3 Cut Resistant Gloves

Dyneema® fiber enhances breathability and comfort. Features dots on palm for enhanced grip. Ambidextrous. ANSI Level 3/EN388 Level 3 cut resistance; CPPT = 1,150 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
97431	15407431	G60 Purple Nitrile* Cut Resistant Gloves	8 (M)	12/Cs
97432	15407432	G60 Purple Nitrile* Cut Resistant Gloves	9 (L)	12/Cs

97431



Jackson Safety* G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber

Dyneema® yarn with nylon, Lycra® fiber and glass liner provides cut resistance and comfortable fit. Excellent dexterity for improved productivity. Grey polyurethane coating enhances grip. Ideal for metal fabrication, glass handling, automotive assembly, stamping and assembly. Meets ANSI Level 3, EN 388 Level 3 cut resistance.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 13824	15403824	G60 Level 3 Cut Resistant Gloves	8 (M)	12/Cs
◆ 13825	15403825	G60 Level 3 Cut Resistant Gloves	9 (L)	12/Cs
◆ 13826	15403826	G60 Level 3 Cut Resistant Gloves	10 (XL)	12/Cs



13825



98236



Jackson Safety* G60 Level 5 Cut Resistant Gloves with Dyneema® Fiber

Features Spun Dyneema® fiber with glass, stainless steel and spandex. Superior cut resistance based on tests performed against the competition. Black polyurethane coating enhances grip. ANSI Level 4/EN388 Level 5 cut resistance, CPPT = 2085 grams.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 98236	15408036	G60 Level 5 Cut Resistant Gloves	8 (M)	12/Cs
◆ 98237	15408037	G60 Level 5 Cut Resistant Gloves	9 (L)	12/Cs
◆ 98238	15408038	G60 Level 5 Cut Resistant Gloves	10 (XL)	12/Cs



34-1305



Cut-Less Dyneema® Gloves

Features Dyneema continuous fiber shell with gray polyurethane palm coating and color-coded hem. Cut resistance is equivalent to Kevlar® with ten times greater abrasion resistance. CE cut level 3. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 34-1305/M	337917295	Cut-Less Dyneema gloves	M	12/Pk
◆ 34-1305/L	337917305	Cut-Less Dyneema gloves	L	12/Pk
◆ 34-1305/XL	337917315	Cut-Less Dyneema gloves	XL	12/Pk



Dyneema®-Coated Gloves

Dyneema-coated gloves feature 13-gauge seamless knit shell with polyurethane palm coating and color-coded hem. Has a cut resistance that is equivalent to Kevlar® with ten times greater abrasion resistance. Available in continuous knit shell or ring spun Dyneema which is 15% more cut-resistant. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Gray/White				
◆ 3435/M	337917395	Dyneema continuous fiber gloves	M	12/Pk
◆ 3435/L	337917405	Dyneema continuous fiber gloves	L	12/Pk
◆ 3435/XL	337917415	Dyneema continuous fiber gloves	XL	12/Pk
Hi-Viz Yellow/White				
◆ 3435NHY/M	337917495	Dyneema continuous fiber gloves	M	12/Pk
◆ 3435NHY/L	337917505	Dyneema continuous fiber gloves	L	12/Pk
◆ 3435NHY/XL	337917515	Dyneema continuous fiber gloves	XL	12/Pk
Gray/Black				
◆ 3437/M	337917595	Ring spun Dyneema gloves	M	12/Pk
◆ 3437/L	337917605	Ring spun Dyneema gloves	L	12/Pk
3437/XL	337917615	Ring spun Dyneema gloves	XL	12/Pk



Metalist® 28-407 Medium-Duty Multi-Purpose Gloves

Stand up to cuts, get excellent grip and increase productivity. Flexible nitrile coating provides excellent cut and abrasion resistance and superior grip without sacrificing dexterity. Two-piece liner features cut resistant DuPont™ Kevlar® in high stress areas. Ergonomic design ensures a natural, comfortable fit. Nitrile safety cuff delivers added wrist and forearm protection. ANSI cut level 2. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
28-407-8	220103275	Metalist 28-407 gloves	8	12/Pk
28-407-9	220103295	Metalist 28-407 gloves	9	12/Pk
28-407-10	220103245	Metalist 28-407 gloves	10	12/Pk



Perfect Fit™ 100% Kevlar® Gloves

Made with DuPont™ Kevlar fiber for cut and slash protection. Features seamless knit construction with no uncomfortable seams to rub or chafe. Easily laundered with minimal shrinkage. Ideal for sheet metal, glass handling, canning, automotive, welding, injection molding and steel manufacturing. ANSI cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV13A	341514345	Lightweight 100% Kevlar gloves	Men's	12/Pk



JunkYard Dog® Gloves

Features full premium leather palm with reinforced thumb crotch and Kevlar® fiber, seamless knit shell. Offers cut, slash and abrasion resistance. Leather palm provides outstanding grip in oily or wet applications. Ideal for automotive assembly, sheet metal, glass handling, metal stamping and fabrication, recycling, canning, injection molding, paper and pulp industry. ASTM cut level 3.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KV18A-100-50	341514411	JunkYard Dog cut-resistant gloves	Men's	Pr



◆ Non-stock item. Minimum quantity may apply.



Cut-Resistant



N9674



Ninja® X Bi-Polymer Coated Cut-Resistant Gloves

Made of a 15-gauge shell blend of silicone-free nylon/spandex with a proprietary bi-polymer coating combining durability and softness. Provides cut protection without losing dexterity and sense of touch. Applications include food processing, glass handling and metal fabricating. EN 388. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9674-L	331496745	Bi-polymer coated gloves	L	12/Pk



333023



Whizard® Handguard II® Gloves

Heavy-duty combination of high performance fibers and stainless steel provides protection against cuts and slashes. Features 3" cuff for wrist protection. Ambidextrous. Ideal for use in material handling, meat, poultry and seafood processing. Prewashed and preshrunk. CFR 21 approved for food contact. ANSI cut level 5. Sold by the piece. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
333023	416430231	Handguard II gloves	M	Ea
333025	416430251	Handguard II gloves	L	Ea



133554



Whizard® Slipguard® Gloves

Patented combination of high performance fibers and stainless steel. Coated with unique low-friction polyurethane pattern. Offers cut protection and slip resistance. Hand specific. ANSI cut level 5. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
133554	416406511	Slipguard gloves, left	S	Ea
133555	416406521	Slipguard gloves, right	S	Ea



Whizard® Knifehandler Gloves

Patented combination of high performance fibers and stainless steel. Excellent thermal qualities. Features 3" cuff for additional wrist protection. Ambidextrous. ANSI cut level 5. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
333370	416433511	Knifehandler gloves w/ 3" cuff	S	Ea
333372	416433521	Knifehandler gloves w/ 3" cuff	M	Ea
333374	416433531	Knifehandler gloves w/ 3" cuff	L	Ea



333370



WELLS LAMONT
Industrial

Kevlar® Liner

M79

Lightweight Kevlar fibers offer minor cut resistance without compromising tactile sensitivity. Ambidextrous. ANSI cut level 2. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
M79M	416402015	Kevlar liner	M	12/Pk



WELLS LAMONT
Industrial

Silver Talon® Gloves

134527

Patented combination of high performance fibers and stainless steel. Medium-duty knife hand and general use glove with combination of cut resistance, dexterity and durability. Silver color conceals stains better. Meets ANSI cut level 5. 120/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 134527	416445271	Silver Talon gloves	M	Ea
◆ 134528	416445281	Silver Talon gloves	L	Ea



333477

WELLS LAMONT
Industrial

Whizard® Medium-Duty Armguard

Protects arms from lacerations. 10" Length. Gray. ANSI cut level 4. 50/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
333477	41645036	Medium-duty Armguard sleeves	Ea



Types of Gloves

Mechanical Protection Gloves – These gloves are engineered to provide protection against cuts, abrasions and punctures in addition to grip properties for handling materials in light oil or dry applications. They also deliver varying levels of liquid repellency and a variety of special properties, while offering dexterity and comfort. Ideal for construction, critical environment, energy, food, manufacturing, raw materials processing and other occupations.

Chemical and Liquid Protection Gloves – Designed for superior protection against splash and/or full immersion exposure to a wide variety of chemicals and liquids. These gloves also deliver varying levels of cut and abrasion resistance for added protection in rugged environments. Ideal for construction, critical environment, energy, first responder/defense, food, manufacturing and other occupations.

Product Protection Gloves – These gloves are engineered to provide product and worker protection in environments with specific regulatory requirements. They have characteristics suited for applications including pharmaceutical labs, cleanrooms, electronics, food processing and service markets.



390



392



37-145



8-352

Ansell Technicians 88-390 Natural Rubber Latex Gloves

The right mix of chemical protection, dexterity and sensitivity for mid-level applications. 13-Mil blend of neoprene and natural rubber latex delivers optimal durability and chemical resistance. Pebble embossed design increases grip on wet or dry surfaces. Dexterity and sensitivity combined with moderate chemical protection. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
390-8	220104785	Technicians 88-390 gloves	8	12/Pk
390-9	220104805	Technicians 88-390 gloves	9	12/Pk

Ansell VersaTouch® 88-392 Natural Rubber Latex Gloves

Ideal glove for safety and dexterity in the food processing industry. Excellent dexterity, tensile strength and elasticity. 20-Mil thickness provides good chemical, snag, puncture and abrasion resistance. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
392-8	220120105	VersaTouch 88-392 gloves	8	12/Pk
392-9	220139295	VersaTouch 88-392 gloves	9	12/Pk
392-10	220197035	VersaTouch 88-392 gloves	10	12/Pk

Ansell Sol-Vex® Nitrile Immersion Gloves

Versatile chemical protection that performs across a diverse range of applications. High performance nitrile compound provides an outstanding combination of chemical resistance and strength. Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves. Suitable for heavy-duty cleaning applications. High levels of flexibility, comfort and dexterity. Won't swell, weaken or degrade, and does not promote contact dermatitis. Features straight cuff and sandpatch grip. Complies with FDA food handling requirements (21 CFR 177.2600).

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Sol-Vex 11-Mil Thickness				
37-145-8	220104265	13" length, unlined	8	12/Pk
37-145-9	220104275	13" length, unlined	9	12/Pk
Sol-Vex 15-Mil Thickness				
37-155-8	220104295	13" length, unlined	8	12/Pk
37-155-9	220104305	13" length, unlined	9	12/Pk
37-155-10	220155105	13" length, unlined	10	12/Pk
37-175-8	220104365	13" length, flock-lined	8	12/Pk
37-175-9	220104375	13" length, flock-lined	9	12/Pk
37-175-10	220175105	13" length, flock-lined	10	12/Pk
Sol-Vex 22-Mil Thickness				
37-165-9	220104335	15" length, unlined	9	12/Pk
37-165-10	220165105	15" length, unlined	10	12/Pk

Ansell Scorpio® 8-352 Neoprene Immersion Gloves

Heavy-duty protection against a wide range of chemicals. Specially designed neoprene construction. Knit lined for comfort and easy donning and doffing. Textured finish provides excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Interlock knit cotton 2-piece lining eliminates seams that can cause hand irritation and premature wear-through. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8-352-9	220111925	Scorpio 8-352 gloves	9	12/Pk
8-352-10	220111895	Scorpio 8-352 gloves	10	12/Pk



Ansell Marigold® G12 Mediumweight Natural Rubber Gloves

Made from unsupported 17-mil latex. Features recessed diamond patterned grip, flock lining and beaded, rolled cuff. Provides resistance to acids, alkalis, alcohols, salts, ketones and animal fats. Ideal for industrial cleaning, canteen use and other general purpose applications. Made from component materials which comply with FDA regulations for food contact. 21 CFR, 170-199 (G12Y only). 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
Marigold G12Y Mediumweight Natural Rubber Gloves, Yellow			
◆ 113468	220134685	7.5/M	12/Pk
◆ 113469	220134695	8.5/L	12/Pk
◆ 113470	220130705	9.5/XL	12/Pk
Marigold G12Y Mediumweight Natural Rubber Gloves, Tangerine			
◆ 113489	220134895	7.5/M	12/Pk
◆ 113490	220134905	8.5/L	12/Pk
◆ 113491	220134915	9.5/XL	12/Pk



Ansell Marigold® G02 Supaweight™ Heavyweight Gloves

High resistance to water-based chemicals. Natural rubber latex gloves with rough sandblast finish for excellent grip in damp conditions. Features 27-mil thickness with flock lining and beaded cuff for tear resistance and easy pull on. Extra length fluted cuff provides ventilation and maximum protection. Ideal for laboratories and a broad range of chemical applications. Orange. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
Marigold G02T Supaweight Gloves			
◆ 113552	220137525	6.5/S	12/Pk
◆ 113553	220137535	7.5/M	12/Pk
◆ 113554	220137545	8.5/L	12/Pk
◆ 113555	220137555	9.5/XL	12/Pk



Ansell Marigold® G17K Heavyweight Gloves

Industrial unsupported 30-mil latex gloves provide excellent resistance to many chemicals. Black heavyweight gloves feature 13" length, flocked lining and beaded, rolled cuff. Offers high resistance to water-based chemicals. Reduces hand fatigue. Ideal for use in fishing industry, household maintenance and electronics. 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
Marigold G17K Heavyweight Gloves			
◆ 113471	220134715	6.5/S	12/Pk
◆ 113472	220134725	7.5/M	12/Pk
◆ 113473	220134735	8.5/L	12/Pk
◆ 113474	220134745	9.5/XL	12/Pk
◆ 113475	220134755	10.5/2XL	12/Pk

Ansell Marigold® G26 and U263 Nitrile Gloves

Nitrile formula for resistance to many solvents and oil-based chemicals. Features raised diamond grip pattern, 14-mil thickness and 13" length. Offers good puncture and abrasion resistance. Ideal for use in food preparation, chemical industry and crop spraying. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

ITEM #	ORDER #	SIZES	UOM
Marigold G26B Nitrile Gloves, Blue			
◆ 113485	220134855	7.5/M	12/Pk
◆ 113486	220134865	8.5/L	12/Pk
◆ 113487	220134875	9.5/XL	12/Pk
◆ 113488	220134885	10.5/2XL	12/Pk
Marigold U263G Nitrile Gloves, Green			
◆ 113537	220135375	8.5/L	12/Pk
◆ 113538	220135385	9.5/XL	12/Pk
◆ 113539	220135395	10.5/2XL	12/Pk

◆ Non-stock item. Minimum quantity may apply.



Ansell Marigold® 315F Nitrile Chemical-Resistant Gloves

Premium nitrile for resistance to many solvents and oil-based chemicals. Features 13" length, 15-mil thickness, sandblast finish and flock lining. Silicone-free to provide less risk of product contamination. Ideal for food handling, chemical applications, automotive, refineries, painting, printing and general manufacturing. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 113810	220135005	Marigold 315F nitrile chemical-resistant gloves	6/XS	12/Pk
◆ 113506	220135065	Marigold 315F nitrile chemical-resistant gloves	7/S	12/Pk
◆ 113507	220135075	Marigold 315F nitrile chemical-resistant gloves	8/M	12/Pk
◆ 113508	220135085	Marigold 315F nitrile chemical-resistant gloves	9/L	12/Pk
◆ 113509	220135095	Marigold 315F nitrile chemical-resistant gloves	10/XL	12/Pk
◆ 113510	220131105	Marigold 315F nitrile chemical-resistant gloves	11/2XL	12/Pk



113507



730



Nitri-Solve® Nitrile Gloves

Provides protection against abrasions, punctures, cuts resistance to solvents, animal fats and other chemicals. Features 13" length and 15-mil thickness. Bisque non-slip grip makes wet work easier and safer. Ergonomic design maximizes comfort. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
730-09	384102665	Nitri-Solve nitrile gloves w/ flock lining, chlorinated	L	12/Pk
730-10	384102675	Nitri-Solve nitrile gloves w/ flock lining, chlorinated	XL	12/Pk
727-09	384127095	Nitri-Solve nitrile gloves, unlined	L	12/Pk
727-10	384127105	Nitri-Solve nitrile gloves, unlined	XL	12/Pk



6780R



Neo Grab™ Gloves

Sanitized®, wet-grip gloves with rough finish and gauntlet cuff design. Recyclable and multi-dipped in premium-grade neoprene for quality and durability. Protects against acids, caustics, oils, greases and many solvents. Comfortable yet provides protection against physical hazards such as abrasions and cuts. 3 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6797R-10	384110105	Neo Grab gloves, elbow length	L	12/Pk
6780R-10	384102085	Neo Grab gloves, 12" gauntlet	L	12/Pk
6784R-10	384102125	Neo Grab gloves, 14" gauntlet	L	12/Pk



B131R



North Butyl™ Unsupported Chemical-Resistant Gloves

Designed with a high permeation resistance to gas and water vapor for greater worker protection especially when handling toxic substances. Highly-resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate). Features 11" length, 13-mil thickness and rough grip. Curved finger and hand design provides a better fit for greater worker comfort. 288 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
B131R/7	347606241	Butyl unsupported gloves	S	Pr
B131R/8	347606251	Butyl unsupported gloves	M	Pr
B131R/9	347606261	Butyl unsupported gloves	L	Pr
B131R/10	347606221	Butyl unsupported gloves	XL	Pr
B131R/11	347606231	Butyl unsupported gloves	2XL	Pr



NitriGuard Plus™ Unsupported Gloves

Provides hand protection with resistance to cuts, snags and abrasions. Nitrile material resists most common solvents, oils and acids for dependable, long-lasting protection. Available with either a sanitized or flocked interior. 13" Length. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LA102G/9	347618425	NitriGuard unsupported gloves, 11-mil w/ sanitized liner	9	12/Pk
LA102G/10	347618385	NitriGuard unsupported gloves, 11-mil w/ sanitized liner	10	12/Pk
LA102G/11	347618395	NitriGuard unsupported gloves, 11-mil w/ sanitized liner	11	12/Pk
LA132G/9	347618585	NitriGuard unsupported gloves, 15-mil w/ flocked liner	9	12/Pk
LA132G/10	347618545	NitriGuard unsupported gloves, 15-mil w/ flocked liner	10	12/Pk
♦ LA132G/11	347618555	NitriGuard unsupported gloves, 15-mil w/ flocked liner	11	12/Pk
LA142G/9	347618635	NitriGuard unsupported gloves, 15-mil w/ sanitized liner	9	12/Pk
LA142G/10	347618595	NitriGuard unsupported gloves, 15-mil w/ sanitized liner	10	12/Pk
LA142G/11	347618605	NitriGuard unsupported gloves, 15-mil w/ sanitized liner	11	12/Pk



LA102G



SSG



Silver Shield® Gloves

Resistant to over 280 chemicals, including alcohols, aliphatics, aromatics, chlorines, ketones and esters. Does not contain latex or chemical accelerators that can cause allergic reactions. Can be used as a secondary inner glove. Features 2.7-mil thickness and either 14 1/2" or 16" length. Used in aerospace, chemical processing, transporting and domestic preparedness. 50 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ SSG/7	34762238	Silver Shield gloves, 14 1/2" length	7 (S)	50/Cs
♦ SSG/8	34762239	Silver Shield gloves, 14 1/2" length	8 (M)	50/Cs
♦ SSG/9	34762240	Silver Shield gloves, 16" length	9 (L)	50/Cs
SSG/10	34762235	Silver Shield gloves, 16" length	10 (XL)	50/Cs
SSG/11	34762236	Silver Shield gloves, 16" length	11 (2XL)	50/Cs



113713

Ansell Marigold® 41CB Gloves

Resistant to many chemicals, particularly acid etching in production areas. Features natural rubber latex, 15-mil thickness, recessed diamond grip finish and beaded cuff. Unlined and powder-free. Long, 13" length for increased protection. Ideal for food handling and processing, janitorial, general manufacturing and maintenance. Complies with FDA food handling requirements (21 CFR 177.2600). 12 Pk/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 113712	220137125	Marigold 41CB gloves	6.5/S	12/Pk
♦ 113713	220137225	Marigold 41CB gloves	7.5/M	12/Pk
♦ 113714	220137245	Marigold 41CB gloves	8.5/L	12/Pk
♦ 113715	220137395	Marigold 41CB gloves	9.5/XL	12/Pk



PR4112

WELLS LAMONT Industrial PERM-RUFF Fully-Coated PVC Gloves

Full PVC coating protects from a wide range of hazardous chemicals. Has a PVC chip surface providing superior wet/oily grip. Interlocked liner for easy laundering. 12" Gauntlet cuff. Red. 3 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
PR4112L	416402235	Fully-coated PVC gloves	L	12/Pk

11-1SF1

102-1SF-212

11-1SF3

FoodHandler risk nothing!

oneSAFE™ Vinyl Gloves

Unique single-glove dispensing system allows user to touch cuff only so the glove's palm and fingers are not contaminated. Reduces waste, improves hygiene. Powder-free. Clear.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
102-1SF-212	394500225	oneSAFE vinyl gloves	S	4/Bx/Cs	200/Bx
102-1SF-214	394500235	oneSAFE vinyl gloves	M	4/Bx/Cs	200/Bx
102-1SF-216	394500325	oneSAFE vinyl gloves	L	4/Bx/Cs	200/Bx
102-1SF-218	394500355	oneSAFE vinyl gloves	XL	4/Bx/Cs	200/Bx

Dispensers

11-1SF1	39450486	oneSAFE acrylic dispenser, single			Ea
11-1SF3	39450487	oneSAFE acrylic dispenser, triple			Ea

FoodHandler risk nothing!

JobSelect® Cast Poly Hybrid Gloves

Ideal barrier for food preparation and handling. Ambidextrous gloves feature embossed texture for best grip and strong seams. Clear.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
105-212	394504885	JobSelect cast poly hybrid gloves	S	5/Bx/Cs	200/Bx
105-214	394504895	JobSelect cast poly hybrid gloves	M	5/Bx/Cs	200/Bx
105-216	394504905	JobSelect cast poly hybrid gloves	L	5/Bx/Cs	200/Bx
105-218	394504915	JobSelect cast poly hybrid gloves	XL	5/Bx/Cs	200/Bx



105-212



FoodHandler risk nothing!

JobSelect® Comfort™ Nitrile Gloves

Features Thinsense® Technology for enhanced durability and barrier integrity. High elasticity and elongation for a comfortable fit. Offers greater dexterity for reduced hand fatigue and exceptional touch sensitivity. Powder-free. Purple.

ITEM #	ORDER #	DESCRIPTION	SIZES	CASE QTY	UOM
103-214-AP	394532515	JobSelect Comfort nitrile gloves, 1000/Cs	M	4/Bx/Cs	250/Bx
103-216-AP	394532525	JobSelect Comfort nitrile gloves, 1000/Cs	L	4/Bx/Cs	250/Bx
103-218-AP	394532535	JobSelect Comfort nitrile gloves, 1000/Cs	XL	4/Bx/Cs	250/Bx
103-219-AP	394504565	JobSelect Comfort nitrile gloves, 1000/Cs	2XL	4/Bx/Cs	225/Bx

103-214-AP



Ansell

TNT® Blue 92-575 and 92-675 Nitrile Disposable Gloves

Excellent grip, comfort and durability for the job. Durable, 5-mil nitrile gloves are soft and comfortable and have textured fingers for exceptional grip. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
92-575-L	220148195	TNT Blue 92-575 gloves, lightly-powdered	L	100/Bx
92-575-XL	220148205	TNT Blue 92-575 gloves, lightly-powdered	XL	100/Bx
92-675-L	220126775	TNT Blue 92-675 gloves, powder-free	L	100/Bx
92-675-XL	220126785	TNT Blue 92-675 gloves, powder-free	XL	100/Bx

Ansell

TouchNTuff® 92-500 and 92-600 Nitrile Disposable Gloves

Premium quality, 100% thin-mil nitrile disposable gloves offer three times the puncture resistance of standard latex or vinyl gloves. Combines excellent fingertip sensitivity with exceptional durability. Gives a high level of protection against grease and oil. Lightweight and comfortable to wear. Made without silicone. Complies with FDA food handling requirements (21 CFR 177.2600). Teal. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
92-500-L	220112655	TouchNTuff 92-500 gloves, powdered	L	100/Bx
92-500-XL	220112665	TouchNTuff 92-500 gloves, powdered	XL	100/Bx
92-600-L	220112705	TouchNTuff 92-600 gloves, powder-free	L	100/Bx
92-600-XL	220112715	TouchNTuff 92-600 gloves, powder-free	XL	100/Bx

Ansell

Conform® 69-318 Natural Rubber Latex Gloves

Handle the most intricate and delicate products with incredible sensitivity. Provide the strength and comfort of 100% natural rubber latex. 5-Mil thickness for the highest degree of sensitivity. Exam grade, textured for increased grip. Complies with FDA food handling requirements (21 CFR 177.2600). 10 Bx/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
69-318-L	220130585	Conform 69-318 latex gloves	L	100/Bx
69-318-XL	220169105	Conform 69-318 latex gloves	XL	100/Bx



Food Processing and Service Industries

Food Processing – Gloves that offer protection from contamination, as well as worker protection against puncture, thermal and cut hazards. Meets FDA requirements for food contact. Excellent for processing, packaging, freezing, shipping and receiving, maintenance and sanitation.

Service Industries – Gloves that protect your workers, customers, products and business. Meets FDA requirements for food contact along with providing varying degrees of mechanical protection. Excellent for baking, food preparation, dishwashing, food safety and handling hot liquids.

Information from Ansell



Kleenguard* G10 Blue Nitrile Gloves

Features textured fingertips. Latex- and powder-free. Excellent tactile sensitivity. Approved for food handling. 6-Mil thickness; 9 1/2" length. Blue. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
57371	154073715	G10 Blue Nitrile Gloves	S	100/Bx
57372	154073725	G10 Blue Nitrile Gloves	M	100/Bx
57373	154073735	G10 Blue Nitrile Gloves	L	100/Bx
57374	154073745	G10 Blue Nitrile Gloves	XL	90/Bx



N-DEX® Original Nitrile Gloves

Chemical-resistant, 4-mil, ambidextrous gloves provide better puncture resistance than natural rubber and vinyl disposables. Ideal for food handling and processing, automotive, lab and pharmaceutical professionals. Powdered or powder-free. Blue. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7005-S	384191285	N-DEX original nitrile gloves, powdered	S	100/Bx
7005-M	384191295	N-DEX original nitrile gloves, powdered	M	100/Bx
7005-L	384191305	N-DEX original nitrile gloves, powdered	L	100/Bx
7005-XL	384191315	N-DEX original nitrile gloves, powdered	XL	100/Bx
7005PF-S	384170125	N-DEX original nitrile gloves, powder-free	S	100/Bx
7005PF-M	384170135	N-DEX original nitrile gloves, powder-free	M	100/Bx
7005PF-L	384170145	N-DEX original nitrile gloves, powder-free	L	100/Bx
7005PF-XL	384170155	N-DEX original nitrile gloves, powder-free	XL	100/Bx



Kimberly-Clark* Purple Nitrile* Exam Gloves

Ambidextrous exam gloves contain no natural rubber latex, are powder-free with textured fingertips and have a beaded cuff. 6-Mil thickness and 9 1/2" length. Made of a highly durable nitrile polymer eliminating the risks and costs associated with Type 1 natural rubber latex allergies. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
55082	154050825	Kimberly-Clark* Purple Nitrile* Exam Gloves	M	100/Bx
55083	154050835	Kimberly-Clark* Purple Nitrile* Exam Gloves	L	100/Bx
55084	154050845	Kimberly-Clark* Purple Nitrile* Exam Gloves	XL	90/Bx



N-DEX® Plus Nitrile Disposable Gloves

Provides barrier protection and comfort. 100% Nitrile, 9 1/2" disposable ambidextrous 8-mil gloves are lightly-powdered. Excellent balance between protection and tactile sensitivity. Use for industrial and meat processing, laboratory and automotive applications. Complies with FDA food handling requirements (21 CFR 177.2600). Blue. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
8005-S	384180035	N-DEX Plus nitrile disposable gloves	S	50/Bx
8005-M	384180045	N-DEX Plus nitrile disposable gloves	M	50/Bx
8005-L	384180055	N-DEX Plus nitrile disposable gloves	L	50/Bx
8005-XL	384180065	N-DEX Plus nitrile disposable gloves	XL	50/Bx



Best® Nitrile Disposable Gloves

Features 4-mil thickness, rolled cuff for easy donning, textured finish and industry standard 9 1/2" length. Powder-free. Blue. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7500PF-S	384175015	Nitrile disposable gloves	S	100/Bx
7500PF-M	384175025	Nitrile disposable gloves	M	100/Bx
7500PF-L	384175035	Nitrile disposable gloves	L	100/Bx
7500PF-XL	384102765	Nitrile disposable gloves	XL	100/Bx
7500PF-2XL	384102775	Nitrile disposable gloves	2XL	100/Bx



7500PF



7705PFT



7700PFT



N-DEX Free® Textured Fingertip Disposable Gloves

Accelerator-free disposable gloves are PPE-conscious, latex-free and do not promote Type IV dermatitis. Hi-viz green color for jobs where increased visibility and color-coded operations are critical. Provides a secure grip, comfort and dexterity. Green. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7705PFT-L	384177085	N-DEX Free disposable gloves	L	100/Bx
7705PFT-XL	384177095	N-DEX Free disposable gloves	XL	100/Bx



N-DEX® NightHawk® Disposable Nitrile Gloves

Patented accelerator-free, textured fingertip, disposable gloves offering nitrile protection. Features ESD and static-dissipative properties, 4-mil thickness, standard 9 1/2" length with rolled cuff. Powder-free. Ideal for automotive, electronic assembly, laboratory, law enforcement and security applications. Black. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7700PFT-M	384177015	N-DEX NightHawk disposable nitrile gloves	M	50/Bx
7700PFT-L	384177025	N-DEX NightHawk disposable nitrile gloves	L	50/Bx
7700PFT-XL	384102875	N-DEX NightHawk disposable nitrile gloves	XL	50/Bx



NK803



Nitri-Knit® Supported Gloves

Supported nitrile gloves offer comfort and protection along with resistance to cuts, snags, abrasions and punctures. Interlock liner offers additional strength and comfort along with protection from extreme temperatures. Features 12" length and rough finish for wet or oily grip. Treated with a permanent anti-bacterial and anti-mildew agent. Washable. Blue.

Note: Not resistant to needle stick punctures.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ NK803/8	347620641	Nitri-Knit supported gloves, 144 Pr/Cs	8	Pr
NK803/9	347620661	Nitri-Knit supported gloves, 144 Pr/Cs	9	Pr
NK803ES/10	347620611	Nitri-Knit supported gloves, 72 Pr/Cs	10	Pr

◆ Non-stock item. Minimum quantity may apply.



25-101

Ansell NeoTouch® 25-101 Neoprene Gloves

Offers comfort, durability and chemical resistance. An alternative to natural rubber latex that protects against Type I allergies. Excellent resistance to acids, bases and alcohols. Exclusive formulation provides superior comfort. Exam grade. Complies with FDA food handling requirements (21 CFR 177.2600). Bright green. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
25-101-S	22011518	NeoTouch 25-101 gloves	S	1000/Cs
25-101-M	22011517	NeoTouch 25-101 gloves	M	1000/Cs
25-101-L	22012512	NeoTouch 25-101 gloves	L	1000/Cs
25-101-XL	22012514	NeoTouch 25-101 gloves	XL	1000/Cs



THICKSTER Latex Gloves

Made from 14-mil latex. Features textured grip and beaded cuff. Ambidextrous. Available powdered or powder-free. 12" Length. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6602	G73566025	THICKSTER latex gloves, powdered	M	50/Bx
6603	G73566035	THICKSTER latex gloves, powdered	L	50/Bx
6604	G73566045	THICKSTER latex gloves, powdered	XL	50/Bx
6605	G73566055	THICKSTER latex gloves, powdered	2XL	50/Bx
6602-20	G73502205	THICKSTER latex gloves, powder-free	M	50/Bx
6603-20	G73503205	THICKSTER latex gloves, powder-free	L	50/Bx
6604-20	G73504205	THICKSTER latex gloves, powder-free	XL	50/Bx
6605-20	G73505205	THICKSTER latex gloves, powder-free	2XL	50/Bx



6602-20



DYNA GRIP™ Latex Gloves

Made from 7-mil latex with full textured grip and beaded cuff. Easy slip on. Ambidextrous. Protein-rated. Powder-free. Natural.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
650-1001	G73510015	DYNA GRIP latex gloves	S	100/Bx
650-1002	G73510025	DYNA GRIP latex gloves	M	100/Bx
650-1003	G73510035	DYNA GRIP latex gloves	L	100/Bx
650-1004	G73510045	DYNA GRIP latex gloves	XL	100/Bx
650-1005	G73510055	DYNA GRIP latex gloves	2XL	100/Bx



650-1002



Sensaguard™ Latex Disposable Gloves

Industrial-grade, 5-mil thick unsupported latex gloves offer great dexterity. Non-sterile, ambidextrous gloves with a smooth grip. Features rolled cuff and 9 1/2" length. Ideal for industrial, food service, chemical processing, handling biohazards, and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. Made with FDA compliant materials for use in food processing applications. Natural. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
5060-M	331450615	Sensaguard latex disposable gloves, powdered	M	100/Bx
5060-L	331450625	Sensaguard latex disposable gloves, powdered	L	100/Bx
5060-XL	331412095	Sensaguard latex disposable gloves, powdered	XL	100/Bx
◆ 5055-S	331450555	Sensaguard latex disposable gloves, powder-free	S	100/Bx
5055-M	331450565	Sensaguard latex disposable gloves, powder-free	M	100/Bx
5055-L	331450575	Sensaguard latex disposable gloves, powder-free	L	100/Bx
5055-XL	331450585	Sensaguard latex disposable gloves, powder-free	XL	100/Bx



Sensaguard™ Vinyl Disposable Gloves

Industrial-grade vinyl gloves feature 5-mil thickness, rolled cuffs and 9 1/2" length. Ambidextrous. Available powdered or powder-free. Ideal for industrial, food service, chemical processing, handling biohazards, mail sorting, biomedical and other industrial applications needing tactile sensitivity with puncture and abrasion resistance. FDA compliant for food processing applications. Clear. 10 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 5020-S	331450155	Sensaguard vinyl disposable gloves, powdered	S	100/Bx
5020-M	331450165	Sensaguard vinyl disposable gloves, powdered	M	100/Bx
5020-L	331450175	Sensaguard vinyl disposable gloves, powdered	L	100/Bx
5020-XL	331450185	Sensaguard vinyl disposable gloves, powdered	XL	100/Bx
5015-S	331411775	Sensaguard vinyl disposable gloves, powder-free	S	100/Bx
5015-M	331411755	Sensaguard vinyl disposable gloves, powder-free	M	100/Bx
5015-L	331411745	Sensaguard vinyl disposable gloves, powder-free	L	100/Bx
5015-XL	331411765	Sensaguard vinyl disposable gloves, powder-free	XL	100/Bx



Ansell Marigold® G31H Featherweight™ Plus Gloves

Unlined, lightweight natural rubber latex gloves are suitable for particulate radioactive contamination protection. Features recessed diamond grip, 15-mil thickness, beaded cuff and 13" length. Resistant to many chemicals. Low modulus for minimal hand fatigue. Complies with FDA food handling requirements (21 CFR 177.2600). Yellow. 12 Pr/Cs.

CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals.



113514

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
113513	220137135	Marigold G31H Featherweight Plus gloves	6.5/S	12/Pk
113514	220137145	Marigold G31H Featherweight Plus gloves	7.5/M	12/Pk
113515	220137155	Marigold G31H Featherweight Plus gloves	8.5/L	12/Pk
◆ 113726	220137265	Marigold G31H Featherweight Plus gloves	9.5/XL	12/Pk



◆ Non-stock item. Minimum quantity may apply.



Disposable



66517



RAVEN™ Nitrile Gloves

Made from 6-mil nitrile with textured grip and beaded cuff. Offers superior puncture and abrasion resistance. Ambidextrous. Latex- and powder-free. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
66516	G73565165	RAVEN nitrile gloves	S	100/Bx
66517	G73565175	RAVEN nitrile gloves	M	100/Bx
66518	G73565185	RAVEN nitrile gloves	L	100/Bx
66519	G73565195	RAVEN nitrile gloves	XL	100/Bx
66520	G73565205	RAVEN nitrile gloves	2XL	100/Bx



3273



M-Safe® Nitrile Disposable Gloves

Industrial grade nitrile gloves feature 4-mil thickness with textured fingertips. Powder-free. Blue. 20 Bx/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3273/9	337916895	M-Safe nitrile disposable gloves	M	100/Bx
◆ 3273/10	337916905	M-Safe nitrile disposable gloves	L	100/Bx
◆ 3273/11	337916915	M-Safe nitrile disposable gloves	XL	100/Bx

Heat-Resistant



51/7147



Grip N® Hot Mill Nitrile-Coated Gloves

Protects against high heat, up to 400° F. Features a nitrile N-pattern palm coating for excellent grip and long life. Knit design allows hands to breathe. Used in auto assembly, food processing and manufacturing. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
51/7147	347689705	Glove-within-glove seamless knit thermal glove	Men's, 10 (XL)	12/Pk

WELLS LAMONT Industrial

Extra Heavyweight Terrycloth Hand Pads

Pads add more than double the life of gloves when worn over glove for added protection. Heat-resistant up to 325° F. Features full thumb and open top. Ambidextrous. 10" Length. 216/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
H-183	416400951	Extra heavyweight hand pads	Ea



H-183

WELLS LAMONT Industrial

Standard Weight Loop-Out Terry Gloves

Made from white loop-out terrycloth with knit wrist. Ambidextrous. Protects up to 300° F. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1666	416416665	Standard weight loop-out terry gloves	L	12/Pk



1666



WELLS LAMONT
Industrial

Jomac® Terrycloth Cut and Sew Gloves

Heavyweight white terrycloth gloves provide heat-resistant protection up to 325° F. Ambidextrous. 12 Pk/Cs.



765

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
765	416407655	Heavyweight terrycloth gloves w/ knit wrist	M	12/Pk
766	416410785	Heavyweight terrycloth gloves w/ knit wrist	L	12/Pk

More Heat-Resistant Hand Protection in Welding & FR Protection, starting on Page 148



9000

WELLS LAMONT
Industrial

Medium Heavyweight Kevlar®/Cotton Gloves

Kevlar/cotton blend terrycloth gloves with knit wrist protect to 200° F. Ambidextrous. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9000	416411365	Kevlar/cotton blend gloves	L	12/Pk



422-11

WELLS LAMONT
Industrial

Kelklave Autoclave Gloves

White terrycloth gloves feature clute cut and 11" gauntlet cuff. Protects to 250° F. 4 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
422-11	416410125	Kelklave autoclave gloves	L	12/Pk



G-PAD

WELLS LAMONT
Industrial

Bakers Pads

Extra heavyweight pad with two layers of terrycloth with elastic strap. Protects to 460° F. 96/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
B-PAD	416400081	Bakers pad w/ handhole	Ea
G-PAD	416401501	Bakers pad w/ elastic strap	Ea



Heat-Resistant



S-25HR

WELLS LAMONT Industrial Medium Weight Sleeves

White, cut and sewn terrycloth sleeves features knit wrist and elastic top to secure to upper arm. Loop-out construction. Protects up to 250° F. 16" Length. 144/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ S-25HR	416402371	Medium weight terrycloth sleeves	Ea

WELLS LAMONT Industrial Brown and White Terrycloth Gloves

Brown and white extra heavyweight terrycloth gloves with lining offer protection against heat up to 450° F. Features 5" gauntlet. Reversible and ambidextrous. Generously sized. Stays flexible and durable after repeated laundering. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
636HRL	416411705	Brown & white gloves	XL	12/Pk



636HRL



636HRLFR

WELLS LAMONT Industrial

Red Flame Heat-Resistant Gloves

Features red extra heavyweight terrycloth with 5" gauntlet cuff for extra coverage. Fully-lined with cotton for softness. Heat- and flame-retardant. Ambidextrous. Protects up to 450° F. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 636HRLFR	416410615	Red flame heat-resistant gloves	XL	12/Pk

Mechanix Wear Team Issue CarbonX® Level 5 Fire-Retardant Gloves

Made from sturdy CarbonX-lined genuine leather palm and backed with two top layers of fire-retardant CarbonX stretch-knit. Features a high-density accordion knuckle and a wide leather cuff for easy entry. Hook-and-loop closure for a secure fit. Arc Flash 47.6 cal/cm². 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
CXG-L5-009	C24548741	CarbonX Level 5 gloves	M	Pr
CXG-L5-010	C24548731	CarbonX Level 5 gloves	L	Pr
CXG-L5-011	C24548751	CarbonX Level 5 gloves	XL	Pr



CXG-L5



Thermofill™ Lined Leather Palm Gloves

Provides comfortable and durable thermal protection. Premium grain pigskin leather palms with Gunn cut and wing thumb. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y0042L	416400455	Thermofill lined leather palm gloves	L	6/Pk



Y0042



North Polar® Gloves

3M™ Thinsulate™ liner provides protection from cold. Waterproof liner prevents hands from getting wet. Extended knitwrist provides additional weather protection. Features Gunn cut with wing thumb for comfort. Recommended for temperatures down to -36° F (-38° C). Ideal for construction, forestry, snow clearing, de-icing, highway work, baggage handling and maintenance. Blue with yellow back. 6 Pk/Cs.



70/6465NK



ITEM #	ORDER #	DESCRIPTION	UOM
70/6465NK	347636145	Insulated leather palm gloves	12/Pk



N9690

Ninja® Ice Proprietary HPT™ Coated Palm and Fingertips Gloves

Made from 7-gauge acrylic terry liner on the inside and a 15-gauge HPT-coated nylon liner on the outside. Proprietary coating process creates encapsulated air molecules repelling liquids for a firm wet or dry grip, and provides a cushioning effect to minimize impact. Remains soft and flexible in temperatures as low as -58° F. Treated with Actifresh™ to kill bacteria and promote freshness. Industry applications include: agriculture, cold storage, commercial fishing, construction, outdoor winter use and utilities. CE score 3232; CE/EN 511 cold hazard 02X. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
N9690-L	331491015	Ninja Ice HPT gloves	L	12/Pk



1578B

1578B Economy Winter-Lined Work Gloves

Features rugged cowhide split leather palm and knuckle strap with canvas back. Cotton foam lined for added warmth. Wing thumb naturally fits contour of hand. Heavy-duty safety cuff. Brown. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1578B	C34104581	Economy winter-lined work gloves	L	Pr

◆ Non-stock item. Minimum quantity may apply.



Mustang™ Leather Palm Gloves

Made from grain cowhide leather and cotton. Naturally suited for wet or insulated conditions. Features 2 1/2" rubberized safety cuff or 4 1/2" rubberized gauntlet cuffs for added coverage and a snug, secure fit. Can be used for general applications requiring abrasion protection and breathability. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1935-L	331408025	Mustang leather palm gloves w/ 2 1/2" safety cuff	L	12/Pk
1935-XL	331408045	Mustang leather palm gloves w/ 2 1/2" safety cuff	XL	12/Pk
1936-L	331408055	Mustang leather palm gloves w/ 4 1/2" gauntlet cuff	L	12/Pk
1936-XL	331408075	Mustang leather palm gloves w/ 4 1/2" gauntlet cuff	XL	12/Pk



Big Jake® Leather Palm Gloves

Made of heavy, select chrome-tanned, side-split leather, 9 oz. cotton back, absorbent 8 oz. fleece lining and 2 3/4" safety cuff. Fully in-sewn on thumb and little finger with strong, heat-resistant DuPont™ Kevlar® thread. Ideal for assembly, cable construction, farming, foundry, jack hammer operations, iron and steel work, lumberjack and millwright operations, mining, pipe fitting, re-barb, rope handling, and stamping. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1700-L	331407215	Big Jake leather palm gloves	L	12/Pk



1500YPP Brown Shoulder Split Cowhide Gloves

Rugged, bourbon brown select shoulder split cowhide patch palm and knuckle strap with cotton-lined palm and unlined yellow canvas back. Features Gunn cut with 2 1/2" rubberized safety cuff and lock stitching for added strength. 72 Pr/Cs.



1500YPP



1528 Full Leather Back Gloves

Rugged, select shoulder split cowhide palm with full leather back. Features Gunn cut with 4 1/2" rubberized safety cuff and lock stitching for added strength. 72 Pr/Cs.



1528

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1500YPP	C34103511	Brown shoulder split gloves	L	Pr

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1528	C34103981	Full leather back gloves	L	Pr



224



White Mule® Leather Palm Gloves

Strong and durable. Full feature with Gunn cut and straight thumbs. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 224M	416409475	Leather palm gloves w/ safety cuff	M	12/Pk
224L	416409465	Leather palm gloves w/ safety cuff	L	12/Pk
229L	416409505	Leather palm gloves w/ gauntlet cuff	L	12/Pk



864 Super Premium Deerskin Drivers Gloves

Features top grain deerskin with double stitching on forefinger for extra strength and keystone thumb. Unlined. Gold. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
864L	C34117651	Unlined deerskin drivers gloves	L	Pr
864XL	C34121991	Unlined deerskin drivers gloves	XL	Pr



864



1420



1420 Top Grain Cowhide Drivers Gloves

Features premium quality top grain cowhide, Gunn cut and straight thumb. Unlined with double stitching on forefinger for extra strength. Pearl. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1420L	C34102491	Unlined cowhide drivers gloves	L	Pr
1420XL	C34119231	Unlined cowhide drivers gloves	XL	Pr



1414 Grain/Split Cowhide Drivers Gloves

Features top grain cowhide palm, split cowhide leather back and keystone thumb. Unlined with double stitching on forefinger for extra strength. Pearl/bourbon. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1414L	C34102291	Unlined cowhide drivers gloves	L	Pr
1414XL	C34119121	Unlined cowhide drivers gloves	XL	Pr



1414



3211



Grain Cow Leather Drivers Gloves

Constructed from select grade cow leather. Features shirred elastic back, rolled fabric hem and keystone thumb. Unlined. Ideal for general purpose applications requiring dexterity. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3211-L	331428985	Select grade drivers gloves	L	12/Pk
3211-XL	331428995	Select grade drivers gloves	XL	12/Pk



Grain Cowhide Leather Gloves

High quality cowhide drivers offer good abrasion resistance and thermal protection. Gunn cut with straight thumb. 12 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y0163L	416401665	Grain cowhide leather gloves	L	12/Pk



Y0163



WELLS LAMONT
Industrial

Hi-Viz Drivers Gloves

Grain leather drivers gloves feature straight thumb, Gunn cut and elastic shirred back. Hi-viz orange fingertips increase visibility in light-diminished weather. Grain leather palm and back provide protection against abrasions. Color-coded fabric bound hem easily identifies sizes. 12 Pk/Cs.



Y0145

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y0145S	416461445	Hi-viz leather drivers gloves	S	12/Pk
◆ Y0145M	416461455	Hi-viz leather drivers gloves	M	12/Pk
◆ Y0145L	416461465	Hi-viz leather drivers gloves	L	12/Pk
◆ Y0145XL	416461475	Hi-viz leather drivers gloves	XL	12/Pk

WELLS LAMONT
Industrial

Economy Grain Cowhide Gloves

Features Gunn cut, straight thumb and bound hem. 12 Pk/Cs.



Y0135

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ Y0135M	416403535	Economy grain leather gloves	M	12/Pk
◆ Y0135L	416403525	Economy grain leather gloves	L	12/Pk



Premium Grain Leather Drivers Gloves

Made of top grain A-grade cowhide leather with Gunn cut, keystone thumb and shirred back. Tough double-stitched leather hemlock side seam prevents seam blowout. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1510/9	337915095	Premium grain leather drivers gloves	M	12/Pk
◆ 1510/10	337915105	Premium grain leather drivers gloves	L	12/Pk
◆ 1510/11	337915115	Premium grain leather drivers gloves	XL	12/Pk



1510



1532B



Split Back Grain Palm Drivers Gloves

All the benefits of a grain drivers glove, but with a split back and Kevlar® stitching. Features bias tape hem for easy size identification and a seamless index finger which helps to reduce blowouts. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1532B/9	337915325	Split back grain palm drivers gloves	M	12/Pk
◆ 1532B/10	337915335	Split back grain palm drivers gloves	L	12/Pk
◆ 1532B/11	337915345	Split back grain palm drivers gloves	XL	12/Pk



Economy Grain Leather Drivers Gloves

Made from B Grade cowhide. Features keystone thumb and bias tape hem for easy size identification. Added safety feature of hi-viz orange fingers. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2510/9	337916395	Economy grain leather drivers gloves	M	12/Pk
◆ 2510/10	337916405	Economy grain leather drivers gloves	L	12/Pk
◆ 2510/11	337916415	Economy grain leather drivers gloves	XL	12/Pk
◆ 2510HV0/9	337916495	Economy grain leather drivers gloves w/ hi-viz orange fingers	M	12/Pk
◆ 2510HV0/10	337916505	Economy grain leather drivers gloves w/ hi-viz orange fingers	L	12/Pk
◆ 2510HV0/11	337916515	Economy grain leather drivers gloves w/ hi-viz orange fingers	XL	12/Pk



2510

2510HV0



1415

1415 Premium Goatskin Drivers Gloves

Made from premium top grain goatskin for abrasion resistance and tensile strength. Features a keystone thumb for natural feel and added protection. Unlined. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1415L	C34102371	Unlined goatskin drivers gloves	L	Pr
1415XL	C34119151	Unlined goatskin drivers gloves	XL	Pr



3601

Goatskin Drivers Gloves

Constructed with premium grain goatskin leather for greater softness, sense of touch, exceptional durability and tensile strength. Unlined with a cotton hem and straight thumb. Ideal for construction, forklifts, ranching, utility work, auto industry, material handling, mining, plus all general-purpose applications requiring greater dexterity. Durable, launderable by hand, machine washable, or dry clean. 10 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3601-L	331436035	Premium grade goatskin drivers gloves	L	12/Pk
3601-XL	331409915	Premium grade goatskin drivers gloves	XL	12/Pk



1178

Grips® Ball and Tape Drivers Gloves

Premium quality Palomino grain with lanolin cowhide. Features Gunn cut, straight thumb, bound hem and ball and tape adjustable wrist closure. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1178M	416406465	Ball & tape drivers gloves	M	12/Pk
1178L	416406455	Ball & tape drivers gloves	L	12/Pk
1178XL	416406485	Ball & tape drivers gloves	XL	12/Pk
1178XXL	416406445	Ball & tape drivers gloves	2XL	12/Pk



Palomino Grain Cowhide Drivers Gloves

Features palomino grain cowhide leather with keystone thumb, Gunn cut, bound hem and reinforced suede palm patch. Shirred wrist makes for easier on/off. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1130M	416406325	Palomino grain cowhide drivers gloves	M	12/Pk
◆ 1130L	416406315	Palomino grain cowhide drivers gloves	L	12/Pk
◆ 1130XL	416406345	Palomino grain cowhide drivers gloves	XL	12/Pk



1130



M-PACT® Gloves

Rubberized tacky grip on thumb and index finger provides extra gripping power. Impact guard protects first knuckle with EVA foam covered by rubberized grip material to protect against impacts. TrekDry® stretch fabric on back of hand provides ventilation and wicks moisture. PORON® XRD™ palm padding absorbs shock and vibration. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Black/Gray				
MPT-58-009	C24558091	M-PACT gloves	M	Pr
MPT-58-010	C24558101	M-PACT gloves	L	Pr
MPT-58-011	C24558111	M-PACT gloves	XL	Pr
Red				
MPT-02-009	C24522091	M-PACT gloves	M	Pr
MPT-02-010	C24532101	M-PACT gloves	L	Pr
MPT-02-011	C24532111	M-PACT gloves	XL	Pr
Blue				
MPT-03-009	C24531091	M-PACT gloves	M	Pr
MPT-03-010	C24531101	M-PACT gloves	L	Pr
MPT-03-011	C24531111	M-PACT gloves	XL	Pr



ORHD Pinch-Point Protection Gloves

Dual-density thermoplastic rubber disperses forceful impact to knuckles and metacarpals and provides pinch-point protection to tip of each finger. Internal 2 mm EVA foam insert absorbs impact to top of hand. PVC bonded dots disperse liquids, enhance grip, and reduce abrasion to the entire palm. Slip-on cuff and stretch neoprene wrist panels create an unrestrictive fit. Machine washable. Hi-viz yellow/black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ORHD-91-009	C24510191	ORHD pinch-point protection gloves	9	Pr
ORHD-91-010	C24510201	ORHD pinch-point protection gloves	10	Pr
ORHD-91-011	C24510211	ORHD pinch-point protection gloves	11	Pr



ORHD OutDry® Waterproof Gloves

OutDry bonded interior creates a 100% waterproof/breathable shell. Dual-density thermoplastic rubber (TPR) disperses forceful impact to knuckles and metacarpals and provides pinch-point protection to tip of each finger. Internal 2 mm EVA foam insert absorbs impact to top of hand. PVC bonded dots disperse liquids, enhance grip, and reduce abrasion to entire palm. Slip-on cuff and stretch neoprene wrist panels create an unrestrictive fit. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ORHD-OD-009	C24527091	ORHD OutDry waterproof gloves	9	Pr
ORHD-OD-010	C24527101	ORHD OutDry waterproof gloves	10	Pr
ORHD-OD-011	C24527111	ORHD OutDry waterproof gloves	11	Pr



ORHD Knit Utility Gloves

High-visibility 13-gauge machine knit polyester shell with thermoplastic rubber (TPR) knuckle and metacarpal impact protection. TPR finger guards extend to tip of each finger to prevent crushing impact injuries. Textured nitrile-coated palm provides enhanced gripping power. Durable Armortex® webbing reinforcement. Features extended slip-on cuff and 3 mm internal palm padding. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
KHD-GP-009	C24527191	ORHD knit utility gloves	9	Pr
KHD-GP-010	C24527201	ORHD knit utility gloves	10	Pr
KHD-GP-011	C24527211	ORHD knit utility gloves	11	Pr



M-Pact 2® Gloves

Specifically manufactured to help absorb impacts using high-density foam padded knuckle panel in combination with a die cut EVA foam padded palm area. Extended cuff offers extra wrist protection for all the tough jobs. Features include sure grip rubberized palm, hook-and-loop closure, stretch spandex cuff, supple and breathable construction. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Black				
MP2-05-009	C24501701	M-Pact 2 gloves	M	Pr
MP2-05-010	C24501711	M-Pact 2 gloves	L	Pr
MP2-05-011	C24501721	M-Pact 2 gloves	XL	Pr
Red				
MP2-02-009	C24501601	M-Pact 2 gloves	M	Pr
MP2-02-010	C24501611	M-Pact 2 gloves	L	Pr
MP2-02-011	C24501621	M-Pact 2 gloves	XL	Pr
Blue				
MP2-03-009	C24501601	M-Pact 2 gloves	M	Pr
MP2-03-010	C24501661	M-Pact 2 gloves	L	Pr
♦ MP2-03-011	C24501671	M-Pact 2 gloves	XL	Pr



SP2-91



Safety M-Pact 2® Gloves

Rubberized fingertips and thumb improve grip and control. Accordion knuckle guard with EVA foam padding and molded rubber finger guards reduce impact and pinch point injuries. EVA palm pad reduces impact when operating hand tools. Neoprene cuff provides critical wrist protection and seamless fit. High-visibility day-glow top and reflective print for improved visibility. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ SP2-91-009	C24521161	Safety M-Pact 2 hi-viz gloves	M	Pr
♦ SP2-91-010	C24521101	Safety M-Pact 2 hi-viz gloves	L	Pr
♦ SP2-91-011	C24521111	Safety M-Pact 2 hi-viz gloves	XL	Pr



TAA Compliant FastFit® Covert Gloves

Improved contours for better fit. Features Clarino® synthetic leather palm with Lycra® panels between fingers and 2-way stretch anti-static Spandex® padded back. Taller cuff provides a secure fit. TAA compliant. Black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MFF-F55-009	C24568091	FastFit Covert gloves	M	Pr
MFF-F55-010	C24568101	FastFit Covert gloves	L	Pr
MFF-F55-011	C24568111	FastFit Covert gloves	XL	Pr



MFF-F55



TAA Compliant M-Pact® Synthetic Leather Mechanics Gloves

Synthetic leather palm with anti-static Spandex® back and foam lining. Deep-ribbed, heavy EVA foam knuckle padding, rubberized finger tips for extended wear and hook-and-loop closure. Temperature range 32° F to 200° F. TAA compliant. Black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MP-F55-009	C24568291	M-Pact synthetic leather mechanics gloves	M	Pr
MP-F55-010	C24568301	M-Pact synthetic leather mechanics gloves	L	Pr
MP-F55-011	C24568311	M-Pact synthetic leather mechanics gloves	XL	Pr



MP-F55

♦ Non-stock item. Minimum quantity may apply.



MP2-F55



TAA Compliant M-Pact2® Tactical Gloves

Features synthetic leather palm, anti-static Spandex® back, EVA foam with thermoplastic rubber knuckle padding, Gunn cut, straight thumb and hook-and-loop closure. Temperature range 32° F to 200°F. TAA compliant. Black. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
MP2-F55-009	C24553091	M-Pact2 tactical gloves	M	Pr
MP2-F55-010	C24553101	M-Pact2 tactical gloves	L	Pr
MP2-F55-011	C24566111	M-Pact2 tactical gloves	XL	Pr



MechPro™ Gloves

Second skin stretch fit and feel for superior dexterity. Heavy-duty, thick ribbed knit fabric back for nick, abrasion and incidental heat resistance. Synthetic leather palm and fingertips enhance grip. Reinforced fingertips with improved pinched fingertip design. Gussetted finger and perforated finger fourchettes for comfort. Double-stitched in high wear areas. Elastic cuff with hook-and-loop closure provides secure fit keeping debris out. 24 Pk/Cs.



7701

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
7701L	416410845	MechPro synthetic leather palm gloves	L	3/Pk
7701XL	416410875	MechPro synthetic leather palm gloves	XL	3/Pk



Multi-Task Gloves with Red Wave Pattern

Features black synthetic palm with red silicone wave pattern, red/black thermoplastic rubber on back of fingers and thumb and black adjustable wrist closure on neoprene wrist. 72 Pr/Cs.



908

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 908S	331416341	Multi-task gloves w/ red wave pattern	S	Pr
◆ 908M	331416271	Multi-task gloves w/ red wave pattern	M	Pr
◆ 908L	331416261	Multi-task gloves w/ red wave pattern	L	Pr
◆ 908XL	331416351	Multi-task gloves w/ red wave pattern	XL	Pr
◆ 908XXL	331416361	Multi-task gloves w/ red wave pattern	2XL	Pr



MechPro™ Plus Gloves

Features extra padding in palm area to reduce damage from vibration and excessive grip pressure. Helps to minimize shock that can result in carpal tunnel syndrome. Improved pinched fingertip design and gusseted finger crotch for comfort. Hook-and-loop adjustable wrist closure. 6 Pk/Cs.



Y7711

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Y7711M	416405675	MechPro Plus gloves w/ padded palm	M	12/Pk
Y7711L	416405665	MechPro Plus gloves w/ padded palm	L	12/Pk



Multi-Task Style Gloves

Feature black synthetic palm with silver silicone spider web grip on palm, silver mesh fabric back, black terry cloth thumb with reinforced crotch, neoprene knuckle strap and black adjustable wrist closure with neoprene wrist. 72 Pr/Cs.



909

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 909S	331420911	Multi-task style gloves	S	Pr
◆ 909M	331420901	Multi-task style gloves	M	Pr
◆ 909L	331420891	Multi-task style gloves	L	Pr
◆ 909XL	331420931	Multi-task style gloves	XL	Pr



The Original™ Gloves

Durable synthetic leather palm with 2-way stretch material for maximum comfort. Features reinforced thumb and fingertip panels for added durability. Flexible TPR (thermoplastic rubber) hook-and-loop closure for a secure fit. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Red				
MG-02-009	C24500531	Mechanix Original gloves	9	Pr
MG-02-010	C24500541	Mechanix Original gloves	10	Pr
MG-02-011	C24500551	Mechanix Original gloves	11	Pr
Blue				
MG-03-009	C24500591	Mechanix Original gloves	9	Pr
MG-03-010	C24500601	Mechanix Original gloves	10	Pr
MG-03-011	C24500611	Mechanix Original gloves	11	Pr
Black				
MG-05-009	C24500681	Mechanix Original gloves	9	Pr
MG-05-010	C24500691	Mechanix Original gloves	10	Pr
MG-05-011	C24500701	Mechanix Original gloves	11	Pr



Safety FastFit® Gloves

High-wear synthetic leather palm with form fitting stretch panels between fingers. Moisture-wicking TrekDry® material around wrist, thumb and fingers, keeping hands cool, dry and comfortable. Elastic cuff offers easy on and off flexibility. Reflective strip and day-glow stretch spandex increase visibility. Machine washable. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Yellow				
SFF-91-009	C24511091	Safety FastFit gloves	M	Pr
SFF-91-010	C24511101	Safety FastFit gloves	L	Pr
SFF-91-011	C24511111	Safety FastFit gloves	XL	Pr
Orange				
SFF-99-009	C24590091	Safety FastFit gloves	M	Pr
SFF-99-010	C24592101	Safety FastFit gloves	L	Pr
SFF-99-011	C24590111	Safety FastFit gloves	XL	Pr



FastFit® Gloves

High wear synthetic leather palm with form fitting stretch panels between fingers. Moisture wicking TrekDry® material around wrist, thumb and fingers, keeping hands cool, dry and comfortable. Elastic cuff offers easy on and off flexibility. Machine washable. 10 Pr/Cs.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Black/Gray				
MFF-05-009	C24500351	FastFit gloves	M	Pr
MFF-05-010	C24500361	FastFit gloves	L	Pr
MFF-05-011	C24500371	FastFit gloves	XL	Pr
Red				
MFF-02-009	C24500251	FastFit gloves	M	Pr
MFF-02-010	C24500261	FastFit gloves	L	Pr
MFF-02-011	C24500271	FastFit gloves	XL	Pr
Blue				
MFF-03-009	C24500301	FastFit gloves	M	Pr
MFF-03-010	C24500311	FastFit gloves	L	Pr
MFF-03-011	C24500321	FastFit gloves	XL	Pr



H15-05



Utility Gloves

Constructed with a 2-way form-fitting stretch spandex top and stretch panels between fingers for extra dexterity. Reinforced Clarino® Dura-Fit™ synthetic leather thumb and index fingertips for improved strength and protection. Hook-and-loop closure. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
H15-05-010	C24502431	Utility gloves	L	Pr
H15-05-011	C24502441	Utility gloves	XL	Pr



CG40-75



CG40 Heavy-Duty Gloves

Made from 100% genuine leather. Multi-zone padded palm combined with flexible molded rubber ribbing on a breathable mesh top protects against impacts and abrasions. Low-profile wrist cuff allows for a full range of motion when using tools. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
CG40-75-009	C24550211	CG40 heavy-duty gloves	M	Pr
CG40-75-010	C24550221	CG40 heavy-duty gloves	L	Pr
CG40-75-011	C24550231	CG40 heavy-duty gloves	XL	Pr



H30-05



Impact Pro® Gloves

Features TPR molded rib panels to protect the backside of hand, knuckles and fingertips. Clarino® Dura-Fit™ synthetic leather palm is enhanced with padded and contoured palm heel for better flexibility and grip. Features 2-way stretch top with Tricot® interior for added comfort. 10 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
H30-05-009	C24502571	Impact Pro gloves	M	Pr
H30-05-010	C24502451	Impact Pro gloves	L	Pr
H30-05-011	C24502511	Impact Pro gloves	XL	Pr



1494



1494 Goatskin TrueFit™ Ultra TPR Gloves

Abrasion-resistant top-grain goatskin palm with thermoplastic rubber (TPR) pads on knuckle, full finger, thumb, and back of hand for added impact protection. Padded double palm extends to base of fingers for added protection. Double reinforced fingertips on both sides maximize protection and dexterity. Features reinforced thumb, nylon spandex back, hook-and-loop closure and longer elastic cuff for added protection. 6 Pk/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1494L	C34122715	Goatskin TrueFit Ultra TPR gloves	L	12/Pk
1494XL	C34122725	Goatskin TrueFit Ultra TPR gloves	XL	12/Pk



1470 Goatskin TrueFit™ Performance Gloves

Top-grain goatskin construction for dexterity. Features leather and spandex design, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double-palm provide longer life and better gripping power. Smooth surface fingers for improved tactility. Top-grain leather side bolsters provide additional protection for side surface work. Fingertips covered in leather for heavy wear area protection. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1470L	C34103171	Goatskin TrueFit gloves	L	Pr
1470XL	C34103201	Goatskin TrueFit gloves	XL	Pr



1470



1475 Cowhide TrueFit™ Performance Gloves

Top-grain cowhide construction for long-lasting wear. Nylon spandex on back for precision fit. Reinforced thumb gives extra protection. Glove shape and thickness maximize dexterity, minimize bulk. Reinforced palm for improved grip. Elastic cuff with hook-and-loop closure for secure fit. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1475L	C34103231	Cowhide TrueFit gloves	L	Pr
1475XL	C34119461	Cowhide TrueFit gloves	XL	Pr



1475



1480 Deerskin TrueFit™ Performance Gloves

Features top-grain deerskin construction with nylon spandex on back for precision fit. Shape and calibrated thickness maximize dexterity, minimize bulk. Rough side out reinforced palm for improved grip and longer wear. Reinforced thumb with elastic cuff with hook-and-loop closure for secure fit. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1480L	C34103271	Deerskin TrueFit gloves	L	Pr
1480XL	C34119501	Deerskin TrueFit gloves	XL	Pr



1480



1485 Pigskin TrueFit™ Performance Gloves

Made with top grain pigskin with 3M™ Thinsulate™ winter lining. Features rough side out double palm, reinforced thumb, smooth finger surface and elastic cuff with hook-and-loop closure for secure fit. Top-grain leather side bolsters for added protection. All finger tips are covered in leather for heavy wear protection. Blue/pearl gray. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1485L	C34103311	Pigskin TrueFit gloves	L	Pr
1485XL	C34119511	Pigskin TrueFit gloves	XL	Pr



1485



1490 Goatskin TrueFit™ Ultra Performance Gloves

Features top-grain goatskin construction for abrasion resistance, double-reinforced fingertips, padded double palm, Clute cut design and nylon spandex on back. Breathable finger design keeps hands cooler, and elastic cuff with hook-and-loop closure provides secure fit. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1490L	C34103341	Goatskin TrueFit Ultra gloves	L	Pr
1490XL	C34103371	Goatskin TrueFit Ultra gloves	XL	Pr



1490



2150



Golden Eagle Deerskin Mechanics Gloves

Features Grade A gold deerskin palm with black stretch back, pre-curved finger, neoprene knuckle and Velcro® closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2150/9	337916095	Golden Eagle deerskin mechanics gloves	M	12/Pk
◆ 2150/10	337916105	Golden Eagle deerskin mechanics gloves	L	12/Pk
◆ 2150/11	337916115	Golden Eagle deerskin mechanics gloves	XL	12/Pk



2152



Bald Eagle Mechanics Gloves

Features premium beige grain pigskin palm with blue stretch knit back, pre-curved finger, neoprene knuckle and Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2152/9	337916195	Bald Eagle mechanics gloves	M	12/Pk
◆ 2152/10	337916205	Bald Eagle mechanics gloves	L	12/Pk
◆ 2152/11	337916215	Bald Eagle mechanics gloves	XL	12/Pk

2153



White Eagle Mechanics Gloves

Mechanics-style premium white grain goatskin palm with black stretch knit back, pre-curved finger, neoprene knuckles and Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2153/9	337916295	White Eagle mechanics gloves	M	12/Pk
◆ 2153/10	337916305	White Eagle mechanics gloves	L	12/Pk
◆ 2153/11	337916315	White Eagle mechanics gloves	XL	12/Pk



2137BK



Armor Skin™ Synthetic Mechanics Gloves

Provides excellent abrasion resistance. Pre-curved finger and neoprene stretch back for comfortable fit and feel. Easy on/off with Velcro® wrist closure. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Black				
◆ 2137BK/9	337915795	Armor Skin synthetic mechanics gloves	M	12/Pk
◆ 2137BK/10	337915805	Armor Skin synthetic mechanics gloves	L	12/Pk
◆ 2137BK/11	337915815	Armor Skin synthetic mechanics gloves	XL	12/Pk
Hi-Viz Orange				
◆ 2137HO/9	337915895	Armor Skin synthetic mechanics gloves	M	12/Pk
◆ 2137HO/10	337915905	Armor Skin synthetic mechanics gloves	L	12/Pk
◆ 2137HO/11	337915915	Armor Skin synthetic mechanics gloves	XL	12/Pk
Hi-Viz Yellow				
◆ 2137HY/9	337915995	Armor Skin synthetic mechanics gloves	M	12/Pk
◆ 2137HY/10	337916005	Armor Skin synthetic mechanics gloves	L	12/Pk
◆ 2137HY/11	337916015	Armor Skin synthetic mechanics gloves	XL	12/Pk



2137HY



Armor Skin™ Synthetic Leather Gloves with Slip-On Cuff

Provides excellent abrasion resistance. Pre-curved finger and neoprene stretch back for comfortable fit and feel. Easy on/off with slip-on styling. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2136HY/9	337915595	Armor Skin synthetic leather gloves w/ slip-on cuff	M	12/Pk
◆ 2136HY/10	337915605	Armor Skin synthetic leather gloves w/ slip-on cuff	L	12/Pk
◆ 2136HY/11	337915615	Armor Skin synthetic leather gloves w/ slip-on cuff	XL	12/Pk



2136HY



MAJESTIC Knucklehead X10™ Unlined Gloves

ARMOR SKINTM synthetic leather palm, PVC anti-slip patches, double wish bone palm and neoprene padding offer impact absorption. Features elastic wrist and full-finger/backhand shock-absorbing thermoplastic rubber protection. Made from contrasting hi-viz material with pre-curved finger design. Fully sewn with high-tenacity thread. 72 Pr/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Hi-Viz Orange				
◆ 21242HO/9	337915395	Knucklehead X10 unlined gloves	M	12/Pk
◆ 21242HO/10	337915405	Knucklehead X10 unlined gloves	L	12/Pk
◆ 21242HO/11	337915415	Knucklehead X10 unlined gloves	XL	12/Pk
Hi-Viz Yellow				
◆ 21242HY/9	337915495	Knucklehead X10 unlined gloves	M	12/Pk
◆ 21242HY/10	337915505	Knucklehead X10 unlined gloves	L	12/Pk
◆ 21242HY/11	337915515	Knucklehead X10 unlined gloves	XL	12/Pk



Wounded Warrior Multi-Task Gloves

Full-finger style gloves feature black synthetic leather palm with black "G" shape palm patch, digital camo canvas back, black terry cloth wing thumb and adjustable wrist closure. Unlined. 72 Pr/Cs.



905WW

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
905WWM	331440251	Wounded Warrior multi-task gloves	M	Pr
905WWL	331440271	Wounded Warrior multi-task gloves	L	Pr
905WWXL	331440281	Wounded Warrior multi-task gloves	XL	Pr



Wounded Warrior® Lighted Multi-Task Gloves

Features terry cloth thumb, digital canvas back, black synthetic palm with foam padding, adjustable wrist closure and black PVC grip palm and fingertips. Includes (2) LED lights with each pair. 72 Pr/Cs.



924WW

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 924WWM	331440301	Wounded Warrior lighted multi-task gloves	M	Pr
924WWL	331440311	Wounded Warrior lighted multi-task gloves	L	Pr
924WWXL	331440321	Wounded Warrior lighted multi-task gloves	XL	Pr

Proud Supporter of



WOUNDED WARRIOR PROJECT

MCR Safety is proud to be a sponsor of the "Wounded Warrior Project". An assortment of new hand protection and protective eyewear offerings will be introduced to show our support and honor US military service members and veterans who protect our security and freedom. All of these PPE offerings will share a common denominator of having digital camouflage design elements. A percentage of sales from this product line will be donated to the Wounded Warrior Project. More information will follow as products become available.

The mission of the Wounded Warrior Project is to honor and empower wounded warriors. Its purpose is:

- To raise awareness and enlist the public's aid for the needs of severely injured service men and women.
- To help severely injured service members aid and assist each other.
- To provide unique, direct programs and services to meet the needs of severely injured service members.

For additional information on the Wounded Warrior project, visit their web site at www.woundedwarriorproject.org.



Squids® 3400 Series Grabber

Keeps gloves and other items handy. Clips attach to clothing, belts, tool belts, gear bags and even D-rings. Breakaway design won't drag you into equipment, reducing the potential for injury. Made of durable, dielectric and non-conductive acetal copolymer.



19112



19118

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
19112	332104511	3400 Series grabber	Black	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
19118	332104531	3400 Series grabber	Orange	Ea

◆ Non-stock item. Minimum quantity may apply.



Welding & FR Safety

Numerous health hazards are associated with exposure to fumes, gases and ionizing radiation formed or released during welding, cutting and brazing, including heavy metal poisoning, lung cancer, metal fume fever, flash burns, and others.

Visit www.osha.gov for complete details and regulation requirements.



Jackson Safety* WH70 BH3* Variable Auto-Darkening Filter with Balder* Technology

Features superior angle of view, enhanced visibility and color recognition, variable shade 9-13, adjustable sensitivity and opening time delays. Curved front cover plate offers reduced heat build-up, reflections and fogging. Aerodynamic shell designed for better fume deflection. Smooth, rounded perimeter for increased comfort. Offers quick and easy replacement of safety plates. Auto-On ADF is always ready to weld. Meets revised ANSI Z87.1 High Impact 2010 standard, CE Certified. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
37191	C24171911	WH70 BH3* helmet w/ Balder* technology	Ea



37191

29371



30315

30316



Jackson Safety* WH60 Truesight* Digital Auto-Darkening Filter

Intuitive, digital control panel. Features variable shade 5-13, sensitivity and delay adjustments. Large, separate buttons with LED indicator for Weld, Torch and Grind modes. Four independent sensors positioned to reduce possibility of blockage during weld. No retainer for easy helmet installation and removal. Two easy-to-replace AAA batteries with low-battery indicator. Meets ANSI Z87.1-2010 and CSA Z94.3 Compliant.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ 29371	C24128041	HLX welding helmet w/ Truesight* digital ADF	Black	Ea
♦ 30315	C24128011	HLX welding helmet w/ Truesight* digital ADF	Serpent	Ea
30316	C24128021	HLX welding helmet w/ Truesight* digital ADF	Arc Angel	Ea
30319	C24128051	Truesight* digital ADF cartridge		Ea



Jackson Safety* WH60 Nexgen* Digital Auto-Darkening Filter

Digital controls feature variable shade 9-13, sensitivity and delay adjustments. Four independent sensors positioned to reduce possibility of blockage during weld. Replaceable Lithium batteries (included) with low battery indicator. Versatile 3-N-1 built-in function: Weld, Torch, Grind. Built-in mag lens holder. Meets ANSI Z87.1 and CSA Compliant. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14989	C24116791	HSL 100 welding helmet w/ Nexgen* ADF	Ea
16622	C24118191	Nexgen* ADF replacement cartridge	Ea



14989



Jackson Safety* Element* with Auto-Darkening Filters

Features an economical lens for consumer welder. Solar powered. Fixed shade 10 lens with (2) independent sensors. The Element Variable adjusts from shade 9-13 with (2) independent arc sensors and comes standard shade 4. Cartridge size is 3.5" x 4" and viewing area is 1.65" x 3.78". Meets ANSI Z87.1 standards.



23282

ITEM #	ORDER #	DESCRIPTION	UOM
23282	C24124631	WH40 Element* w/ variable shade 9-13 ADF welding helmet	Ea
23286	C24124671	WH30 Element* welding helmet w/ fixed shade 10 ADF	Ea



Jackson Safety* WH40 Nitro* Variable Auto-Darkening Filter

Offers welders outstanding features at an economical price point. Features variable shade 9-13 with sensitivity and delay adjustments. Three independent sensors. Solar powered. ANSI Z87.1 and CSA Compliant.



36633

21931

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
21931	C24182301	WH40 Nitro* welding helmet w/ Nitro* variable ADF	Blue	Ea
36633	C24166331	WH40 Nitro* welding helmet w/ Nitro* variable ADF	Black	Ea



14988



Jackson Safety* WH40 Professional Variable Auto-Darkening Filter

Features variable shade 9-12, sensitivity and delay adjustments. Battery powered, solar-assisted with (2) independent sensors. Technology allows unit to detect welds less than 5 amps. Requires (2) AAA batteries (included). Built-in mag lens holder. Meets ANSI Z87.1 and CSA Compliant. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14988	C24116781	HSL 100 welding helmet w/ Professional Variable ADF	Ea



Jackson Safety* WH40 SmarTIGer* Variable Auto-Darkening Filter with Balder* Technology

Features improved visibility and color recognition, internal adjustable shade 9-13, internal adjustable sensitivity, and aerodynamic shell designed for better fume deflection. Lightweight. Auto-on ADF is always ready to weld. Meets revised ANSI Z87.1 High Impact 2010 standard, CE certified.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
37188	C24171881	WH40 SmarTIGer* helmet w/ Balder* technology	Black	Ea
37187	C24171871	WH40 SmarTIGer* helmet w/ Balder* technology	Torch Dancer	Ea

37188



37187



Jackson Safety* WH20 860P Leather Welding Helmet

Features tough, pliable, breathable leather covering. Ideal for use in overhead welding applications or when working in tight spaces. Meets ANSI Z87.1 and CSA Compliant. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
14531	C24114391	860P Leather helmet w/ 2" x 4 1/4" lift front	Ea



14531

◆ Non-stock item. Minimum quantity may apply.



Jackson Safety* WH20 400 Series Fiber Shell Welding Helmets

Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding. Made of 10% recycled fiber content. Not suited for damp environments or overhead welding. Meets ANSI Z87.1 standard. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14528	C24113691	430P Fiber shell helmet, 2" x 4 1/4" lift front	Ea
14529	C24113931	451P Fiber shell helmet, 4 1/2" x 5 1/4"	Ea
14532	C24114101	490P Fiber shell helmet, 2" x 4 1/4" quick slide	Ea
◆ 14527	C24125321	411P Fiber shell helmet, 2" x 4 1/4"	Ea



Jackson Safety* WH10 HSL Series Passive Welding Helmets

Narrow shell design is perfect for working in tight spaces. Extended front increases throat protection against sparks, slag and other physical hazards. Standard shade 10 polycarbonate filter plate and cover plates are installed at the factory. Meets ANSI Z87.1 and CSA Z94.3 Compliant.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
HSL 100 (4 1/2" x 5 1/4" Fixed Front)				
14975	C24116621	HSL 100 Passive welding helmet	Black	Ea
14976	C24116631	HSL 100 Passive welding helmet	Blue	Ea
14977	C24116641	HSL 100 Passive welding helmet	Red	Ea
14978	C24116661	HSL 100 Passive welding helmet	Black	Ea
HSL 2 (2" x 4 1/4" Lift Front)				
14982	C24116711	HSL 2 Passive welding helmet	Black	Ea



Jackson Safety* WH10 900 Series Passive Welding Helmets

Lightweight with durable, washable thermoplastic shell. Meets ANSI Z87.1 standard. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
14534	C24114461	930P Passive welding helmet w/ shade 10, 2" x 4 1/4" lift front	Ea
14535	C24114471	951P Passive welding helmet w/ shade 10, 4 1/2" x 5 1/4"	Ea
14536	C24114491	990P Passive welding helmet w/ shade 10, 2" x 4 1/4" quick slide	Ea



38426



Jackson Safety* Interchange Welding Helmet System

Quickly attach or detach welding helmet from hard hat without removing hard hat. Features audible click that indicates assembled correctly, 1-button quick-release action, and vertical lock that eliminates helmet/faceshield creep. Works with SC-6 hard hat forward or backward. Hard hat and welding helmet sold separately.

ITEM #	ORDER #	DESCRIPTION	UOM
38426	C24184261	Interchange welding helmet system (welding helmet sold separately)	Ea



Jackson Safety* Hard Hat Interchange Face Shield System

Quickly attach or detach faceshield from hard hat without removing hard hat. Features audible click that indicates assembled correctly, 1-button quick-release action, and vertical lock that eliminates helmet/faceshield creep. Works with SC-6 hard hat forward or backward. Hard hat and faceshield sold separately.



38425



Jackson Safety* Interchange SC-6 Replacement Blades

To be used in combination with Hard Hat Interchange Face Shield System and/or Interchange Welding Helmet System. Quickly adapt a hard hat to switch between faceshield and welding helmet, without removing hard hat. Features audible click that indicates assembled correctly, 1-button quick-release action, and vertical lock that eliminates helmet/faceshield creep. Works with SC-6 hard hat forward or backward. Hard hat, faceshield and welding helmet sold separately.



39476

ITEM #	ORDER #	DESCRIPTION	UOM
38425	C24184251	Interchange system for faceshield (faceshields sold separately)	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
39476	C24194761	Hard hat interchange system replacement blades	Ea

3M 3M™ Welding Helmet 10 with Auto-Darkening Filter 10V

Works well for Stick and MIG welding processes. Features user-selectable dark shades 10 through 12, with light state of Shade 3. Has two user-selectable sensitivity levels. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 101121	665516561	Welding Helmet w/ Headband	Ea
♦ 101185	665516571	Welding Helmet w/out Headband	Ea

3M 3M™ Welding Filter 10V

Works well for Stick and MIG welding processes. Offers user selectable dark shades 10 through 12 and two sensitivity adjustments.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 100013	665516551	Auto-Darkening Filter 10V	Ea

101121



100013



! WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read *User Instructions* and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



07-0012-31BL

3M 3M™ Speedglas™ 100 Welding Helmets with Variable Shade Filters

Available with Speedglas™ 100V filter, which features (5) user-selectable dark shades, shade 8 through shade 12, and a light shade of 3. Filter has (3) sensitivity settings. Only recommended for TIG processes down to 10 amps. Black.

ITEM #	ORDER #	DESCRIPTION	UOM
07-0012-31BL	665521121	3M™ Speedglas™ 100 Helmet w/ 100V Filter	Ea

WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.** For proper use of these products read *User Instructions* and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



Tigerhood® Thermoplastic Welding Helmets

Provides extended throat protection while blocking fumes and smoke from the face. Molded from Noryl®. Size and shape allow air to circulate, helping to clear any smoke and fumes that seep in and to evaporate perspiration in the perforated sweatband. (If hazardous fumes are present, appropriate respirators must be worn). Molded-in colors eliminate chipping, peeling and fading; smooth, seamless shell deflects sparks and spatter, reducing the risk of burn through. Exclusive, 3C free-floating headgear with multiple wearing adjustments comfortably accommodates protective spectacles and respirators. Available with the Speedy-Loop™ system for frequent on and off use with protective caps. Comes complete with shade 10 filter plate installed. SEI certified.



990-GY

906-GY

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
990-GY	614608331	Helmet w/ molded-in glassholder, flash barrier, & wide vision 4 1/2" x 5 1/4" lens	Gray	Ea
5906-GY	614607241	Helmet w/ molded-in glassholder, Speedy-Loop system	Gray	Ea
906-BK	614608171	Helmet w/ molded-in glassholder, telescoping lift front lid, 2" x 4 1/4" lens	Black	Ea
906-GY	614608191	Helmet w/ molded-in glassholder, telescoping lift front lid, 2" x 4 1/4" lens	Gray	Ea



110WH



Pipeliner® Passive Filter Welding Helmets

Molded from SuperGlas Plus™, a material formulated for light weight, and strength. Provides everything pipe welders need to be safe and productive under the harshest welding conditions. Impervious to moisture, impact-resistant Pipeliners will not crack, chip or split. Compact design allows access to areas where there is no room for a standard helmet. Shade 10. White.

ITEM #	ORDER #	DESCRIPTION	UOM
110WH	614605131	Pipeliner welding helmet w/ 1-CR ratchet headgear	Ea
110PWE	347688751	Pipeliner welding helmet w/ 1-CP rubber headband suspension	Ea



15992



Jackson Safety* V100 WS Series IRUV Cutting Goggles

Feature 2" x 4.25" IRUV 5.0 lens with adjustable elastic strap. Available in fixed or lift-front design. Meets ANSI Z87.1+ High Impact. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
15991	C24117711	WS-80 Fixed-front, flex frame welding goggles, 2" x 4 1/4"	Ea
15992	C24117721	WS-85 Lift-front, flex frame welding goggles, 2" x 4 1/4"	Ea



S212

Uvex Horizon™ Safety Glasses

Classic flip-up style offers versatility for workers in unique environments. Shaded lens protects against high-intensity light sources, and clear, impact-resistant polycarbonate lens provides protection against flying particles. Spatula temples with metal core for easy adjusting. Scratch-resistant hardcoat on lenses for longer life. Meets ANSI Z87.1-2010 High Impact. Black frames.

ITEM #	ORDER #	DESCRIPTION	LENS	UOM
S212	341531301	Uvex Horizon	Clear/ Shade 3.0 green	Ea
S213	341531311	Uvex Horizon	Clear/ Shade 5.0 green	Ea



Welders Gear and Helmet Bag

Virtually any welding helmet, including faceshields can fit in the large-capacity main compartment with drawstring closure. Features (2) mesh side pockets to hold welding gloves, water bottles and tools. Hook-and-loop closure front pocket is ideal for keys, cell phone or sunglasses. Measures: 18" H x 12" W x 12" D. 24/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
520	C34106901	Welders gear & helmet bag	Ea



Pigskin Leather Sweatband

Top-grain pigskin leather offers comfort, strength and durability. Designed for tough welding environments. Features snap fasteners for a secure fit. 3 1/4" W x 8 1/2" L.

ITEM #	ORDER #	DESCRIPTION	UOM
569	C34108161	Pigskin leather sweatband	Ea



Additional Welding Apparel Tips:

- Keep clothing clean and free of oils, greases and combustible contaminants.
- Remove all ignition sources (such as matches and butane lighters) from pockets.
- Wear long-sleeved shirts with buttoned cuffs and a collar to protect the neck.
- Wear leather aprons to protect your chest and lap from sparks when standing or sitting.
- Pant legs must not have cuffs and must cover the tops of the boots.
- Do not wear rings or other jewelry.
- Repair all frayed edges, tears or holes in clothing.
- Do not wear clothing made from synthetic or synthetic blends.



We Weld America Jacket

Made from flame-retardant, 9 oz. 100% cotton Westex Proban® FR7A® with "We Weld America" color screen print on back. Cool, comfortable and washable. Provides economical protection from sudden flame exposure, light molten splash and sparks during light welding activity. Snap fasteners. Length: 30". Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9030-L	C34117811	"We Weld America" jacket	L	Ea
9030-XL	C34122031	"We Weld America" jacket	XL	Ea
9030-2X	C34117831	"We Weld America" jacket	2XL	Ea
9030-3X	C34117841	"We Weld America" jacket	3XL	Ea



Proban® FR Cotton Coveralls

Made from flame-retardant, 9 oz. 100% cotton Westex Proban FR7A®. Oversized to fit over clothes. Features rugged snap closures. Pockets: (2) each breast, rear and front inset. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6900-L	C34116041	Flame-retardant cotton coveralls	L	Ea
6900-XL	C34121711	Flame-retardant cotton coveralls	XL	Ea
6900-2X	C34116211	Flame-retardant cotton coveralls	2XL	Ea
6900-3X	C34116221	Flame-retardant cotton coveralls	3XL	Ea



Leather Aprons

Variety of aprons in side-split cowhide leather all sewn with Kevlar® thread throughout. Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
4236	C34106591	Bib apron w/ 2 chest pockets, back straps w/ side release buckles	24" x 36"	Ea
4242	C34106601	Bib apron w/ 2 chest pockets, back straps w/ side release buckles	24" x 42"	Ea
4248	C34106611	Bib apron w/ 2 chest pockets, back straps w/ side release buckles	24" x 48"	Ea
4342	C34106631	Split-leg bib apron w/ side release buckles down legs & metal D-rings on front	24" x 42"	Ea
4124	C34106521	Waist apron w/ heavy-duty waist strap	24" x 24"	Ea



4236

4124



3120

3221



Leather Cape Sleeves and Bib

Side-split cowhide cape sleeve designed to protect shoulders, upper chest and sleeves. Features open back for ventilation and soapstone pocket on each sleeve. Sewn with Kevlar® thread throughout. Accepts 14" or 20" leather bib with heavy-duty cotton strap and adjustable side-release buckle for easy on/off. Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 3221M	C34105891	Side-split cowhide cape sleeve	M	Ea
◆ 3221L	C34105881	Side-split cowhide cape sleeve	L	Ea
◆ 3221XL	C34120331	Side-split cowhide cape sleeve	XL	Ea
3120	C34105791	Side-split cowhide bib	20"	Ea



Leather Split-Leg Waist Apron

Premium, side-split cowhide waist apron with side-release buckles down the legs to secure apron and a heavy-duty waist strap. 24" x 40". Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	UOM
4440	C34106661	Leather split-leg waist apron	Ea



4440



566



Leather Helmet Bib

Made from premium side-split cowhide leather. Attaches with metal clips. 8" x 8". Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	UOM
566	C34108131	Leather helmet bib	Ea



Leather Spats and Leggings

Made from tough, premium side-split cowhide with rivet reinforced stress points. Sewn with Kevlar® thread. Adjustable straps secure protectors on shoes. 530CL has metal insert on top of foot that can be shaped to fit over shoe. Universal size. Bourbon brown.

ITEM #	ORDER #	DESCRIPTION	UOM
526	C34107251	Leather spats, ankle high	Ea
◆ 530CL	C34107541	Leggings, 14" w/ metal insert	Ea



526

530CL



Flame-Retardant Cotton Jackets

Made from 9 oz. 100% cotton Westex Proban® FR7A®. Features snap fasteners and inside pocket. Offers protection from sudden flame exposure, sparks and light welding only. Length: 30".

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
6230-L	C34113041	Flame-retardant cotton jacket	L	Green	Ea
6230-XL	C34121481	Flame-retardant cotton jacket	XL	Green	Ea
6230-2X	C34113461	Flame-retardant cotton jacket	2XL	Green	Ea
6230B-L	C34112701	Flame-retardant cotton jacket	L	Navy blue	Ea
6230B-XL	C34121171	Flame-retardant cotton jacket	XL	Navy blue	Ea
6230B-2X	C34112731	Flame-retardant cotton jacket	2XL	Navy blue	Ea
6230D-L	C34112821	Flame-retardant cotton jacket	L	Orange	Ea
6230D-XL	C34121291	Flame-retardant cotton jacket	XL	Orange	Ea
6230D-2X	C34112851	Flame-retardant cotton jacket	2XL	Orange	Ea
6230D-3X	C34112861	Flame-retardant cotton jacket	3XL	Orange	Ea



Flame-Retardant Cotton Cape Sleeves and Bib

Made from flame-retardant, 9 oz. 100% cotton Westex Proban® FR7A®. Cape sleeves protect shoulders, upper chest and arms from sudden flame exposure and sparks while increasing ventilation on back. Feature snap fasteners. Washable. Designed for light-duty welding only. Cape sleeves and bibs sold separately. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6221-L	C34112321	Flame-retardant cotton cape sleeve	L	Ea
6221-XL	C34121121	Flame-retardant cotton cape sleeve	XL	Ea
◆ 6221-2X	C34112601	Flame-retardant cotton cape sleeve	2XL	Ea
◆ 6221-3X	C34112611	Flame-retardant cotton cape sleeve	3XL	Ea
6120	C34111451	Flame-retardant cotton bib	20"	Ea



Flame-Retardant Cotton Jacket with Leather Sleeves

Royal blue, 9 oz. 100% cotton Westex Proban® FR7A® torso with side-split cowhide sleeves sewn with Kevlar® thread. Features (1) soapstone pocket on each sleeve and (1) inside pocket. 30" Length.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9230-L	C34118021	FR cotton jacket w/ leather sleeves	L	Ea
9230-XL	C34122091	FR cotton jacket w/ leather sleeves	XL	Ea
9230-2X	C34118051	FR cotton jacket w/ leather sleeves	2XL	Ea



Flame-Retardant Cotton Sleeves and Apron

Garments made from 9 oz. 100% cotton, Westex Proban® FR7A®. Washable. Green.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6217	C34112031	FR cotton sleeve w/ 2 1/4" external elastic at both ends	18"	Ea
6218	C34112091	FR cotton sleeve, elastic both ends	18"	Ea
◆ 6200	C34111911	FR cotton sleeve w/ adjustable shoulder straps	23"	Ea
6236	C34113891	FR cotton bib apron w/ adjustable shoulder straps	24" x 36"	Ea



◆ Non-stock item. Minimum quantity may apply.



1155 Insulated Extended Cuff Stick Welders Gloves

Premium, durable side split cowhide for strength. Cotton/foam-lined for moisture absorption and heat protection. Insulated extended cuff for added heat protection on forearms. Double reinforced wing thumb for extra strength on key stress areas to maximize wear and protection. Sewn with Kevlar® thread for added strength. Weltd fingers protect stitching from burning and abrasion. 20" Length.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1155L	C34122735	1155 Welders gloves	L	12/Pk

1155



750 Stick Welders Gloves

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread for added strength, weltd fingers and unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
750L	C34116651	Top grain elkskin welders gloves	L	Pr
750XL	C34121841	Top grain elkskin welders gloves	XL	Pr



750



850



850 Stick Welders Gloves

Premium top-grain elkskin features reinforced thumb, lock stitching with Kevlar® thread for added strength, weltd fingers, unlined palm and cotton/foam-lined back. Molds to the hand and stays soft under higher heat conditions. Naturally resistant to oil and moisture; will not crack or stiffen like cowhide. 14" Length. Gold. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
850L	C34117531	Gold top grain elkskin welders gloves	L	Pr
850XL	C34121981	Gold top grain elkskin welders gloves	XL	Pr



1075 Stick Welders Gloves

Full featured welding glove with WE WELD AMERICA logo on cuff. Durable premium side split cowhide leather with cotton/foam lining for insulation. Features double reinforced thumb, weltd fingers and lock stitching with Kevlar® thread for added strength. 14" Length. Red, blue, and pearl. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1075	C34100961	Side split cowhide welders gloves	L	Pr



1075



1012



1012 Welders Gloves

Durable, economy select shoulder split cowhide with inner cotton lining and reinforced thumb. Lock stitching with Kevlar® thread for added strength. Weltd fingers protect stitching. 14" length. Russet. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1012	C34100691	Economy cowhide welders gloves	L	Pr



1105WB Small Hands Welders Gloves

Designed for smaller hands. Made from blue select shoulder split cowhide with cotton/foam lining for added heat protection. Lock stitching with Kevlar® thread for added strength. Weltd fingers protect stitching. 12" Length. Blue. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1105WB-XS	C34118751	Small hands welders gloves	XS	Pr



1105WB



1250 Stick Welders Gloves

Durable, premium side split cowhide with cotton/foam lining for insulation. Double reinforced thumb. Weltd fingers protect stitching. Lock stitched with Kevlar® thread for added strength. 14" Length. Blue. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1250L	C34101301	Side split cowhide welders gloves	L	Pr
1250XL	C34101271	Side split cowhide welders gloves	XL	Pr



1250



1488



1488 TrueFit™ TIG Welders Gloves

Top grain goatskin palm and back for superior feel and dexterity. Black Kevlar® stretch inserts flex to the contours of the hand for a snug fit. Sewn entirely with Kevlar for strength and heat resistance. Features short, contoured cuff and internal elastic for a secure fit. Super "V" thumb design enhances fit. Safe to TIG weld. No spandex. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1488L	C34122695	TrueFit TIG welders gloves	L	12/Pk
◆ 1488XL	C34122705	TrueFit TIG welders gloves	XL	12/Pk



24C TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection. Unlined. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
24CM	C34105151	Kidskin TIG gloves	M	Pr
24CL	C34105141	Kidskin TIG gloves	L	Pr
24CXL	C34119951	Kidskin TIG gloves	XL	Pr



24C



24D



24D TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 2" cuff for added protection. Unlined. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
24DL	C34119971	Kidskin TIG gloves	L	Pr
24DXL	C34120001	Kidskin TIG gloves	XL	Pr



20 Kidskin/Cowhide TIG Welders Gloves

Pearl top-grain kidskin palm with bourbon split leather cowhide back for added protection. Lock stitched with Kevlar® thread for added strength. Features straight thumb and 2" cuff. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
20L	C34105101	Kidskin/cowhide TIG welders gloves	L	Pr
◆ 20XL	C34119911	Kidskin/cowhide TIG welders gloves	XL	Pr



20

◆ Non-stock item. Minimum quantity may apply.



1328 TIG Welders Gloves

Top-grain goatskin leather enhances feel and durability. Features 4" cuff, seamless index finger, wing thumb and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1328M	C34101611	Goatskin TIG welders gloves	M	Pr
1328L	C34101601	Goatskin TIG welders gloves	L	Pr



1328



25B



25B TIG Welders Gloves

Lightweight deerskin split leather enhances dexterity. Unlined to maximize tactility. Features straight thumb, 4" cuff and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
25BL	C34105651	Deerskin TIG welders gloves	L	Pr

**Turn to page 128
for more
Leather Gloves**



30 TIG Welders Gloves

Top-grain pigskin resists oil and water. Features straight thumb, 4" cuff and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
30L	C34105731	Pigskin TIG welders gloves	L	Pr
30XL	C34120211	Pigskin TIG welders gloves	XL	Pr



30



48



48 Insulated MIG Gloves

Top-grain goatskin palm and cowhide split back resists heat. Fleece-lined for added protection. Features straight thumb, elastic back, 3 1/2" cuff, thumb strap for extra strength and Kevlar® stitching for seam protection. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 48L	C34123491	Insulated MIG gloves	L	Pr
◆ 48XL	C34123501	Insulated MIG gloves	XL	Pr



42 Pigskin MIG Welders Gloves

Made from premium heavyweight top-grain pigskin with foam-lined back. Great in wet and oily conditions. Features unlined palm for dexterity, 4" cuff, straight thumb with added reinforcement strap and lock stitching with Kevlar® thread for added strength. 72/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
42M	C34106551	Pigskin MIG gloves	M	Pr
42L	C34106541	Pigskin MIG gloves	L	Pr



42



1350 MIG Welders Gloves

Heavy-duty top-grain cowhide MIG welding gloves, unlined with 4" cuff for added protection. Features wing thumb and seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength. Pearl. 72/Cs.



1350

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1350L	C34101741	Cowhide MIG welders gloves	L	Pr
1350XL	C34118961	Cowhide MIG welders gloves	XL	Pr



50



50 MIG Welders Gloves

Top-grain cowhide palm with cowhide split reinforcements and cowhide split back with elastic for best fit. Features top-grain seamless index finger, fleece lining and 4" cuff for added protection. Sewn with Kevlar® thread for strength and heat resistance. 48/Cs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
50L	C34124501	Cowhide MIG welders gloves	L	Pr
50XL	C34124511	Cowhide MIG welders gloves	XL	Pr



Standard Double-Layer Backhand Pad

Offers double-layer protection with aluminized Carbon Kevlar® top and vermiculite-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 240/Cs.



550

ITEM #	ORDER #	DESCRIPTION	UOM
550	C34108001	Standard double-layer backhand pad	Ea



550X



Economy Double-Layer Backhand Pad

Offers double-layer protection with an aluminized rayon top and acrylic-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 240/Cs.

ITEM #	ORDER #	DESCRIPTION	UOM
550X	C34108011	Economy double-layer backhand pad	Ea



Premium Triple-Layer Backhand Pad

Designed to be worn over the back of a welding glove to provide extra protection in high-heat situations. Features Aluminized Carbon Kevlar® top, middle layer 1500° F melt ceramic wool, and acrylic-coated fiberglass bottom. Leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 120/Cs.



554

ITEM #	ORDER #	DESCRIPTION	UOM
554	C34108041	Premium triple-layer backhand pad	Ea



Footwear

Workers must wear protective footwear when working in areas where there is a danger of falling or rolling objects or objects piercing the sole.

Visit www.osha.gov for complete details and regulation requirements.



SF™ Overboots

Super-sized to fit over bulky leather work boots. Seamless, molded, 100% waterproof PVC construction. Kick-off lugs permanently molded on the heel for easier removal of overboot. Features SF wide grip outsole with textured treads for better traction. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11001-L	347610031	Overboots, 12"	L (11-13)	Pr
11001-XL	347610041	Overboots, 12"	XL (14-15)	Pr
11003-L	347629621	Overboots, 4"	L (11-13)	Pr
11003-XL	347629651	Overboots, 4"	XL (14-15)	Pr



CT™ PVC Knee Boots

Features 100% waterproof PVC with steel toe. Trac10™ outsole for enhanced traction and durability. Scalloped top-line accommodates flexing in calf to reduce irritation. Removable, washable cushion insoles. Graduated boot heights are consistent with shoe sizes for better fit and comfort. Ideal for general maintenance and construction sites. 14" Height. Black upper and sole. Meets ASTM F2413-11 M I/75 C/75.

ITEM #	ORDER #	SIZES	UOM
18821-8	347630921	8	Pr
18821-9	347630931	9	Pr
18821-10	347630841	10	Pr
18821-11	347630851	11	Pr
18821-12	347630861	12	Pr
18821-13	347630871	13	Pr



Disposable Latex Booties

Ideal for spill cleanup, light industrial and janitorial work, pesticide and paint spraying. 12" Height. Made of yellow latex with slip-resistant texturized outsole.

ITEM #	ORDER #	SIZES	UOM
A352-M	347602821	M	Pr
A352-L	347602811	L	Pr
A352-XL	347602831	XL	Pr
A352-2XL	347602841	2XL	Pr



Pro® PVC Safety Hi Boots

Constructed using TDT™ (Triple Density Technology) to withstand organic chemical deterioration found in meat processing and petrochemical industries. 100% Waterproof. Removable and washable ergonomic insoles. Extended/ribbed steel shanks for extra support. Self-cleaning outsole. 15" Height. Gray uppers with black soles and heels, yellow trim indicates steel toe. Meets ASTM F2413-11 M I/75, C/75.

ITEM #	ORDER #	SIZES	UOM
♦ 75101-8	333033081	8	Pr
♦ 75101-9	333010191	9	Pr
♦ 75101-10	333082451	10	Pr
75101-11	347637051	11	Pr
♦ 75101-12	347682461	12	Pr



Mack® Surge

Lightweight, 15" EVA gumboots with metatarsal protection. Features reinforced ankle, heal and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical and oil-resistant. White.

ITEM #	ORDER #	SIZES	UOM
MKSURGE-WWF080	E93817071	8	Pr
MKSURGE-WWF090	E93817081	9	Pr
MKSURGE-WWF100	E93817091	10	Pr
MKSURGE-WWF110	E93817101	11	Pr
MKSURGE-WWF120	E93817111	12	Pr
MKSURGE-WWF130	E93817121	13	Pr



MKSURGE-WWF



Mack® Stormer

Lightweight, 15" EVA safety gumboots with metatarsal protection. Features reinforced ankle, heal and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical and oil-resistant. Complies to ASTM F2413-11 standards.



MKSTORMER-WWF



MKSTORMER-BBF

ITEM #	ORDER #	SIZES	COLOR	UOM
MKSTORMER-WWF080	E93818071	8	White	Pr
MKSTORMER-WWF090	E93818081	9	White	Pr
MKSTORMER-WWF100	E93818091	10	White	Pr
MKSTORMER-WWF110	E93818101	11	White	Pr
MKSTORMER-WWF120	E93818111	12	White	Pr
MKSTORMER-WWF130	E93818121	13	White	Pr

ITEM #	ORDER #	SIZES	COLOR	UOM
MKSTORMER-BBF080	E93819071	8	Black	Pr
MKSTORMER-BBF090	E93819081	9	Black	Pr
MKSTORMER-BBF100	E93819091	10	Black	Pr
MKSTORMER-BBF110	E93819101	11	Black	Pr
MKSTORMER-BBF120	E93819111	12	Black	Pr
MKSTORMER-BBF130	E93819121	13	Black	Pr



MKDELUGE-CCF



Mack® Deluge

Lightweight, 15" EVA gumboots with metatarsal protection and penetration-resistant midsole. Features reinforced ankle, heal and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical and oil-resistant. Complies to ASTM F2413-11 standards. Charcoal.



Mack® Tradie

Hard wearing, 6" double elastic gusset safety boots with padded ankle, collar, tongue and Cambrelle® lining offers comfort, durability and moisture management. PU midsole for cushioning and shock absorption plus the TPU outsole pattern gives excellent slip resistance and heat resistance to 302° F. Water-resistant. Steel toe cap complies with ASTM F2413-11. Black.



MKTRADIE-BBF

ITEM #	ORDER #	SIZES	UOM
MKDELUGE-CCF080	E93820071	8	Pr
MKDELUGE-CCF090	E93820081	9	Pr
MKDELUGE-CCF100	E93820091	10	Pr
MKDELUGE-CCF110	E93820101	11	Pr
MKDELUGE-CCF120	E93820111	12	Pr
MKDELUGE-CCF130	E93820121	13	Pr

ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF080	E93811051	8	Pr
MKTRADIE-BBF085	E93811061	8.5	Pr
MKTRADIE-BBF090	E93811071	9	Pr
MKTRADIE-BBF095	E93811081	9.5	Pr
MKTRADIE-BBF100	E93811091	10	Pr
MKTRADIE-BBF105	E93811101	10.5	Pr
MKTRADIE-BBF110	E93811111	11	Pr
MKTRADIE-BBF115	E93811121	11.5	Pr
MKTRADIE-BBF120	E93811131	12	Pr
MKTRADIE-BBF125	E93811141	12.5	Pr
MKTRADIE-BBF130	E93811151	13	Pr



MKTRADES-BBF

Mack® Tradesman

Heavy-duty, 6" lace up hiking style safety boots with padded ankle, collar and tongue. Buffalo leather upper with a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling the skin to remain cool and dry. Polyurethane (PU) midsole and bump cap thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fat, and heat-resistant to 302° F. Water and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADES-BBF080	E93812041	8	Pr
MKTRADES-BBF085	E93812051	8.5	Pr
MKTRADES-BBF090	E93812061	9	Pr
MKTRADES-BBF100	E93812071	10	Pr
MKTRADES-BBF110	E93812081	11	Pr
MKTRADES-BBF120	E93812091	12	Pr
MKTRADES-BBF125	E93812101	12.5	Pr
MKTRADES-BBF130	E93812111	13	Pr

Mack® Piston

Easy wear and access with full cowhide leather, elastic-sided safety boots with steel toe caps that comply with ASTM F2413-11. Full length, extra thick shock absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap/thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water and slip-resistant. Claret (dark reddish-brown).

ITEM #	ORDER #	SIZES	UOM
MKPISTON-CLF080	E93813071	8	Pr
MKPISTON-CLF090	E93813081	9	Pr
MKPISTON-CLF100	E93813091	10	Pr
MKPISTON-CLF110	E93813101	11	Pr
MKPISTON-CLF120	E93813111	12	Pr
MKPISTON-CLF130	E93813121	13	Pr



MKPISTON-CLF

Mack® Blast

Nubuck full grain leather 7" boots feature steel toe cap and anti-static TPU sole. Lace/zip, padded collar, ankle and tongue plus a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling skin to remain cool and dry. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap and a thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and is heat-resistant to 302° F. Water and slip-resistant. Steel toe cap complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKBLAST-HHF080	E93814071	8	Pr
MKBLAST-HHF090	E93814081	9	Pr
MKBLAST-HHF100	E93814091	10	Pr
MKBLAST-HHF110	E93814101	11	Pr
MKBLAST-HHF120	E93814111	12	Pr
MKBLAST-HHF130	E93814121	13	Pr



MKBLAST-HHF

Mack® Charge

The 7" (7) eyelet lace up safety boots feature steel toe cap and anti-static PU/TPU sole. Cowhide full grain leather upper with soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture enabling the skin to remain cool and dry. Full-length, extra thick shock absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap and thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKCHARGE-BBF080	E93815071	8	Pr
MKCHARGE-BBF090	E93815081	9	Pr
MKCHARGE-BBF100	E93815091	10	Pr
MKCHARGE-BBF110	E93815101	11	Pr
MKCHARGE-BBF120	E93815111	12	Pr
MKCHARGE-BBF130	E93815121	13	Pr



MKCHARGE-BBF



Mack® Bulldog

The original lightweight, 6" leather lace up safety boots with Cambrelle® lining offers comfort, durability and moisture management. Full length, extra thick shock-absorbing polyurethane footbed with arch and heel support. Lightweight Phylon midsole for greater cushioning and shock absorption. Features steel toe and PU comfort sock. Rubber nitrile outsole heat-resistant to 572° F. Slip-resistant. Steel toe cap complies with ASTM F2413-11. Rocky brown.

ITEM #	ORDER #	SIZES	UOM
MKBULLDOG-ROF080	E93816071	8	Pr
MKBULLDOG-ROF090	E93816081	9	Pr
MKBULLDOG-ROF100	E93816091	10	Pr
MKBULLDOG-ROF110	E93816101	11	Pr
MKBULLDOG-ROF120	E93816111	12	Pr
MKBULLDOG-ROF130	E93816121	13	Pr



MKBULLDOG-ROF



Mack® Soa

Hi-viz, hi-top safety boots with non-metallic composite safety cap toe, gel comfort footbed and nitrile rubber outsole that is heat-resistant to 572° F. Designed with fluorescent upper and neon heel that glows in the dark after exposure to light. Slip-resistant. Meets ASTM F2413-11 standards.

ITEM #	ORDER #	SIZES	COLOR	UOM
MKSOA-BFF080	E93821071	8	Lime/black	Pr
MKSOA-BFF090	E93821081	9	Lime/black	Pr
MKSOA-BFF100	E93821091	10	Lime/black	Pr
MKSOA-BFF110	E93821101	11	Lime/black	Pr
MKSOA-BFF120	E93821111	12	Lime/black	Pr
MKSOA-BFF130	E93821121	13	Lime/black	Pr
MKSOA-S4F080	E93822071	8	Silver/black	Pr
MKSOA-S4F090	E93822081	9	Silver/black	Pr
MKSOA-S4F100	E93822091	10	Silver/black	Pr
MKSOA-S4F110	E93822101	11	Silver/black	Pr
MKSOA-S4F120	E93822111	12	Silver/black	Pr
MKSOA-S4F130	E93822121	13	Silver/black	Pr
MKSOA-BGF080	E93823071	8	Orange/black	Pr
MKSOA-BGF090	E93823081	9	Orange/black	Pr
MKSOA-BGF100	E93823091	10	Orange/black	Pr
MKSOA-BGF110	E93823101	11	Orange/black	Pr
MKSOA-BGF120	E93823111	12	Orange/black	Pr
MKSOA-BGF130	E93823121	13	Orange/black	Pr

MKSOA-BFF



MKSOA-S4F



MKSOA-BGF



Mack® McGrath

Reflective, hi-top safety boot with non-metallic composite toe, gel comfort footbed and nitrile rubber outsole that is heat-resistant to 572° F. Designed with fluorescent upper and neon heel that glows in the dark after exposure to light. Slip-resistant. Meets ASTM F2413-11 standards. Pink/black.

ITEM #	ORDER #	SIZES	UOM
MKMCGRATH-BKF080	E93828071	8	Pr
MKMCGRATH-BKF090	E93828081	9	Pr
MKMCGRATH-BKF100	E93828091	10	Pr
MKMCGRATH-BKF110	E93828101	11	Pr
MKMCGRATH-BKF120	E93828111	12	Pr
MKMCGRATH-BKF130	E93828121	13	Pr

MKMCGRATH-BKF



MKKELPIE-BBF



Mack® Kelpie

Lace up style hiking shoes with safety toe, heat-resistant outsole (to 572° F) and padded ankle, collar and tongue. Cambrelle® lining for comfort, durability and moisture management. Features Gravity® dual density nitrile rubber outsole, Phylon midsole and gel innersole for cushioning and shock absorption. The sole incorporates a high toe guard for extra protection and has an anti-torsion design to help reduce torsion flex. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKKELPIE-BBF080	E93825071	8	Pr
MKKELPIE-BBF090	E93825081	9	Pr
MKKELPIE-BBF100	E93825091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKKELPIE-BBF110	E93825101	11	Pr
MKKELPIE-BBF120	E93825111	12	Pr
MKKELPIE-BBF130	E93825121	13	Pr

MKHEELER-BBF



Mack® Heeler

7" Cowhide lace up hiking style safety toe boots, with padded ankle, collar and tongue. Cambrelle® lining for comfort, durability and moisture management. Sole and heel incorporate an absorbing gel insert for extra comfort and Gravity® dual density nitrile rubber outsole is heat-resistant to 572° F. Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKHEELER-BBF080	E93826071	8	Pr
MKHEELER-BBF090	E93826081	9	Pr
MKHEELER-BBF100	E93826091	10	Pr
MKHEELER-BBF110	E93826101	11	Pr
MKHEELER-BBF120	E93826111	12	Pr
MKHEELER-BBF130	E93826121	13	Pr

MKGRANITE-BBF



Mack® Granite

7" Cowhide lace up hiking style boots with padded ankle, collar and tongue. Penetration-resistant midsole and PORON® metatarsal guard make this the ultimate boot. Cambrelle® lining for comfort, durability and moisture management. Gravity® dual density nitrile rubber outsole (heat-resistant to 572° F) with Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11 standards. Black.

ITEM #	ORDER #	SIZES	UOM
MKGRANITE-BBF080	E93827071	8	Pr
MKGRANITE-BBF090	E93827081	9	Pr
MKGRANITE-BBF100	E93827091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKGRANITE-BBF110	E93827101	11	Pr
MKGRANITE-BBF120	E93827111	12	Pr
MKGRANITE-BBF130	E93827121	13	Pr



Mack® Dingo

Lace up, 6" hiking style safety boots with cowhide genuine leather upper and Cambrelle® lining offers comfort, durability and moisture management. Dual-density nitrile rubber outsole (heat-resistant to 572° F) and lightweight Phylon midsole for greater cushioning and shock absorption. Sole incorporates a high toe guard for extra protection and boot is fitted with an energy absorbing gel insert in the heel area to attenuate heel strike. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKDINGO-BBF080	E93824071	8	Pr
MKDINGO-BBF090	E93824081	9	Pr
MKDINGO-BBF100	E93824091	10	Pr
MKDINGO-BBF110	E93824101	11	Pr
MKDINGO-BBF120	E93824111	12	Pr
MKDINGO-BBF130	E93824121	13	Pr

MKDINGO-BBF





Mack® Neptune

Leather lace up safety shoes with padded collar and tongue. The lining is a non-abrasive hydrophobic, man-made knitted mesh that wicks away moisture enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort heel and arch support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Airport friendly. Non-metallic composite toe cap complies with ASTM F2413-11 standards. Black.



MKNEPTUNE-B3F

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F080	E93829071	8	Pr
MKNEPTUNE-B3F090	E93829081	9	Pr
MKNEPTUNE-B3F100	E93829091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F110	E93829101	11	Pr
MKNEPTUNE-B3F120	E93829111	12	Pr
MKNEPTUNE-B3F130	E93829121	13	Pr



Mack® Saturn

Safety lace up shoes with padded collar and tongue and a soft, non-abrasive hydrophobic, man-made knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort with arch and heel support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Lightweight and airport friendly. Slip-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. White.

MKSATURN-GWF



ITEM #	ORDER #	SIZES	UOM
MKSATURN-GWF080	E93830071	8	Pr
MKSATURN-GWF090	E93830081	9	Pr
MKSATURN-GWF100	E93830091	10	Pr
MKSATURN-GWF110	E93830101	11	Pr
MKSATURN-GWF120	E93830111	12	Pr
MKSATURN-GWF130	E93830121	13	Pr



Mack® Venus

Lace up safety shoes with padded collar and tongue. Man-made soft, durable, non-abrasive hydrophobic knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort with arch and heel support, plus ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Airport friendly and slip-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

MKVENUS-BBF



ITEM #	ORDER #	SIZES	UOM
MKVENUS-BBF080	E93831071	8	Pr
MKVENUS-BBF090	E93831081	9	Pr
MKVENUS-BBF100	E93831091	10	Pr
MKVENUS-BBF110	E93831101	11	Pr
MKVENUS-BBF120	E93831111	12	Pr
MKVENUS-BBF130	E93831121	13	Pr



Foot Protection

Foot protection shields the feet and toes during exposure to situations where the potential for foot injuries exists. Hazards include falling or rolling objects, chemical or liquid exposures, piercing objects through the sole or uppers, and/or exposure to electrical hazards.

Choosing footwear with the proper chemical and weather resistance reduces the chances of chemical burns, skin irritation and exposure. Select sole patterns based on the work application by looking at both the tread pattern and the sides of the sole to see how easily debris can be pushed out of the channels. Footwear constructed to meet ANSI/ASTM standards can help prevent injuries from falling and rolling objects.


For more complete information visit www.osha.gov.



Ergonomics

Ergonomics is the science of fitting workplace conditions and job demands to the capabilities of the working population. Effective and successful “fits” assure high productivity, avoidance of illness and injury risks, and increased satisfaction among the workforce.

Visit www.osha.gov for complete details and regulation requirements.



Mustang® Back Supports with Suspenders

Delivers firm and comfortable lower back support. Features 8 1/4" wide powerful elastic back panel, breathable, polypropylene mesh lumbar panel with solid elastic stretch panel, (4) super memory plastic stays and (2) silicone “grip strips” to inhibit riding up. Stiffening mesh at abdominal closure reduces front rolling. Includes sewn-on suspenders. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
611-M	325371121	Back support w/ suspenders	M	Ea
611-L	325371131	Back support w/ suspenders	L	Ea
611-XL	325304451	Back support w/ suspenders	XL	Ea
611-2XL	325304471	Back support w/ suspenders	2XL	Ea




Value Super Maxx Back Support

Delivers firm and comfortable broad lower back and abdominal support. Adjusts instantly for light to heavy lifting. Encourages proper posture when lifting, standing, walking, sitting, driving or playing sports. Breathable spandex mesh lumbar panel with elastic stretch panel with (4) plastic stays and (2) silicone threaded “grip strips”. 1 1/2" detachable hook-and-loop suspenders and dual panel hook-and-loop closure. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
626-M	325308061	Back support w/ suspenders, 1 1/2" detachable hook-&-loop	M	Ea
626-L	325308071	Back support w/ suspenders, 1 1/2" detachable hook-&-loop	L	Ea
626-XL	325308021	Back support w/ suspenders, 1 1/2" detachable hook-&-loop	XL	Ea
626-2XL	325308341	Back support w/ suspenders, 1 1/2" detachable hook-&-loop	2XL	Ea




Classic Universal Back and Abs Support

Delivers firm and comfortable lower back and abdominal support. Body is constructed with a cool mesh and has a double hook-and-loop closure system. Suspenders are 1 1/2" wide and detachable. Rubber grippers help keep belt in place. Back support is 9" wide and one size fits most (26"-48"). Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	UOM
OK-UNIV	325316671	Universal back & abs support	Ea



Premium Lumbar Support


Delivers firm and comfortable lower back, abdominal and lumbar support. Elastic body is made of power knit nylon with an adjustable lumbar support pad. Double hook-and-loop closure system provides easy adjustment. Detachable suspenders are 1 1/2" wide. Back support is 9" wide. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
OK-1000S-M	325341011	Premium lumbar support	M	Ea
OK-1000S-L	325341021	Premium lumbar support	L	Ea
OK-1000S-XL	325341031	Premium lumbar support	XL	Ea
OK-1000S-2XL	325341041	Premium lumbar support	2XL	Ea



OK-1000S



Premium Lifters Support

Constructed of durable polyester fabric with a solid inner core. Features an internal lumbar support pad. Adjust easily with double hook-and-loop closure system. Back support is 5" wide. Black.

Warning: If the user now has or has ever had any condition, treatment or problem that would be affected by frequent heavy lifting, a health professional should be contacted before using this product.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
OK-SS-5-M	325377001	Premium lifters support	M	Ea
OK-SS-5-L	325377011	Premium lifters support	L	Ea
OK-SS-5-XL	325377021	Premium lifters support	XL	Ea
OK-SS-5-2XL	325377031	Premium lifters support	2XL	Ea



OK-SS-5



ProFlex® 1650 Economy Elastic Back Supports

All-elastic body (7 1/2" wide) provides firm support, comfort, fit and durability. Two-stage closure adjusts first for exact fit and then for desired level of tension, reminding wearers to lift properly. Features single layer 5" elastic single strap for positive tension and adjustable 1 1/2" knit elastic suspenders that are detachable and cut wide for improved fit. Machine washable. Black.



11093

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11093	332100021	ProFlex economy elastic back support	M	Ea
11094	332100011	ProFlex economy elastic back support	L	Ea
11095	332100041	ProFlex economy elastic back support	XL	Ea
11096	332100051	ProFlex economy elastic back support	2XL	Ea





11383



ProFlex® 100 Economy Back Supports

Durable 280-denier spandex body cloth provides breathable comfort and holds its shape over time. Features rubber-tracked webbing to keep the support in place and stretchable bias binding with zig-zag stitching. Adjustable 2-stage closure reminds wearers to lift properly. Detachable and adjustable 1 1/2" knit elastic suspenders. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11383	332100951	ProFlex economy back support	M	Ea
11384	332100961	ProFlex economy back support	L	Ea
11385	332100971	ProFlex economy back support	XL	Ea
11386	332100981	ProFlex economy back support	2XL	Ea



ProFlex® 200SF High-Performance Back Supports

Contoured V-shape naturally positions the back support. Sticky Fingers® stays provide excellent gripping properties and deliver firm, continuous lower back and abdominal support. Power Panel Positioners™ keep elastic bands close to sides so they won't fall out of reach when in use. Also features reinforced woven cinch tabs and 840-denier durable spandex body cloth for breathability and consistent stretch. Adjustable 2-stage closure reminds wearers to lift properly. Includes detachable 1 1/2" knit elastic suspenders. Machine washable. Black.


ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 11283	332100791	ProFlex high-performance back support	M	Ea
11284	332100801	ProFlex high-performance back support	L	Ea
11285	332100811	ProFlex high-performance back support	XL	Ea
11286	332100821	ProFlex high-performance back support	2XL	Ea



11284



121



Premium Flat Cap Gel Knee Pads

Adjustable sizing pad reduces rocking to assure proper fit. Over-sized, abrasion-resistant hard plastic cap with flat kneeling surface provides greater kneeling stability. Gel-injected EVA foam padding to absorb impact and provide superior comfort. Hook-and-loop neoprene split strap closure to avoid bunching and slipping. One size. Black.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
121	325303131	Flat cap gel knee pads	20 Pr/Cs	Pr



Value Contoured Hard Cap Knee Pads

Abrasion-resistant plastic hard caps offer heavy-duty protection against injuries often sustained in rigorous kneeling conditions. Lightweight pads feature EVA foam padding and adjustable straps to ensure hours of comfortable, productive work. One size fits all. Blue.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
125	325303161	Hard cap knee pads, adjustable straps	20 Pr/Cs	Pr



125



126

Classic Wide Cap Knee Pads

Large, flexible PVC cap and EVA soft foam padding provide a dome of comfortable protection, extra durability and flexibility. Adjustable hook-and-loop straps guard against annoying shifting to keep pad in place. Also available with instant on/off buckle closures, which eliminate the possibility of a hook-and-loop snagging on carpet. One size fits all. Blue.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
126	325303181	Classic wide cap knee pads, adjustable straps	20 Pr/Cs	Pr

Check out our Impact-Resistant Gloves starting on page 132

ProFlex® 335 and 335HL Slip-Resistant Cap Knee Pads

Slip-resistant rubber cap design grips work surfaces for firm hold, and 840-denier nylon fabric cover stands up to tough jobs. Features long design for maximum surface coverage and 12 mm NBR foam padding for firm, consistent support. Woven elastic straps extend wear. Anti-odor treated. Wipes clean with damp cloth. Black.

ITEM #	ORDER #	DESCRIPTION	CASE QTY	UOM
18335	332104391	335 Slip-resistant caps, buckle closure	6 Pr/Bx	Pr
18336	332104401	335HL Slip-resistant caps, hook-&-loop closure	6 Pr/Bx	Pr



BACK

18335



18336



BACK



18380



ProFlex® Kneeling Pad

Non-conductive, silicone-free, corrosion-resistant design with closed-cell foam rubber construction will not easily compress. Resistant to petroleum products and other liquids. Built-in handle for portability. 14" x 21" x 1". Black.

ITEM #	ORDER #	DESCRIPTION	UOM
18380	332104451	Kneeling pad	Ea



Fall Protection

Employers are required to assess the workplace to determine if the walking/working surfaces on which employees are to work have the strength and structural integrity to safely support workers.

Visit www.osha.gov for complete details and regulation requirements.



R10CN-TB/UGN

R10CN-TB-BDP/UGN



By Honeywell

Miller Revolution™ Construction Harnesses

Features heavy-duty webbing, mating-buckle chest straps, tongue-buckle leg straps, cam buckles, stand-up D-ring, self-contained label pack, web finials and an integrated back and shoulder pad. Rotating PivotLink™ connection provides convenient attachment point for belts, tools and accessories. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	R10CN-TB/UGN	R10CN-TB-BDP/UGN
Size	Universal	Universal
Stand-Up Back D-Ring	Yes	Yes
Side D-Rings	No	Yes
Integrated Back/Shoulder Pads	Yes	Yes
Quick-Connect Chest & Leg Buckles	No	No
Cam Shoulder Buckles	Yes	Yes
Tongue Buckle Leg Straps	Yes	Yes
Label Pack	Yes	Yes
Web Finials	Yes	Yes
Removable Belt	No	Yes
Sub-Pelvic Strap	Yes	Yes
PivotLink Hip Connection	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	UOM
R10CN-TB/UGN	341556881	Construction harness	Ea
♦ R10CN-TB-BDP/UGN	341557111	Construction harness w/ side D-rings & pad & removable belt	Ea



By Honeywell

Miller Revolution™ Harnesses with DualTech™ Webbing

DualTech webbing offers soft, textured inside and durable, chemical-resistant polyester outer material. Features ErgoArmor™ semi-flexible back shield for impact protection, PivotLink™ connection, quick-release cam buckles for one-hand adjustments, self-contained label pack, quick-connect chest buckle, stand-up back D-ring, sub-pelvic strap and web finials. Tested to 7,000-lb. minimum tensile strength for greater safety and longer service life. Rated to 400 lbs. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	RDT-QC/UBK	RDT-TB/UBK
Size	Universal	Universal
Stand-Up Back D-Ring	Yes	Yes
Side D-Rings	No	No
Shoulder Pads	Yes	Yes
Quick-Connect Chest & Leg Buckles	Leg only	Chest only
Cam Shoulder Buckles	Yes	Yes
Tongue Buckle Leg Straps	No	Yes
Label Pack	Yes	Yes
Web Finials	Yes	Yes
Removable Belt	No	No
Sub-Pelvic Strap	Yes	Yes



RDT-TB/UBK

RDT-QC/UBK

ITEM #	ORDER #	DESCRIPTION	UOM
RDT-QC/UBK	341504611	Harness w/ quick-connect legs	Ea
♦ RDT-TB/UBK	341504661	Harness w/ tongue-buckle legs	Ea



By Honeywell

Contractor Harnesses

Specifically designed for use in construction. Lightweight, non-stretch webbing with a combination back D-ring pad/shoulder pads to minimize discomfort and stress around neck and shoulders. Soft lumbar back pad adds support and comfort. Features belt loops and removable waist belt, tongue-buckle leg straps, friction-buckle shoulder adjustments, mating-buckle chest straps, self-contained label pack and (2) pull-free lanyard rings. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	650CN-BP/UGN	650CN-BDP/UGN
Size	Universal	Universal
Back D-Ring	Yes	Yes
Front D-Ring	Option	Option
Side D-Rings	No	Yes
Chest Strap Buckle	Mating	Mating
Shoulder Strap Buckles	Friction	Friction
Leg Strap Buckles	Tongue	Tongue
Sub-Pelvic Strap	Yes	Yes



650CN-BP/UGN

650CN-BDP/UGN

ITEM #	ORDER #	DESCRIPTION	UOM
650CN-BP/UGN	341558481	Contractor harness w/ back D-ring	Ea
650CN-BDP/UGN	341579911	Contractor harness w/ back & side D-rings	Ea



Lightweight/Comfort Welder Harness

Lightweight harness features blue, flame-retardant Nomex® webbing to protect against weld splatter. Inner Kevlar® core adds strength and high-temperature resistance. Equipped with back D-ring, mating-buckle chest and leg straps, friction shoulder straps, sub-pelvic strap, belt loops and pull-up adjustment. Rated to 400 lbs. capacity. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements.

FEATURES	650K/UBL
Size	Universal
Back D-Ring	Yes
Front D-Ring	No
Side D-Rings	No
Shoulder Strap Buckles	Friction
Leg Strap Buckles	Mating
Chest Strap Buckles	Mating
Sub-Pelvic Strap	Yes



650K/UBL

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 650K/UBL	341558471	Welder harness	Ea



DuraFlex® Stretchable Harness

Comfortable, stretchable webbing with back D-ring, mating-buckle chest and leg straps, sub-pelvic straps, friction shoulder straps and back strap to prevent user from falling out of the harness, and adjustable belt loops. Pull-free lanyard rings allow for attachment of lanyard when not in use. Universal size is L/XL. Meets all applicable OSHA, ANSI and CSA standards and requirements. Green.

FEATURES	E650/UGN
Size	Universal
Back D-Ring	Yes
Side D-Rings	No
Leg Buckles	Mating
Chest Strap	Mating



E650/UGN

ITEM #	ORDER #	DESCRIPTION	UOM
◆ E650/UGN	341559051	Stretchable harness	Ea



Manyard® II Stretchable Shock-Absorbing Lanyards

Contracts from 6' to 4', reducing chances of tripping, snagging or dragging. Woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. Snap hooks have 3/4" gate opening and rebar hooks have 2 1/2" opening. Includes inspection log label. Meets all applicable OSHA, ANSI and CSA standards and requirements. Green.

ITEM #	ORDER #	DESCRIPTION	UOM
Single Leg Lanyards			
216M-27/6FTGN	341558431	Lanyard w/ locking snap hooks both ends, 3,600-lb. rated gates	Ea
216M/6FTGN	341507361	Lanyard w/ locking snap hooks both ends	Ea
◆ 219M-27/6FTGN	341558421	Lanyard w/ locking snap hook & rebar hook, 3,600-lb. rated gates	Ea
◆ 219M/6FTGN	341542551	Lanyard w/ locking snap hook & rebar hook	Ea
◆ 233M/6FTGN	341507621	Lanyard w/ locking choke-off loop & snap hook	Ea
Twin-Leg Lanyards			
◆ 231M-27/6FTGN	341567511	Lanyard w/ locking snap hook & rebar hooks, 3,600-lb. rated gates	Ea
231M/6FTGN	341542581	Lanyard w/ locking snap hook & rebar hooks	Ea
◆ 232M-27/6FTGN	341558401	Lanyard w/ locking snap hooks all ends, 3,600-lb. rated gates	Ea
◆ 232M/6FTGN	341507571	Lanyard w/ locking snap hooks all ends	Ea



216M-27/6FTGN



231M/6FTGN



StretchStop® Lanyards with SofStop® Shock Absorber

Contracts from 6' to 4', reducing chances of tripping, snagging or dragging. SofStop shock absorber is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Includes a heavy-duty back-up safety strap. Snap hooks have 3/4" throat opening and rebar hooks have 2 1/2" opening. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32. Green.

ITEM #	ORDER #	DESCRIPTION	UOM
913SS/6FTGN	341510751	Lanyard, single leg w/ locking snap hooks both ends	Ea
◆ 913RSS/6FTGN	341543701	Lanyard, single leg w/ locking snap hook & locking rebar hook	Ea
8798SS/6FTGN	341509961	Lanyard, twin-leg w/ locking snap hooks all ends	Ea
◆ 8798RSS/6FTGN	341509951	Lanyard, twin-leg w/ locking snap hook & locking rebar hooks	Ea



913SS/6FTGN

◆ Non-stock item. Minimum quantity may apply.



8798B/6FTGN



913B/6FTGN



PFL-4/9FT



RL20G/20FT



MFL-1-27/6FT

MFL-11/6FT



By Honeywell

BackBiter® Tie-Back Lanyards

All-in-one lanyard designed specifically for tie-back use reduces inventory and increases worker compliance. Features SofStop® shock absorber designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces. Includes locking Miller 5K® snap hook (5,000-lb. gate load capacity from any angle), locking snap hook with 3/4" gate opening harness connection, heavy-duty webbing and cross-arm anchorage connector. Twin-leg model can be used for 100% tie-off requirements. 6' Length. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1. Green.

ITEM #	ORDER #	DESCRIPTION	UOM
913B/6FTGN	341543671	Tie-back lanyard, single leg	Ea
8798B/6FTGN	341552001	Tie-back lanyard, twin-leg	Ea



By Honeywell

Miller Scorpion™ Personal Fall Limiters

Lightweight, compact design offers greater mobility, requires less fall clearance and reduces tripping hazards. Greater versatility through dual operation. Attaches directly to harness D-ring for use as personal fall limiter or as traditional self-retracting lifeline. Includes quick-activating, high strength stainless steel braking system to arrest free falls; visual load indicator to warn when unit must be removed from service; carabine, swivel shackle and locking snap hook. No annual factory recertification required. 9' Length. Capacity: 310 lbs. (400-lb. rated models available). Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ PFL-4/9FT	341558941	PFL w/ carabiner, swivel shackle & locking snap hook	Ea
PFL-4-Z7/9FT	341558361	PFL w/ carabiner, swivel shackle & locking snap hook, 3,600-lb. rated gate	Ea



By Honeywell

MightyLite™ Self-Retracting Lifelines

Ideally suited to a variety of construction, industrial, warehouse, utility and confined space applications. Compact design with swivels on snap hook and on top of unit perfect for hard-to-mount and permanent mount locations. Constructed with corrosion-resistant aluminum and stainless steel for long life, and includes tagline and carabiner. Automatic inertia brakes engage during a fall. 20' Length. No annual factory recertification required. Rated to 400 lbs. when using 928LS/18INYL SofStop® shock absorber. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ RL20P-Z7/20FT	341558371	SRL, 1" polyester webbing, 3,600-lb. rated gate	Ea
◆ RL20P/20FT	341505241	SRL, 1" polyester webbing	Ea
◆ RL20G-Z7/20FT	341558331	SRL, galvanized wire rope, 3,600-lb. rated gate	Ea
◆ RL20G/20FT	341505231	SRL, galvanized wire rope	Ea



By Honeywell

TurboLite™ Personal Fall Limiters

Compact and lightweight unit attaches directly to harness back D-ring for greater mobility. Eliminates need for different fall protection equipment to address changes in fall clearance. High-strength, impact-resistant nylon housing is lightweight and designed for maximum durability with 6' of working capacity lifeline. Capacity: 400 lbs. No annual factory recertification required. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
MFL-1-27/6FT	341557191	PFL w/ steel twist-lock carabiner & locking snap hook, 3,600-lb. rated gate	Ea
◆ MFL-1/6FT	341559731	PFL w/ steel twist-lock carabiner & locking snap hook	Ea
◆ MFL-2-Z7/6FT	341564001	PFL w/ steel twist-lock carabiner & locking rebar hook, 3,600-lb. rated gate	Ea
◆ MFL-2/6FT	341559741	PFL w/ steel twist-lock carabiner & locking rebar hook	Ea
◆ MFL-3-Z7/6FT	341564011	PFL w/ locking snap hook, no unit connector, 3,600-lb. rated gate	Ea
◆ MFL-3/6FT	341559751	PFL w/ locking snap hook, no unit connector	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ MFL-4-Z7/6FT	341564021	PFL w/ locking rebar hook, no unit connector, 3,600-lb. rated gate	Ea
◆ MFL-9-Z7/6FT	341557791	PFL w/ locking snap hooks both ends, 3,600-lb. rated gate	Ea
◆ MFL-9/6FT	341564081	PFL w/ locking snap hooks both ends	Ea
◆ MFL-10-Z7/6FT	341559021	PFL w/ locking snap hook & locking rebar hook, 3,600-lb. rated gate	Ea
◆ MFL-11/6FT	341564101	PFL w/ aluminum twist-lock carabiner & locking snap hook	Ea
MFL-12/6FT	341564111	PFL w/ aluminum twist-lock carabiner & locking rebar hook	Ea



Turbo T-BAK™ Personal Fall Limiters

Tie-back anywhere on lifeline. Cost-effective alternative to tie-back, shock-absorbing lanyards. All-in-one, self-retracting lifeline/anchorage connector designed for anchoring below user's harness back D-ring for greater safety, with integrated shock absorber for tie-back applications with load indicator device. Features 7 1/2' working capacity with heavy-duty web lifeline that extends/retracts smoothly without interruption. Provides more tie-off anchorage locations with greater variety of beam-size options. Miller 5K® locking snap hook has 5,000-lb. gate capacity from any angle. High-tech strength and abrasion-resistant webbing with white side stripe stitching indicating tie-back use. User-rated for 400-lbs. capacity. Meets all applicable OSHA, ANSI, CSA and CE standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ MFLT-1/7.5FT	341566411	PFL w/out unit connector	Ea
◆ MFLT-2/7.5FT	341566421	PFL w/ steel twist-lock carabiner	Ea
◆ MFLT-3/7.5FT	341566441	PFL w/ lightweight aluminum twist-lock carabiner	Ea
◆ MFLT-4/7.5FT	341566451	PFL w/ locking snap hook w/ 3/4" gate opening	Ea
◆ MFLT-5/7.5FT	341566461	PFL w/ locking snap hook w/ 3/4" gate opening, 3,600-lb. rated	Ea
◆ MFLTB-1/7.5FT	341566471	Twin Turbo D-ring connector w/ (2) MFLT-1/7.5FT PFL units	Ea



Miller MiniLite® Fall Limiters

Self-retracting 11' web lanyard with quick-activating braking system that limits a free fall to inches. Reduces need for extended fall distance clearance, minimizing injuries and making rescue easier. Includes steel twist-lock carabiner, stainless steel swivel shackle and locking snap hook. Capacity: 310 lbs. (400-lb. rated when using 928LS/181NYL SofStop® shock absorber). Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
FL11-3/11FT	341503301	Fall limiter	Ea
FL11-3-Z7/11FT	341558351	Fall limiter, 3,600-lb. rated	Ea



Falcon™ Self-Retracting Lifelines

High impact-resistant nylon housing with smooth, round edges increases durability. Corrosion-resistant stainless steel and aluminum internal components. Unique side payout design reduces wear on entry guide bushing and cable. Spring tension operation designed not to pull or drag on worker to improve productivity and reduce fatigue. Available in 3/16" galvanized wire rope, stainless steel cable or 0.69" web. Cable models have dual swivels (unit top and snap hook) included to minimize lifeline twisting during use. Improved load indicator on snap hook identifies when unit needs to be removed from service. 20' Length. No annual factory recertification required. Web model rated to 400 lbs. capacity, cable models require SofStop® shock absorber (928LS/181NYL) for 400-lb. rating. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ MP20P/20FT	341557881	SRL, web w/ stainless steel swivel, carabiner & aluminum snap hook	Ea
◆ MP20G/20FT	341540511	SRL, galvanized wire rope w/ tagline & carabiner	Ea
◆ MP20SS/20FT	341503411	SRL, stainless steel cable w/ tagline & carabiner	Ea





By Honeywell

Miller Carabiners

Lightweight, steel carabiners with automatic twist-lock operation.

ITEM #	ORDER #	DESCRIPTION	UOM
17D-1	34150171	Carabiner, 1" gate opening	Ea
18D-1	341506821	Carabiner, 2" gate opening	Ea



17D-1



18D-1



By Honeywell

Miller Grip™ Portable/Reusable Anchorage Connector

Designed as intermediary for securing connecting device to anchorage. Primarily used in concrete applications to attach lifeline or lanyard of single user. Portable, reusable 3/4" anchorage device easily fastens by pulling spring-loaded trigger and fitting device through hole drilled in properly cured concrete. When anchor is in place, tapered wedges open inside hole and provide secure grip. Can be removed and simply reinstalled in new vertical or horizontal location. Features 5,000-lb. ultimate strength, single user connection, 400-lb. capacity.



496

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 496	341508031	Anchorage connector	Ea



By Honeywell

Miller Shadow® Beam Anchor

Connects horizontally to wide range of I and H beam flanges from 3" to 24" wide and up to 2 1/2" thick. Once attached, unit slides along beam with worker to provide increased safety, mobility and productivity. Integral positive-lock engagement system eliminates need for loose connection pins which can be installed incorrectly or inadvertently disengaged. Meets all applicable OSHA regulations and ANSI standards.



8816-14

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 8816-14	341510151	Shadow beam anchor, adjustable aluminum	3"-14"	Ea



By Honeywell

Rope Grab with Manyard® Shock-Absorbing Lanyard

Constructed of plated steel and accommodates 3/4" or 5/8" rope. Designed with attached 4' Manyard shock-absorbing lanyard and locking snap hook with 3/4" throat opening. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32 and CSA Z259.2.1-98.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 8174MLS4/4FTYL	341508961	Rope grab w/ shock-absorbing lanyard	Ea



8174MLS4/4FTYL



2NA/UBK



By Honeywell

Body Belt

Maintains worker position in operations such as setting forms and tying rebar. Features heavy-duty webbing with built-in 3" back pad, tongue buckle and side D-rings. For positioning only and not intended for fall protection. Universal size.

ITEM #	ORDER #	DESCRIPTION	UOM
2NA/UBK	341507101	Body belt	Ea



6414N/UBK



By Honeywell

Harness Belt

Harness accessory for attaching tools. Black web belt is 1 3/4" with tongue buckle. Not intended for fall protection. Universal size.

ITEM #	ORDER #	DESCRIPTION	UOM
6414N/UBK	341508261	Harness belt	Ea



Titan™ Cross-Arm Strap

Commonly used in conjunction with tie-off point, such as an I-beam, column, rebar, scaffolding, roof truss or other structural member to join connecting device to anchor point. 6' Web strap features a D-ring which slips through a web loop. Meets all applicable OSHA, ANSI and CSA standards and requirements.



T7314/6FTAF

ITEM #	ORDER #	DESCRIPTION	UOM
T7314/6FTAF	341506661	Cross-arm strap	Ea



Titan™ Pack-Type Shock-Absorbing Lanyard

Features lightweight, durable polyester webbing. Shock-absorber pack included as integral part of standard lanyard. In the event of a fall, pack smoothly expands to reduce fall forces to at or below 900 lbs., while backup safety strap deploys for added fall protection. 6' Length. Meets all applicable OSHA, ANSI and CSA standards and requirements.



T6121/6FTAF

ITEM #	ORDER #	DESCRIPTION	UOM
T6121/6FTAF	341506621	Pack-Type, twin-leg lanyard w/ snap hooks all ends	Ea

Titan™ Full-Body Non-Stretch Harnesses

Constructed with lightweight, durable, non-stretch polyester webbing, fully adjustable full-body harness has sliding back D-ring, mating-buckle chest and shoulder straps and sub-pelvic strap. Rated at 400 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements. Universal size is L/XL.

FEATURES	T4000/UAK	T4500/UAK	T4007/UAK	T4507/UAK
Size	Universal	Universal	Universal	Universal
Sliding Back D-Ring	Yes	Yes	Yes	Yes
Side D-Rings	No	No	Yes	Yes
Integrated Back/Shoulder Pads	No	No	No	No
Chest & Shoulder Buckles	Mating	Mating	Mating	Mating
Leg Strap Buckles	Mating	Tongue	Mating	Tongue
Label Pack	Yes	Yes	Yes	Yes
Web Finials	No	No	No	No
Removable Belt	No	No	No	No
Sub-Pelvic Strap	Yes	Yes	Yes	Yes
Lanyard Ring	Yes	Yes	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	UOM
T4000/UAK	341541571	Harness w/ back D-ring & mating-buckle legs	Ea
T4500/UAK	341506461	Harness w/ back D-ring & tongue-buckle legs	Ea
T4007/UAK	341506431	Harness w/ back & side D-rings & mating-buckle legs	Ea
T4507/UAK	341506471	Harness w/ back & side D-rings & tongue-buckle legs	Ea



T4500/UAK

Titan T-Flex™ Stretchable Harnesses

Durable, stretch webbing and fully adjustable design improves comfort and mobility. Features back strap to prevent roll out, sliding back D-ring and pad for positioning, non-slip, mating-buckle chest strap, sub-pelvic strap and pull-free lanyard ring. Contrasting color leg straps simplify donning. Meets all applicable OSHA, ANSI and CSA standards and requirements. Universal size is L/XL.

FEATURES	TF4000/UAK	TF4500/UAK	TF4007/UAK	TF4507/UAK
Size	Universal	Universal	Universal	Universal
Sliding Back D-Ring & Pad	Yes	Yes	Yes	Yes
Side D-Rings	No	No	Yes	Yes
Integrated Back/Shoulder Pads	No	No	No	No
Chest Strap	Mating	Mating	Mating	Mating
Shoulder Buckles	No	No	No	No
Leg Strap Buckles	Mating	Tongue	Mating	Tongue
Label Pack	Yes	Yes	Yes	Yes
Web Finials	No	No	No	No
Removable Belt	No	No	No	No
Sub-Pelvic Strap	Yes	Yes	Yes	Yes
Lanyard Ring	Yes	Yes	Yes	Yes

ITEM #	ORDER #	DESCRIPTION	UOM
◆ TF4000/UAK	341505621	Stretchable harness w/ back D-ring & mating-buckle legs	Ea
◆ TF4500/UAK	341505641	Stretchable harness w/ back D-ring & tongue-buckle legs	Ea
TF4007/UAK	341505631	Stretchable harness w/ back & side D-rings & mating-buckle legs	Ea
TF4507/UAK	341505651	Stretchable harness w/ back & side D-rings tongue-buckle legs	Ea



TF4000/UAK

◆ Non-stock item. Minimum quantity may apply.



T5111/6FTAF



Titan™ Tubular Shock-Absorbing Lanyard

Built-in, woven inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a backup web lanyard. Lightweight construction with durable 6" webbing. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
T5111/6FTAF	341506521	Tubular lanyard, single leg w/ snap hooks both ends	Ea

Miller Titan™ Harness/Shock-Absorbing Lanyard Combo

Features sliding back D-ring with attached lanyard which keeps worker in an upright position in the event of a fall. Lightweight, durable webbing provides all day comfort and sub-pelvic strap helps reduce pressure on shoulders and legs. Equipped with mating-buckle leg straps. Permanently attached, 6' shock-absorbing tubular lanyard with snap hook features a built-in woven inner core that smoothly expands to reduce fall arrest forces. Capacity: 400 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32. Universal size is L/XL.

FEATURES	TRK4051/U/6FTAK
Size	Universal
Side D-Rings	No
Front D-Rings	No
Shoulder Strap	Mating
Leg Strap	Mating
Chest Strap	Mating

ITEM #	ORDER #	DESCRIPTION	UOM
TK4051/U/6FTAK	341505661	Harness/lanyard combo	Ea



TK4051/U/6FTAK



TRK4000/U/50FTAKU



Titan™ Roofing Fall Protection Kit

Ideal for commercial or residential roofing applications. Fully adjustable harness has sliding back D-ring, sub-pelvic support strap, and mating-buckle chest and shoulder straps. Rated at 400 lbs. Trilingual labeling and instructions. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32. Universal size is L/XL.

Includes:

- Lightweight, full-body harness
- 3' Pack-type shock-absorbing lanyard with snap hooks at each end
- Reusable roof anchor with attachment D-ring
- 5/8" Trailing rope grab and 50' rope lifeline

ITEM #	ORDER #	DESCRIPTION	UOM
TRK4000/U/50FTAKU	341505881	Roofing kit	Ea



Titan™ Construction Fall Protection Kit

All-in-one kit designed specifically for construction industry. Full-body harness features mating-buckle leg straps, sliding back D-ring and sub-pelvic support strap; rated at 400 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32. Universal size is L/XL.

Includes:

- 6' Tubular shock-absorbing lanyard
- 6' Cross-arm strap anchorage connector
- Full-body harness

ITEM #	ORDER #	DESCRIPTION	UOM
TCK4500/U/6FTAK	341505571	Construction kit	Ea



TCK4500/U/6FTAK



Manyard® Shock-Absorbing Lanyards

Specially woven shock-absorbing inner core smoothly expands to reduce fall arrest forces, while outer jacket serves as a back-up web lanyard. Unique warning flag provides visual proof that lanyard has been involved in a fall and must be removed from service. 6' Length. Meets all applicable OSHA, ANSI and CSA standards and requirements. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
219WRS/6FTYL	341550041	Lanyard, single leg w/ snap hook & rebar hook	Ea
216WLS/6FTYL	341507391	Lanyard, single leg w/ snap hooks both ends	Ea



219WRS/6FTYL



9077/1



Bandit™ Tool Lanyard

Designed for attachment to waist belt while still allowing enough freedom of movement to perform task at hand. Tools connect using carabiner or by looping cord around tool and cinching tight. Includes loop for waist belt attachment and lightweight aluminum mini-carabiner and cord adjuster.

ITEM #	ORDER #	DESCRIPTION	UOM
9077/1	341510611	Tool lanyard	Ea



9077/1



Permanent Roof Anchors

Designed to provide permanent anchorage points when securely installed on a wood ridge peak. Constructed of stainless steel and intended to provide fall protection for single worker. Supplied with (8) 16d nails. Single or double D-ring configurations. Meets all applicable OSHA, ANSI and CSA standards and requirements.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ RA40	341504461	Double D™ permanent roof anchor w/ double D-rings	Ea
RA41	341504471	Single D™ permanent roof anchor w/ single D-ring	Ea



RA40

RA41



Titan B-Compliant™ Roof Kits

Economical, easy-to-use, complete fall protection solution simplifies product selection by providing all necessary components for fall protection safety and to meet federal OSHA compliance.

Includes:

- Lightweight, full-body harness with 3-point adjustment and mating-buckle leg and chest straps for easy adjustment and comfortable fit. Allows for quick donning and greater mobility, increasing productivity with less worker fatigue.
- Rope grab with permanently-attached, 3' lanyard with shock absorber pack. In the event of a fall, rope grab locks on to rope reducing force on worker.
- High-strength, 5/8" dia. polyester/polypropylene rope lifeline with locking snap hook enables quick attachment to roof anchor and is UV- and moisture-resistant for increased durability.
- Reusable stainless steel roof anchor bracket with plated D-ring is corrosion-resistant.
- Waterproof container protects equipment when stored.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ TRK2000/25FT	341560981	Roof kit w/ 25' lifeline	Ea
◆ TRK2000/50FT	341560991	Roof kit w/ 50' lifeline	Ea



TRK2000/25FT



X00060



1005709



Xenon® Permanent Horizontal Lifeline Kits

Automatic pass-through fall protection for multiple workers. Do-it-yourself installation with patented stainless steel components that are easy-to-use and require minimal maintenance. For use along crane rail runways, loading bays/docks, machinery, conveyors, rooftops, inside sports arenas, pipe racks, bridges and many industrial applications. Stainless steel system kits designed for up to 2 workers (up to 4 workers with a second Xenon shock absorber). Kit includes stainless steel 5/16" wire rope, Xenon 4-in-1 shock absorber, (1) intermediate bracket, (2) stainless steel D-bolt anchorage connectors (rated up to 10,000 lbs.), swageless fast-attach fitting, anchor shackle, thimble, cable clips, hardware and instruction manual. Xenon shuttle sold separately. 60' Length lifeline. Meets all applicable global standards for Safety at Height.

- Xenon shuttle self-aligns for smooth pass-through of intermediate brackets. Double-locking mechanism ensures security; allows for easy, one-hand operation. No moving pass-through parts. Ideal for dusty, gritty or salty environments.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ X00060	341559851	Permanent HLL kit	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 1005709	341559861	Xenon shuttle	Ea



Vi-Go™ Automatic Pass-Through Cable Sleeve

Cable sleeve, sold separately from the Vi-Go Ladder Climbing Safety Systems, is designed to follow user along a 3/8" or 5/16" cable lifeline while ascending or descending, instantly locking in the event of a fall. Integrated shock-absorbing element provides dual shock-absorbing system to further reduce fall forces and protects system and ladder from damage. Once a fall occurs, the deployed shock absorber indicates unit must be removed from service. Can be used with automatic or manual system. Includes integral swivel and carabiner.



VGCS-SC

ITEM #	ORDER #	DESCRIPTION	UOM
◆ VGCS-SC	341561411	Automatic pass-through cable sleeve	Ea



10077571



Workman® Construction Harness

Vest style harness with back and hip D-rings for work positioning. Features abrasion-resistant, durable yellow polyester webbing for high visibility, lightweight components, integral back pad, removable tongue-buckle tool belt, tongue-buckle leg straps, shoulder pads and web retainer collars. Color-contrasting thigh and torso straps simplify donning. Fits a wide range of body types and sizes. Standard size. Instructions in English, Spanish and French Canadian. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32, ANSI Z359.1 and CSA Z259.10.

FEATURES	10077571
Size	Standard
Back D-Ring	Yes
Hip D-Rings	Yes
Shoulder Pads	Yes

ITEM #	ORDER #	DESCRIPTION	UOM
10077571	3085305B1	Construction harness	Ea



Workman® Full-Body Harnesses

Vest style harness with back D-ring and optional hip D-rings for work positioning. Features abrasion-resistant, durable yellow polyester webbing for high visibility, lightweight components, Qwik-Fit™ chest strap and web retainer collars. Choice of Qwik-Fit or tongue-buckle leg straps. Color-contrasting thigh and torso straps simplify donning. Fits a wide range of body types and sizes. Instructions in English, Spanish and French Canadian. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1 and CSA Z259.10.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10072487	3085985A1	Full-body harness w/ back D-ring & tongue-buckle legs	Standard	Ea
10072488	3085001C1	Full-body harness w/ back D-ring & tongue-buckle legs	XL	Ea
10072479	3085983A1	Full-body harness w/ back D-rings & Qwik-Fit legs	Standard	Ea
◆ 10072483	3085431B1	Full-body harness w/ back & hip D-rings & Qwik-Fit legs	Standard	Ea
10072491	3085432B1	Full-body harness w/ back & hip D-rings & tongue-buckle legs	Standard	Ea



10072487

FEATURES	10072487	10072488	10072479	10072483	10072491
Size	Standard	XL	Standard	Standard	Standard
Back D-Ring	Yes	Yes	Yes	Yes	Yes
Hip D-Rings	No	No	No	Yes	Yes
Chest Straps	Qwik-Fit	Qwik-Fit	Qwik-Fit	Qwik-Fit	Qwik-Fit
Leg Strap Buckles	Tongue	Tongue	Qwik-Fit	Qwik-Fit	Tongue

Some Important Highlights on Fall Protection



Anchorage



Body Harness



Lanyard



Lifeline



Personal Fall Arrest System



Rope Grab



Self-Retracting Lifeline/Lanyard

Anchorage: A secure point of attachment for lifelines, lanyards or deceleration devices, which is independent of the means of supporting or suspending the employee. Anchorages used for attachment of personal fall arrest equipment shall be independent of any anchorage being used to support or suspend platforms. OSHA standard; 1915.159(a)(8).

Body Harness: A design of straps which may be secured about the employee in a manner to distribute the fall arrest forces over at least the thighs, pelvis, waist, chest and shoulders with means for attaching it to other components of a personal fall arrest system. Personal fall arrest systems shall be inspected prior to each use for mildew, wear, damage, and other deterioration. Defective components shall be removed from service. OSHA standard; 1915.159(c)(5).

Lanyard: A flexible line of rope, wire rope, or strap which generally has a connector at each end for connecting the body belt or body harness to a deceleration device, lifeline, or anchorage. The attachment point of a body harness shall be located in the center of the wearer's back near the shoulder level, or above the wearer's head. If the free fall distance is limited to less than 20 inches (50.8 cm), the attachment point may be located in the chest position; and the attachment point of a body belt shall be located in the center of the wearer's back. OSHA standards; 1915.159(c)(1)(i) and 1915.159(c)(1)(ii).

Lifeline: A component consisting of a flexible line for connection to an anchorage at one end to hang vertically (vertical lifeline), or for connection to anchorages at both ends to stretch horizontally (horizontal lifeline), and which serves as a means for connecting other components of a personal fall arrest system to the anchorage. Lifelines and lanyards shall be protected against cuts, abrasions, burns from hot work operations and deterioration by acids, solvents, and other chemicals. OSHA standard; 1915.159(c)(4).

Personal Fall Arrest System: A system used to arrest an employee in a fall from a working level. It consists of an anchorage, connectors, a body belt or body harness and may include a lanyard, deceleration device, lifeline, or suitable combinations of these. Personal fall arrest systems shall be rigged such that an employee can neither free fall more than 6 feet (1.8 m) nor contact any lower level. OSHA standard; 1915.159(b)(7).

Rope Grab: A deceleration device which travels on a lifeline and automatically, by friction, engages the lifeline and locks so as to arrest the fall of an employee. A rope grab usually employs the principle of inertial locking, cam/lever locking, or both. Ropes and straps (webbing) used in lanyards, lifelines and strength components of body belts and body harnesses shall be made from synthetic fibers or wire rope. OSHA standard; 1915.159(c)(2).

Self-Retracting Lifeline/Lanyard: A deceleration device containing a drum-wound line which can be slowly extracted from, or retracted onto, the drum under slight tension during normal employee movement, and which, after onset of a fall, automatically locks the drum and arrests the fall. Self-retracting lifelines and lanyards that automatically limit free fall distances to 2 feet (0.61 m) or less shall be capable of sustaining a minimum tensile load of 3,000 pounds (13.34 kN) applied to a self-retracting lifeline or lanyard with the lifeline or lanyard in the fully extended position. OSHA standard; 1915.159(b)(3).



10047084



FP5K™ Web Tie-Back Shock-Absorbing Lanyards

Adjustable lanyard utilizes Monster-Edge™ webbing with 12,000-lb. minimum breaking strength designed for increased abrasion resistance, and a carabiner with a 1" gate opening and 5,000-lb. gate strength in any direction that allows it to be tied back directly to the lanyard. Carabiner body shape helps avoid confusion with standard connectors not designed for tie-back applications. Internal wear indicator consists of (2) yellow threads that, when visible, alert a user that the lanyard should be removed from service. Included Sure-Stop™ shock absorber keeps fall arrest forces below 900 lbs. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32 and Z359.1, and CSA Z259.11-05 E4.

ITEM #	ORDER #	DESCRIPTION	UOM
10047084	308535541	Tie-back lanyard, single leg w/ 36C snap hook	Ea
◆ 10107208	308572501	Tie-back lanyard, twin-leg w/ 36C snap hooks	Ea



10023932



FP Diamond™ Shock-Absorbing Lanyard

Lightweight and features durable polyester sheathing for increased abrasion and UV resistance. Includes a highly visible deployment tag. Pouchless design with added comfort. 6' Length; contracts to 4 1/2'. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI A10.32 and CSA Z259.11-05 E4.

ITEM #	ORDER #	DESCRIPTION	UOM
10023932	308522171	Lanyard, single leg w/ HL2000 harness & HL2000 anchor connectors	Ea



10113159



Workman® Energy-Absorbing Lanyard

Lightweight lanyard with a low-profile body. Shock absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection. Tear-tape design keeps fall arrest forces below 900 lbs. 6' Length. Meets all applicable OSHA regulations.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10113159	308531591	Lanyard, twin-leg w/ 36C snap hooks	Ea



506204



Dyna-Lock® Cable Self-Retracting Lanyard

Three continuously moving independent braking mechanisms prevent freezing in icy or corrosive conditions. Built-in shock absorber limits fall arrest forces to under 900 lbs. and 4 1/2' per second locking speed. Forged steel, zinc-plated, self-locking swivel snap hook on each unit with load indicator that activates and alerts user of impact loading. 3/16" Galvanized wire rope; 50' length. Capacity/working load is 400 lbs. maximum and 75 lbs. minimum. Meets all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 506204	308572041	SRL	Ea



10119507



Workman® Self-Retracting Lanyards

Integral ergonomic carrying handle for easier transport and installation. Swivel snap hook with load indicator at lifeline end greatly limits twisting of cable; also alerts users that unit has been involved in a fall and must be removed from service. RFID-enabled to simplify product tracking and inspection. Working capacity: 400 lbs. No required annual factory recertification. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1 and CSA Z259.2.2.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10119507	3085377E1	SRL	30'	Ea
◆ 10121834	3085378E1	SRL	50'	Ea



Workman® Web Personal Fall Limiters

Engineered thermoplastic housing decreases weight; rugged, impact-absorbing protective bumpers add durability. High-quality design reduces cost of ownership and eliminates downtime. Integral swivel on PFL connector and a load indicator that alerts unit has been involved in a fall and must be removed from service. Has field-replaceable lifeline. No annual factory recertification. Working capacity: 400 lbs. Meets all applicable OSHA regulations.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10093350	3085626C1	PFL, single leg w/ 1" steel carabiner & LC snap hook	12'	Ea
◆ 10093353	3085546C1	PFL, single leg w/ 1" steel carabiner & 36C snap hook	12'	Ea
◆ 10118937	3085823D1	PFL, twin-leg w/ 36CL (pelican) snap hooks	6'	Ea



10093350



FP Stryder™ Anchorage Connector

Lightweight at 4 1/2 lbs. with 400-lb. load capacity and offers easy, single hand installation. Low-friction wear pads with Teflon® eliminate metal-to-metal contact and allow anchorage connector to glide effortlessly along beam flange. Designed with integral load indicator that alerts user if unit has been exposed to a fall. Versatile design allows for mounting overhead or at worker's feet. Adjustable vernier allows for a secure fit and 1/4" adjustment intervals. Easy-to-use, push button adjustment. Fits beam flange widths from 4" to 13 1/2". Field serviceable. Meets all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10144431	308544331	Anchorage connector	Ea



10144431



1191209



PRO™ Construction Style Harnesses

Ergonomically designed with integrated comfort padding on shoulders and hips. Includes polyester webbing for superior abrasion resistance and durability, lightweight hardware and connecting components, built-in impact indicators for easy inspection, integral lanyard keeper, tongue-buckle body belt with hip pads, and back and side D-rings for positioning. Features tongue-buckle leg straps for fast and easy donning, spring-loaded torso buckles for quick and easy adjustment, and belt loops. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1191209	458035051	Construction style harness	M/L	Ea
1191210	458035061	Construction style harness	XL	Ea



FIRST™ Vest Style Harnesses

Features 5-point adjustment, back D-rings and pass-through or tongue-buckle straps. Corrosion-resistant hardware made of zinc-plated stamped steel. 1 3/4" Wide polyester web with supple back plaque. Capacity: 310 lbs. Universal size. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
AB17530	458075301	Vest style harness w/ pass-through legs	Ea
AB17550	458036081	Vest style harness w/ tongue-buckle legs	Ea



AB17550



ExoFit NEX™ Vest Style Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low visibility environments, stand-up dorsal D-ring, integrated suspension trauma straps for post fall-arrest comfort, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI standards.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability, protective shoulder caps
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency



1113007

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1113001	458036381	Vest style harness	S	Ea
1113004	458036391	Vest style harness	M	Ea
1113007	458036401	Vest style harness	L	Ea
1113010	458036411	Vest style harness	XL	Ea



1110152



ExoFit™ XP Construction Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates removable shoulder, hip and leg padding. Features spring-loaded, stand-up dorsal D-ring, side D-rings, sewn-in back pad and belt, one-handed quick-connect buckle chest and leg straps or tongue-buckle leg straps, and torso buckles to hold straps firmly in place and complete the 5-point adjustment system. i-Safe™ enabled with RFID technology. Hardware is coated for corrosion resistance. Capacity is 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1110152	458001521	Construction style harness w/ quick-connect buckle legs	L	Ea
1110176	458001761	Construction style harness w/ tongue-buckle legs	M	Ea



ExoFit™ XP Vest Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates removable shoulder, hip and leg padding. Features spring-loaded, stand-up dorsal D-ring, built-in belt loops, one-handed quick-connect buckles on chest and legs, and torso buckles to hold straps firmly in place and complete the 5-point adjustment system. i-Safe™ enabled with RFID technology. Hardware is coated for corrosion resistance. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1110101	458001011	Vest style harness	M	Ea
1110102	458001021	Vest style harness	L	Ea



1110102



1101655



Delta™ Construction Harnesses

Patented No-Tangle™ triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Lanyard keepers hold unused snap hooks and reduce trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Includes tongue-buckle leg straps, a spring-loaded stand-up dorsal D-ring for fast, easy and safe connections, and side D-rings for positioning. Hip pad ergonomically supports back and hips while bearing heavy loads. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1101654	458035011	Construction harness	M	Ea
1101655	458035021	Construction harness	L	Ea



Delta™ Vest Style Harnesses

Patented No-Tangle™ triangular design allows harness to fall into place for quick and easy donning and holds its basic shape so shoulder straps don't rub against neck. Water-repellent Repel™ webbing has built-in rip-stitch impact indicators for inspection of harness for prior damaging impact loads. Revolver™ vertical torso adjuster makes adjustments simple and fast, eliminating loose ends and locking into place to prevent slippage. Includes tongue-buckle, quick-connect or pass-through leg straps and incorporates a spring-loaded, stand-up dorsal D-ring for fast, easy and safe connections. Tech-Lite™ aluminum alloy buckles reduce both carried weight and energy required for all-day job performance. Features lanyard keepers for holding unused snap hooks and reducing trip hazards. i-Safe™ enabled with RFID technology; label protector has Velcro® cover for holding harness labels and i-Safe identification tag. Universal size. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
1102000	458020021	Vest style harness w/ back D-ring & tongue-buckle legs	Ea
1103321	458035041	Vest style harness w/ back D-ring & pass-through legs	Ea
1110600	458010601	Vest style harness w/ back D-ring & quick-connect legs	Ea
1102008	458020061	Vest style harness w/ back & side D-rings & tongue-buckle legs	Ea



1102000



1106101



Delta™ II Derrick Harnesses

Delta No-Tangle™ design for added comfort and easy donning, specifically for oil industry and workers who operate on monkey board. Includes seat sling, belt with back support, 18" back D-ring extension, front and lifting D-rings, mating buckles to connect to derrick belt, adjustable non-slip chest strap with pass-through buckle, tongue-buckle leg straps and plated hardware for corrosion resistance. i-Safe™ enabled with RFID technology. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1106101	458061011	Derrick harness	M	Ea
1106102	458061021	Derrick harness	L	Ea
1106103	458061031	Derrick harness	XL	Ea

◆ Non-stock item. Minimum quantity may apply.



1107775



Delta™ II Tower Climbing Harnesses

Features body belt with foam back pad, spring-loaded stand-up back D-ring, side and front D-rings and seat sling with positioning/suspension D-rings. Ideal for most construction applications. Delta No-Tangle™ design, tongue-buckle body belt and tongue-buckle leg straps ensure fast and easy donning. Includes plated hardware for corrosion resistance and (2) tool/pouch D-rings. i-Safe™ enabled with RFID technology. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1107775	458077751	Tower climbing harness	L	Ea
◆ 1107777	458077771	Tower climbing harness	M	Ea



ExoFit™ Vest Style Harnesses

Designed as a single piece of material constructed in an "X" shape that wraps around for no-tangle donning. Breathable lining wicks away moisture and soft edging prevents chafing. Ergonomic design incorporates built-in shoulder, hip and leg padding. Includes back D-ring and (3) one-handed quick-connect buckles. Hardware is coated for corrosion resistance. i-Safe™ enabled with RFID technology. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1107975	458079751	Vest style harness	S	Ea
1107976	458079761	Vest style harness	M	Ea
1107977	458079771	Vest style harness	L	Ea
1107981	458079811	Vest style harness	XL	Ea



1107976



ExoFit NEX™ Tower Climbing Harnesses

Full-body harness provides comfort and function with soft, yet extremely durable, anti-absorbent webbing, strategically placed padding and protective elements that prolong service life of harness. Chest platform places labels and i-Safe™ RFID tag behind a Velcro® cover to protect labels and provide easy access. Covered pocket with elastic sides is conveniently placed on front of chest strap to hold workplace or personal items such as a cellular phone. Includes reflective material that increases worker safety in low visibility environments, stand-up dorsal and front D-rings, integrated suspension trauma straps for post fall-arrest comfort, sewn-in hip pad and body belt with side D-rings, removable seat sling with positioning D-rings, impact indicator stitches and breakaway lanyard keepers. Capacity: 420 lbs. Meets all applicable OSHA regulations and ANSI standards.

Features:

- Duo-Lok™ quick-connect buckles: lightweight, one-hand use with memory-fit
- Revolver™ vertical torso adjusters: simple, fast adjustment that locks into position
- Hybrid comfort padding: combines premium comfort with durability
- Tech-Lite™ aluminum D-rings: lightweight alloy for added comfort
- Repel™ technology webbing: provides up to 5 times more abrasion resistance and water repellency

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 1113191	458031911	Tower climbing harness	M	Ea
◆ 1113192	458031921	Tower climbing harness	L	Ea
◆ 1113193	458031931	Tower climbing harness	XL	Ea



1113192



ExoFit NEX™ Oil and Gas Harnesses

Combines the ExoFit NEX with additional features for the on and offshore drilling markets. Features 18" D-ring extension, derrick attachments, belt with pad and back D-ring, soft seat sling with positioning D-rings, tongue-buckle leg straps and comfort padding. Shoulder connectors allow for a separate belly board belt to be attached to the harness for positioning while doing pipe work. Capacity: 420 lbs.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1113291	458030901	Oil & gas harness	M	Ea
1113292	458032921	Oil & gas harness	L	Ea
1113293	458032931	Oil & gas harness	XL	Ea



1113292



EZ-STOP™ Lanyards

Lighter, stronger and more durable than previous EZ-STOP models; 66% smaller and 40% lighter with 3/4" webbing that reduces weight. Includes HI-10™ Vectran® energy management material, which is a multifilament, high-tenacity performance yarn spun from liquid crystal polymer that is 5x stronger than steel and provides minimal moisture absorption and resists abrasion, chemicals, cuts and impact. Features redesigned steel snap hooks for lighter weight, hi-viz reflective material, Repel™ webbing, protected labels and an i-Safe™ identification tag. Lightest, strongest, smallest shock absorber in the world with rugged, durable, soft shock absorber cover. Patent-pending, locking gate/nose design for maximum strength and security. Dual action, 3,600-lb. gate for ANSI/CSA compliance and increased strength. 2 1/2" Gate opening fits around most structures.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1246011	458060111	Web lanyard, single leg w/ snap hooks both ends	6'	Ea
1246022	458060221	Web lanyard, twin-leg w/ snap hooks at leg ends	6'	Ea
1246110	458061101	Web lanyard, twin-leg w/ aluminum snap hook & aluminum rebar hooks	4'	Ea



1246011



Force2™ Shock-Absorbing Lanyard

Used when there is no overhead anchorage and the only option is to tie-off at your feet. Can also be used as a standard lanyard. Available in 1" standard webbing, 1 3/4" Kevlar® webbing, cable or rope. Equipped with 3,600-lb. snap hooks, 3" gated Saflok Max™ hooks, or web loop. A soft cover shock absorber is added for comfort. Appropriate for up to a 12' free fall and still limits arresting forces below 1,800 lbs. per OSHA standards. Dual Capacity Rating: Up to 310-lbs. capacity can be used for a 12' free fall; 311- to 420-lb. capacity can be used for a 6' free fall. i-Safe™ enabled with RFID technology. 6' Length. Meets or exceeds all industry standards for fall arrest forces including OSHA.

ITEM #	ORDER #	DESCRIPTION	UOM
1246167	458061671	Lanyard, single leg w/ snap hooks both ends	Ea



1246167



ShockWave2™ Shock-Absorbing Lanyards

Stretchable lanyard incorporates a unique inner core that immediately begins to extend and absorb energy during a fall, limiting arresting forces to an average of 900 lbs. Features abrasion-resistant tubular webbing for durability and 3,600-lb. gated hooks. Expands to 6' and contracts to 4 1/2' in reaction to movements, reducing trip fall hazards and snagging. Impact indicator allows for visual inspection of unit. i-Safe™ RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
1244306	458020121	Web lanyard, single leg w/ self-locking snap hooks both ends	Ea
1244321	458035081	Web lanyard, single leg w/ self-locking snap hook & 2 1/2" gate flat steel hook	Ea
1244412	458020141	Web lanyard, twin-leg w/ self-locking snap hook & 2 1/2" gate flat steel hooks at leg ends	Ea



1244306

1244321



EZ-STOP™ Retrax™ Lanyard

Utilizes retraction technology similar to airport security lines, retracting and expanding smoothly and consistently from 2 1/2' to 6'. Retraction keeps lanyard taut and close to body at all times, reducing trip fall hazards and snagging on equipment. Compact and lightweight weighing only 2 lbs. Gate compliance is 3,600 lb. Limits arresting forces to 900 lbs. or less. RFID technology enabled, 1 3/8" wide web. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.



1241460

ITEM #	ORDER #	DESCRIPTION	UOM
1241460	458014611	Lanyard, single leg w/ snap hooks both ends	Ea



Rebel™ Self-Retracting Lifelines

Lightweight, compact and durable. Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Rugged aluminum housing on web models or thermoplastic housing on cable models, with stainless steel working components and swivel housing connector to withstand rough use. Unique speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Web models feature unique, thin webbing that enables a compact size with a load capacity of 310 lbs. Galvanized steel cable models feature a maximum arresting force of 900 lbs. and support capacity of 420 lbs. and 5 mm cable dia. Hooks have 3,600-lb. gate compliance. Two year warranty, no annual re-certification required. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
AD111A	458001121	Web SRL w/ snap hook & housing carabiner	11'	Ea
AD120A	458020261	Web SRL w/ snap hook & housing carabiner	20'	Ea
AD111B	458068441	Web SRL w/ swivel snap hook & housing carabiner	11'	Ea
3590500	458005001	Cable SRL w/ swivel snap hook & housing carabiner	33'	Ea
3590550	458005550	Cable SRL w/ swivel snap hook & housing carabiner	50'	Ea



Ultra-Lok™ Self-Retracting Lifelines

Constructed with a durable, glass-filled polyurethane thermoplastic housing, stainless steel working components for corrosion resistance, and aluminum side plates for maximum durability and minimum weight. Anti-ratcheting twin disc brake system with an audio indicator lets worker know it is functioning properly. Features reserve lifeline retention system for added safety and swiveling anchorage loop to prevent twisting of lifeline. Web model features 1" web lifeline and 3,600-lb. gate hook end. Cable models feature 3/16" galvanized steel cable lifeline with 3,600-lb. rated swivel snap hook. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.



3103208

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3103208	458036021	Web SRL w/ swivel snap hook	20'	Ea
3504433	45804433	Cable SRL w/ swivel snap hook	20'	Ea
3504430	458020201	Cable SRL w/ swivel snap hook	30'	Ea
3504450	458044501	Cable SRL w/ swivel snap hook	50'	Ea



Nano-Lok™ Self-Retracting Lifelines

Ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. Lightweight, stays out of the way and can easily be used as a lanyard replacement. Locks quickly, stopping a fall within inches, and providing more protection at low heights. Tension is always kept on the lifeline, which reduces dragging, snagging and trip falls. Features impact-resistant housing, automatic, quick-activating arrestor, impact indicator, 3,600-lb. rated gate openings on carabiners and hooks, and retractable lifeline. i-Safe™ enabled. Capacity: 420 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards.



3101366

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3101366	458013661	Tie-back SRL, single leg w/ quick-connect connector & 5,000-lb. rated WrapBax™ hook end	9'	Ea
3101280	458012801	SRL, twin-leg w/ connector & (2) steel rebar hooks	6'	Ea



Sealed-Blok™ Cable Self-Retracting Lifelines

Incorporates a revolutionary concept that separates all dynamic components, including the motor spring and brake, from foreign elements such as grease, moisture and dirt. Environmentally sealed stainless steel and cast aluminum housing is designed for durability, even in harsh environments. Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. Features galvanized cable lifeline, self-locking swivel snap hook with impact indicator. Large pivoting anchorage handle stays in line with load for added security. i-Safe™ Intelligent Safety System enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3400900	458020441	SRL	50'	Ea
3400965	458009651	SRL	130'	Ea



Talon™ Self-Retracting Lifelines

Compact, lightweight design with an all-metal braking system. Anti-ratcheting dual pawl design limits maximum arresting force to 900 lbs. Two styles of anchorage connectors for larger and smaller diameter anchorage points. Features spring-loaded locking pin, impact-resistant nylon housing with 1" nylon webbing and snap hook impact indicator to warn when unit needs to be replaced. Audible indicator ensures unit is functioning properly. No service/recertification required, reducing cost of ownership. RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI A10.14 and Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
3101000	458000011	SRL, single leg w/ snap hook	8'	Ea
♦ 3102000	458020171	SRL, twin-leg w/ 2 1/4" gate aluminum rebar hooks, Delta™ comfort pad & (2) lanyard keepers	6'	Ea
3102100	458021001	SRL, twin-leg w/ tie-back webbing, 3/4" gate tie-back hooks, Delta comfort pad & (2) lanyard keepers	7 1/2'	Ea



Rope Lifeline Assemblies

Constructed of 5/8" polyester/polypropylene blend that offers additional abrasion and UV resistance. One taped end and self-locking snap hook with 3,600-lb. gate strength at other end. Meets or exceeds all applicable OSHA regulations and ANSI standards.


ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1202754	458027541	Rope lifeline	30'	Ea
1202794	458035071	Rope lifeline	50'	Ea



EZ-Line™ Retractable Horizontal Lifeline System

Innovative retractable design allows for quick and efficient set-up and disassembly of any length system. Retractable lifeline is simply pulled out for installation and retracted with built-in winch for dismantle. Entire 60' system is retracted into easy-to-carry case which eliminates large, bulky coils of cable. Weighs 25 lbs. Built-in pre-tension and impact indicators take guess work out of set-up and inspection. Provides hands-free horizontal mobility and continuous protection for (2) users per span, up to (6) users per system. Stanchions not included.

ITEM #	ORDER #	DESCRIPTION	UOM
7605060	458020231	Retractable horizontal lifeline system	Ea



Tie-Off Adapters

Pass-through design for quick and easy attachment to anchorage. Standard adapter has 1 3/4" polyester strap with 5,000-lb. minimum tensile strength. Features 3" wide wear pad and coated steel hardware for added abrasion resistance and durability. RFID technology enabled. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
1003000	458030001	Tie-off adapter	3'	Ea
1003006	458035001	Tie-off adapter	6'	Ea





6116540



Lad-Saf™ Cable Sleeve for Ladder Safety System

Sleeve with carabiner for Lad-Saf fixed ladder safety system. For use on 3/8" and 5/16" 1x7 or 7x19 solid core cable. Automatically follows user for hands-free climbing and fall protection. Easy to install and detach anywhere along lifeline. Secure locking system stops falls within inches. Built-in gravity lock prevents incorrect installation. Saflok™ steel carabiner for secure connection to harness. Extremely rugged and corrosion-resistant construction; compact, lightweight design. Order top and bottom brackets, cable and guides separately.

ITEM #	ORDER #	DESCRIPTION	UOM
6116540	458020221	Detachable cable sleeve	Ea



5000335



Rope Grab

Hands-free, 5/8" diameter rope grab for polypropylene ropes. Designed as a mobile-type, energy-absorbing grab with less sensitivity to rope variations. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
5000335	458020211	Rope grab	Ea



9501403



Suspension Trauma Safety Straps

Allows suspended worker to stand up in harness relieving pressure on arteries and veins around top of legs. Continuous loop design allows both sides of harness to relieve pressure. Strap provides increased comfort and improved circulation to one or both feet at a time while suspended. Safety accessories can be attached to most harness brands/styles right in the field. Installation is fast and efficient - just choke off to strap. Stows easily and stays out of worker's way. To deploy, simply unzip, hook straps together and step into. Sold as set of 2. Harness not included.

ITEM #	ORDER #	DESCRIPTION	UOM
9501403	458020251	Suspension trauma safety straps	Set



2101630



D-Ring with Anchorage Plate

Steel roof anchor with (2) 1/2" attachment holes. Integral cadmium-plated D-ring with 5,000-lb. minimum breaking strength. Bolt or weld the unit to a structure. 1/4" H x 2" W x 4 1/4" L. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
2101630	458016301	D-ring w/ anchorage plate	Ea



2108406



Fixed Beam Anchor

Specifically designed for fall arrest anchorage, but can also be used as end point for some horizontal lifeline systems. Installs quickly to beam structure, tightens using built-in adjustment handle. Attaches to beam structure in any orientation or direction for added versatility. Fits flanges 1 1/2" thick and 2 1/2" to 12" wide. Rated 5,000 lbs. minimum strength in any direction. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 2108406	458036011	Fixed beam anchor	Ea



PRO™ Concrete Continuous Insert Anchor

Provides complete hands-free horizontal mobility. Fits 1 5/8" wide strut material with self-closing and locking Saflok™ steel carabiner. Compact, lightweight design made of high-strength, corrosion-resistant stainless steel.


ITEM #	ORDER #	DESCRIPTION	UOM
AN220A	458022201	Concrete continuous insert anchor	Ea



Glyder2™ Sliding Beam Anchorage System

Provides complete horizontal mobility and can be tied-off overhead or at feet (use with Force2™ shock-absorbing lanyard when used at feet). Anchor effortlessly slides across beam on replaceable wear pads, eliminating metal-to-metal contact. Stainless steel construction for corrosion resistance and strength (5,000-lb. min. tensile strength). Channel lock prevents beam grip ends from rotating for hassle-free connection. Positive spring-loaded engagement provides precision adjustment. Dual-beam grip adjustment prevents twisting and turning as it moves along beam. Fits 3 1/2" to 14" wide flange up to 1 1/4" thick. Requires no pins and weighs 3.7 lbs. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
2104700	458020161	Anchorage system	Ea



Saflok™ Carabiners

Used to securely attach components together. Steel construction with 3,600-lb. rated gate and wide throat opening. Meets or exceeds all applicable OSHA regulations and ANSI standards, including ANSI Z359.1.

ITEM #	ORDER #	DESCRIPTION	UOM
2000112	458011121	Carabiner, 1 1/16" opening	Ea
2000114	458020151	Carabiner, 2 3/16" opening	Ea



Compliance in a Can™

Complete roofing fall protection system available in a convenient container.

Includes:

- 5-Pt. harness
- 5/8" Rope grab with 2' shock absorber
- 5/8", 50' Blend rope lifeline with attached snap hook
- Reusable roof anchor

ITEM #	ORDER #	DESCRIPTION	UOM
2199803	458098031	Compliance in a Can	Ea



Advanced™ Davit Quick-Release Mounting Bracket

Fits Advanced upper and lower masts. Durable, powder-coated aluminum construction. Compact and lightweight design.

ITEM #	ORDER #	DESCRIPTION	UOM
8516824	458068241	Davit quick-release mounting bracket	Ea





Water Safety

Employees working over or near water, where the danger of drowning exists, shall be provided with U.S. Coast Guard-approved life jackets or buoyant work vests.

Visit www.osha.gov for complete details and regulation requirements.

I6000RG



Deluxe Merchant Mate™ II Vest

Designed to turn most unconscious wearers face up with foam-filled collar for additional head support and (2) chest adjusters for improving flotation angle. Constructed of heavy-duty, 210-denier nylon shell and lining with 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels and collar. Includes special opening on back to accommodate most brands of fall protection harnesses. Features a USCG-approved whistle with pocket for whistle and light storage. USCG Approved, Type I. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I6000RG-00-000	623900051	Deluxe Merchant Mate II vest	Universal	Ea

I4040RG



Ship Mate II™ Vest

Economical, heavy-duty flotation vest (PFD) with tough nylon shell and Vislon® zipper. Features Aquafoam™ personal flotation foam, roomy armholes, adjustable side tabs, marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4040RG-00-000F	623900081	Ship Mate II vest	Universal	Ea

I4600RG



Work Boat™ Vests

Heavy-duty flotation vest features (2) adjustable belts for secure, comfortable fit and oversized armholes for improved range of motion. Leg straps tuck away in back pockets for added safety and improved in-water performance. Durable nylon shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4600RG-04-000F	623900241	Work Boat vest	L	Ea
I4600RG-05-000F	623900251	Work Boat vest	XL	Ea
I4600RG-06-000F	623900261	Work Boat vest	2XL	Ea

I4160RG



Deck Hand II™ Vests

Heavy-duty flotation vest features (10) flotation panels for flexible, contoured fit, rustproof Vislon® zipper and heavy-duty encircling body belt. Includes chest pocket with Velcro® closure, size adjustments, tough nylon outer shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4160RG-03-000F	623900111	Deck Hand II vest	M	Ea
I4160RG-04-000F	623900121	Deck Hand II vest	L	Ea
I4160RG-05-000F	623900131	Deck Hand II vest	XL	Ea
I4160RG-06-000F	623900141	Deck Hand II vest	2XL	Ea
I4160RG-07-000F	623900151	Deck Hand II vest	3XL	Ea
I4160RG-08-000F	623900161	Deck Hand II vest	4XL	Ea



General Purpose Vest

Features (2) encircling body belts and (1) chest strap, durable Crosstech™ flotation foam and 200-denier nylon oxford outer shell. Includes 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011389	623900281	General purpose vest	Universal	Ea



2000011389



First Mate™ Vests

Four-pocket flotation vest with soft, comfortable flotation foam for all-day wear. Features adjustable side tabs for a contoured fit and quick-adjust side tabs with Velcro® closure on pockets. Includes contoured foam cut, sturdy D-ring, 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels and Vislon® zipper. Minimum 15 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011404	623900291	First Mate vest	S/M	Ea
2000011405	623900301	First Mate vest	L/XL	Ea
2000011406	623900311	First Mate vest	2XL	Ea
2000011407	623900321	First Mate vest	3XL	Ea
2000011408	623900331	First Mate vest	4XL	Ea



2000011406



Versatile™ Vests

Tough nylon shell with 7-piece foam design for all-day comfort. Features (4) roomy pockets for accessories with full hook-and-loop closures, rustproof Vislon® zipper and eyelets for attaching lights or badge. Multiple foam inserts for flexibility and quick-adjust side tabs for secure fit and comfort. 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 for high visibility. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I465ORG-03-000F	623900351	Versatile vest	M	Ea
I465ORG-04-000F	623900361	Versatile vest	L	Ea
I465ORG-05-000F	623900371	Versatile vest	XL	Ea
I465ORG-06-000F	623900381	Versatile vest	2XL	Ea
I465ORG-07-000F	623900391	Versatile vest	3XL	Ea



I465ORG



Welders Vest

Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I405ORG-00-000	623900091	Welders vest	Universal	Ea



I405ORG



2000004520



Work Master™ Vests

Includes soft, comfortable closed-cell foam, belt with snag-resistant buckle for quick adjustment, hinged back panel and heavy-duty nylon shell. Marine mesh inner lining for breathability with flotation collar for added protection. Features 62 sq. in. 3M™ Scotchlite™ Reflective material SOLAS-grade 6755 on panels. Minimum 17 1/2 lb. buoyancy. USCG Approved, Type III/V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000004520	623900401	Work Master vest	Universal	Ea
2000004521	623900411	Work Master vest	Oversize	Ea



Force II™ Vests

Durable, easy-to-clean, PVC-coated work vest offers fall protection with opening for D-ring and lanyard. Aquafoam™ flotation foam retains buoyancy even when punctured. Features 3M™ Scotchlite™ Reflective material, SOLAS-grade 3150-A PS, with adhesive backing on panels. Includes snag-resistant buckles. Minimum 17 1/2 lb. buoyancy. Self-extinguishing under ASTM 1692-74. USCG Approved, Type V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000013834	623900431	Force II vest	Universal	Ea
2000015183	623900421	Force II vest	Oversize	Ea

2000013834



Deck Hand™ Vests

Heavy-duty flotation vest made with tough, nylon oxford outer shell and soft, lightweight mesh for ventilation. Includes rustproof Vislon® zipper, 1" heavy-duty encircling body belt and side adjustments for a secure fit. Features Crosstech® flotation foam and 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I624ORG-03-000F	623900631	Deck Hand vest	M	Ea
I624ORG-04-000F	623900641	Deck Hand vest	L	Ea
I624ORG-05-000F	623900651	Deck Hand vest	XL	Ea
I624ORG-06-000F	623900661	Deck Hand vest	2XL	Ea
I624ORG-07-000F	623900671	Deck Hand vest	3XL	Ea

I624ORG



Work Zone Gear™ Vests

Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable Crosstech® flotation foam, D-rings for attaching gear and 3M™ Scotchlite™ Reflective material, SOLAS-grade on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
3M™ Scotchlite™ 6755					
2000011409	623900441	Work Zone Gear vest	S	International orange	Ea
2000011410	623900451	Work Zone Gear vest	M	International orange	Ea
2000011357	623900461	Work Zone Gear vest	L	International orange	Ea
2000011412	623900471	Work Zone Gear vest	XL	International orange	Ea
2000011413	623900481	Work Zone Gear vest	2XL	International orange	Ea
2000011414	623900491	Work Zone Gear vest	3XL	International orange	Ea
3M™ Scotchlite™ 6187, ANSI Class 2					
I424ORG-03-ANS	623900511	Work Zone Gear vest	M	ANSI hi-viz orange	Ea
I424ORG-04-ANS	623900521	Work Zone Gear vest	L	ANSI hi-viz orange	Ea
I424ORG-05-ANS	623900531	Work Zone Gear vest	XL	ANSI hi-viz orange	Ea
I424ORG-06-ANS	623900541	Work Zone Gear vest	2XL	ANSI hi-viz orange	Ea
I424ORG-07-ANS	623900551	Work Zone Gear vest	3XL	ANSI hi-viz orange	Ea

I424ORG





Search and Rescue (SAR) Flotation Vests

Soft, lightweight mesh for ventilation. Aquafoam™ and Crosstech® flotation foam offers extra comfort. Includes (2) 1 1/2" encircling belts, adjustable chest strap, zipper front, (2) pockets with hook-and-loop closure and D-rings for attaching gear. Features 62 sq. in. 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2000011416	623900571	SAR flotation vest	M	Ea
2000011417	623900581	SAR flotation vest	L	Ea
2000011418	623900591	SAR flotation vest	XL	Ea
2000011419	623900601	SAR flotation vest	2XL	Ea
2000011420	623900611	SAR flotation vest	3XL	Ea



2000011417



VR™ Versatile Rescue Vests

Designed to provide extra shock absorption with polyethylene foam. Made with rugged, 500-denier nylon pack cloth outer shell for strength and durability, and soft 200-denier nylon liner for comfort. Front and back fold-out side panels provide side protection for a full range of sizes and fold in for added ventilation. Thin, low-profile design adds cushioning while permitting unrestricted freedom of movement while the longer torso length offers greater body coverage. Designed with a removable crotch strap that stows in pocket when not in use and features adjustable, elastic shoulders to help take-up excess fabric. Includes 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on front and back for improved nighttime visibility. Minimum 25 lb. buoyancy. USCG Approved, Type V.

Features:

- Quick-release belt with attached tether
- (4) Front adjustable straps
- Waist belt under foam to help prevent ride-up
- Stainless steel shoulder adjustment hardware allows for customized fit for tall or short wearers
- Chest pad covers center split
- Tether cover to keep loose straps confined
- Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, extra carabiners, etc.
- Lash tabs on left and right chest and shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad with multiple pockets and loops
- Lower front pocket provides room for storage

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
1650RED-00-000	623902101	Versatile rescue vest	Universal	Yellow	Ea
1650YEL-00-000	623902111	Versatile rescue vest	Universal	Red/black	Ea



1650RED



Ultra 4000 Convertible-Automatic Vests

Made of nylon outer shell with D-ring, cylinder storage pocket, high-visibility reflective tape, emergency whistle on bladder and Secumar® 1F automatic inflator with single-point indicator and 2" adjustable belt. Convertible from automatic to manual by changing the water-soluble pill cage to a yellow override tab. Features automatic override tab to re-arm as manual only and clear window to view arming status. Includes mesh storage bag, cylinder and water-sensing pill. Provides 33.7 lb. buoyancy when fully inflated. USCG Approved, Type V convertible device: Type II when armed in automatic mode, Type III when armed as manual only.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
1439-BLK-00-000	623901641	Automatic/inflatable vest	Universal	Black	Ea
2000004041	623901651	Automatic/inflatable vest	Universal	Orange	Ea



2000004041



Ultra Commercial-Automatic Vests

Automatic inflation when submerged in water, manual inflation by pulling lanyard or by oral tube. Halkey-Roberts® 1F automatic inflator with single-point indicator. Features high-visibility reflective tape, emergency whistle on bladder, clear window to view arming status, pocket to store extra cylinder, gear and D-ring. Heavy-duty nylon outershell with 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on front and 2" adjustable belt for secure fit. Tri-fold design provides comfortable fit and easy repacking. 33.7 lb. buoyancy when fully inflated. USCG Approved Type V for use when worn on uninspected commercial vessels less than 40' in length, not carrying passengers for hire. Approved substitute for a Type II or III PFD only when worn and used in accordance with the owner's manual.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
2000005011	623901671	Ultra commercial-automatic vest	Universal	Black	Ea
◆ 2000005012	623901661	Ultra commercial-automatic vest	Universal	Orange	Ea



2000005012

◆ Non-stock item. Minimum quantity may apply.



Ice Rescue Suits

One-piece suit made of 100% closed-cell neoprene. Provides buoyancy and insulation. Features off-set zipper for better face seal and flap, attached gloves, waterproof zipper and sealed seams. Designed with wrist pocket to hold ice picks, reinforced knees and elbows for long-lasting durability, thick-soled boot with tread for sure footing, and integral chest harness with stainless steel front and back D-rings. Uses 3M™ Scotchlite™ Reflective material, SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility. Individual storage bag included. Designed for rescue operations in extreme cold water and ice conditions. Not USCG approved. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I5950RG-24-000	623901691	Ice Rescue suit	Universal	Ea
I5950RG-26-000	623901701	Ice Rescue suit	Oversize	Ea



I5950RG



I5960RG



Driflex™ Cold Water Rescue Suit

Features Burp Grip™ handle for easier air release in suit. Invisalve™ plug allows for continuous purging of air to ensure maximum performance, so user can focus on rescue. Includes additional reflective tape around wrists for greater visibility, large cut, sonic-welded, PU-coated nylon shell, and 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on front. Thermal liner provides insulation of Aquafoam™ and nylon surface provides enhanced donning. Meets the needs of fire departments and ice rescue personnel. Orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I5960RG-24-000	623901711	Driflex rescue suit	Universal	Ea



1805R/B



Rapid Rescue Extreme™ Surface Suits

Features waterproof, breathable fabric, internal suspenders for fit and latex waterproof seals around neck and wrists. Includes waterproof entry zipper, CORDURA® knees and elbows for durability, seal protectors around wrists and neck, relief zipper, built-in waterproof sock and air purge valve. Red/black.

EM #	ORDER #	DESCRIPTION	SIZES	UOM
05R/B-03-000	623901781	Rapid Rescue Extreme dry suit	M	Ea
05R/B-04-000	623901791	Rapid Rescue Extreme dry suit	L	Ea
05R/B-05-000	623901801	Rapid Rescue Extreme dry suit	XL	Ea
05R/B-06-000	623901811	Rapid Rescue Extreme dry suit	2XL	Ea

2000008113



SOLAS Cold Water Immersion Suits

Made with 5 mm stretchable, flame retardant neoprene for quality anti-hypothermia protection. Generous fit for easy donning. Features buddy line, lifting harness and head pillow accessory. Each suit comes in color-coded storage bag. Complies with SOLAS Chapter III, IMO RES.MSC.207.(81) and are MED Approved. Head pillow support for USCG approval. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2000008111	623981111	Type S cold water immersion suit - SOLAS/USCG/MED	Child-Universal	Ea
◆ 2000008112	623981121	Type S cold water immersion suit - SOLAS/USCG/MED	Adult-S	Ea
◆ 2000008113	623981131	Type S cold water immersion suit - SOLAS/USCG/MED	Adult-Universal	Ea
◆ 2000008114	623981141	Type S cold water immersion suit - SOLAS/USCG/MED	Adult-Oversize	Ea

fyi. How hypothermia affects most adults

Water Temperature in Degrees F (Degrees C)	Exhaustion or Unconsciousness	Expected Time of Survival
32.5 (0.3)	Under 15 min.	Under 15 to 45 min.
32.5 to 40 (0.3 to 4.5)	15 to 30 min.	30 to 90 min.
40 to 50 (4.5 to 10)	30 to 60 min.	1 to 3 hrs.
50 to 60 (10 to 15.5)	1 to 2 hrs.	1 to 6 hrs.
60 to 70 (15.5 to 21)	2 to 7 hrs.	2 to 40 hrs.
70 to 80 (21 to 26.5)	2 to 12 hrs.	3 hrs. to indefinite
Over 80 (Over 26.5)	Indefinite	Indefinite

Source: www.uscg.mil



Protective Clothing

Protective apparel should fit well and be comfortable to wear, encouraging worker use. If the personal protective equipment does not fit properly, it can make the difference between being safely covered or dangerously exposed.

Visit www.osha.gov for complete details and regulation requirements.

DuPont
Personal Protection

DuPont™ Tyvek® Coveralls

Provides an effective barrier for dry, small particles, even after abrasion, with an ideal balance of protection, durability and comfort. Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light non-hazardous liquid splash. Proprietary comfort-fit design offers greater range of movement and increased worker comfort. Serged seams. Nylon zipper. White.



TY120S



TY122S



TY127S



ITEM #	ORDER #	SIZES	UOM
Tyvek® Coveralls, Collar, Open Wrists and Ankles			
TY120S-M	31710459	M	25/Cs
TY120S-L	31710458	L	25/Cs
TY120S-XL	31710461	XL	25/Cs
TY120S-2XL	31710462	2XL	25/Cs
TY120S-3XL	31710463	3XL	25/Cs
TY120S-4XL	31710464	4XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Tyvek® Coveralls, Attached Hood and Boots, Elastic Wrists and Ankles			
TY122S-M	31710467	M	25/Cs
TY122S-L	31710466	L	25/Cs
TY122S-XL	31710469	XL	25/Cs
TY122S-2XL	31710470	2XL	25/Cs
TY122S-3XL	31710471	3XL	25/Cs
TY122S-4XL	31710472	4XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Tyvek® Coveralls, Collar, Elastic Wrists and Ankles			
TY125S-M	31710476	M	25/Cs
TY125S-L	31710475	L	25/Cs
TY125S-XL	31710478	XL	25/Cs
TY125S-2XL	31710479	2XL	25/Cs
TY125S-3XL	31710480	3XL	25/Cs
TY125S-4XL	31710481	4XL	25/Cs

ITEM #	ORDER #	SIZES	UOM
Tyvek® Coveralls, Attached Hood, Elastic Wrists and Ankles			
TY127S-M	31710485	M	25/Cs
TY127S-L	31710484	L	25/Cs
TY127S-XL	31710487	XL	25/Cs
TY127S-2XL	31710488	2XL	25/Cs
TY127S-3XL	31710489	3XL	25/Cs
TY127S-4XL	31710490	4XL	25/Cs



DuPont
Personal Protection


DuPont™ Tyvek® Dual Coveralls

Garments combine protection, durability and comfort of Tyvek® fabric on front and comfort, softness and breathability of ProShield® fabric on back. Enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a long front zipper for easier donning and doffing and an elastic waist to better position the garment. Multiple interlocking threads are sewn around raw edges of garment material to create a strong, stress-resistant seam. Features storm flap, thumb loop to keep garment sleeve in place, and elastic opening for tighter fit at wrist and ankle. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
Tyvek® Dual Coveralls, Attached Respirator-Fit Hood				
◆ TD127SWBLG0025CM	31719839	Tyvek® Dual coveralls	L	25/Cs
◆ TD127SWBXL0025CM	31719840	Tyvek® Dual coveralls	XL	25/Cs
◆ TD127SWB2X0025CM	31719841	Tyvek® Dual coveralls	2XL	25/Cs
◆ TD127SWB3X0025CM	31719842	Tyvek® Dual coveralls	3XL	25/Cs
◆ TD127SWB4X0025CM	31719843	Tyvek® Dual coveralls	4XL	25/Cs
Tyvek® Dual Coveralls, Laydown Collar				
◆ TD125SWBLG0025CM	31718750	Tyvek® Dual coveralls	L	25/Cs
◆ TD125SWBXL0025CM	31718751	Tyvek® Dual coveralls	XL	25/Cs
◆ TD125SWB2X0025CM	31718752	Tyvek® Dual coveralls	2XL	25/Cs
◆ TD125SWB3X0025CM	31718753	Tyvek® Dual coveralls	3XL	25/Cs
◆ TD125SWB4X0025CM	31718754	Tyvek® Dual coveralls	4XL	25/Cs



Protective Clothing Sizing Chart: Non-Encapsulated Garments



◆ Non-stock item. Minimum quantity may apply.



DuPont
Personal Protection

DuPont™ ProShield® NexGen® Apparel

Microporous film laminated to a non-woven fabric provides excellent un-abraded barrier to non-hazardous particles and light liquid splash. Features zipper front and serged seams. White.

ITEM #	ORDER #	SIZES	UOM
--------	---------	-------	-----



ProShield® NexGen® Coveralls, Collar, Open Wrists and Ankles

NG120S-L	31710125	L	25/Cs
NG120S-XL	31710128	XL	25/Cs
NG120S-2XL	31710129	2XL	25/Cs
NG120S-3XL	31710130	3XL	25/Cs
NG120S-4XL	31710131	4XL	25/Cs



ProShield® NexGen® Coveralls, Attached Hood and Boots, Elastic Wrists

NG122S-M	31710135	M	25/Cs
NG122S-L	31710134	L	25/Cs
NG122S-XL	31710136	XL	25/Cs
NG122S-2XL	31710137	2XL	25/Cs
NG122S-3XL	31710138	3XL	25/Cs
NG122S-4XL	31710139	4XL	25/Cs
NG122S-5XL	31710140	5XL	25/Cs



ProShield® NexGen® Coveralls, Collar, Elastic Wrists and Ankles

NG125S-M	31710635	M	25/Cs
NG125S-L	31710141	L	25/Cs
NG125S-XL	31710142	XL	25/Cs
NG125S-2XL	31710143	2XL	25/Cs
NG125S-3XL	31710144	3XL	25/Cs
NG125S-4XL	31710145	4XL	25/Cs
NG125S-5XL	31710146	5XL	25/Cs



ProShield® NexGen® Coveralls, Storm Flap, Respirator-Fit Hood, Elastic Face, Wrists and Ankles

NG127S-M	31716146	M	25/Cs
NG127S-L	31716147	L	25/Cs
NG127S-XL	31716148	XL	25/Cs
NG127S-2XL	31716149	2XL	25/Cs
NG127S-3XL	31716150	3XL	25/Cs
NG127S-4XL	31716151	4XL	25/Cs



NG120S



NG122S



NG125S



NG127S



DuPont
Personal Protection

DuPont™ ProShield® Basic Coveralls

Meltblown spunbonded garments are made with comfort fit design. Soft, breathable and lightweight for enhanced range of motion and durability. Offers protection from dirt, grime and non-hazardous dry particles. Applications include general maintenance and janitorial/cleaning.



PB120SBU



PB122SWH



PB125SBU



PB127SWHM



ITEM #	ORDER #	SIZES	COLOR	UOM
ProShield® Basic Coveralls, Zipper Front				
PB120SBUMD002500	31712500	M	Blue	Ea
PB120SBULG002500	31712501	L	Blue	Ea
PB120SBUXL002500	31712502	XL	Blue	Ea
PB120SBU2X002500	31712503	2XL	Blue	Ea
◆ PB120SBU3X002500	31712504	3XL	Blue	Ea
PB120SBU4X002500	31712505	4XL	Blue	Ea
PB120SWHMD002500	31712510	M	White	Ea
PB120SWHLG002500	31712511	L	White	Ea
PB120SWHXL002500	31712512	XL	White	Ea
PB120SWH2X002500	31712513	2XL	White	Ea
◆ PB120SWH3X002500	31712514	3XL	White	Ea
PB120SWH4X002500	31712515	4XL	White	Ea
ProShield® Basic Coveralls, Zipper Front, Hood and Boots, Elastic Wrists and Ankles				
PB122SBUMD002500	31712520	M	Blue	Ea
PB122SBULG002500	31712521	L	Blue	Ea
PB122SBUXL002500	31712522	XL	Blue	Ea
PB122SBU2X002500	31712523	2XL	Blue	Ea
◆ PB122SBU3X002500	31712524	3XL	Blue	Ea
PB122SBU4X002500	31712525	4XL	Blue	Ea
PB122SWHMD002500	31712530	M	White	Ea
PB122SWHLG002500	31712531	L	White	Ea
PB122SWHXL002500	31712532	XL	White	Ea
PB122SWH2X002500	31712533	2XL	White	Ea
◆ PB122SWH3X002500	31712534	3XL	White	Ea
PB122SWH4X002500	31712535	4XL	White	Ea
ProShield® Basic Coveralls, Zipper Front, Storm Flap, Elastic Wrists and Ankles				
PB125SBUMD002500	31712540	M	Blue	Ea
PB125SBULG002500	31712541	L	Blue	Ea
PB125SBUXL002500	31712542	XL	Blue	Ea
PB125SBU2X002500	31712543	2XL	Blue	Ea
PB125SBU3X002500	31712544	3XL	Blue	Ea
PB125SBU4X002500	31712545	4XL	Blue	Ea
PB125SWHMD002500	31712550	M	White	Ea
PB125SWHLG002500	31712551	L	White	Ea
PB125SWHXL002500	31712552	XL	White	Ea
PB125SWH2X002500	31712553	2XL	White	Ea
◆ PB125SWH3X002500	31712554	3XL	White	Ea
PB125SWH4X002500	31712555	4XL	White	Ea
ProShield® Basic Coveralls, Zipper Front, Respirator-Fit Hood, Elastic Wrists and Ankles				
PB127SBUMD002500	31712560	M	Blue	Ea
PB127SBULG002500	31712561	L	Blue	Ea
PB127SBUXL002500	31712562	XL	Blue	Ea
PB127SBU2X002500	31712563	2XL	Blue	Ea
◆ PB127SBU3X002500	31712564	3XL	Blue	Ea
PB127SBU4X002500	31712565	4XL	Blue	Ea
PB127SWHMD002500	31712570	M	White	Ea
PB127SWHLG002500	31712571	L	White	Ea
PB127SWHXL002500	31712572	XL	White	Ea
PB127SWH2X002500	31712573	2XL	White	Ea
◆ PB127SWH3X002500	31712574	3XL	White	Ea
PB127SWH4X002500	31712575	4XL	White	Ea

◆ Non-stock item. Minimum quantity may apply.



DuPont
Personal Protection

DuPont™ Tychem® QC Coveralls

Made with polyethylene-coated Tyvek® fabric which provides protection against light liquid splash. Bright yellow color creates contrast across a wide range of natural backgrounds for high visibility in the workplace. Lightweight fabric is durable and resistant to tear and abrasion. Ideal for use in chemical processing and manufacturing applications. Features zipper front.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



ITEM #	ORDER #	SIZES	UOM
Tychem® QC Coveralls, Collar, Open Wrists and Ankles, Bound Seams			
◆ QC120B-L	31710295	L	12/Cs
◆ QC120B-XL	31710298	XL	12/Cs
◆ QC120B-2XL	31710299	2XL	12/Cs
◆ QC120B-3XL	31710300	3XL	12/Cs
◆ QC120B-4XL	31710323	4XL	12/Cs
Tychem® QC Coveralls, Attached Hood and Socks, Elastic Wrists and Face, Serged Seams			
QC122S-L	31710314	L	12/Cs
QC122S-XL	31710317	XL	12/Cs
QC122S-2XL	31710318	2XL	12/Cs
QC122S-3XL	31710319	3XL	12/Cs
Tychem® QC Coveralls, Collar, Storm Flap, Elastic Wrists and Ankles, Bound Seams			
◆ QC125B-L	31710321	L	12/Cs
◆ QC125B-XL	31710324	XL	12/Cs
QC125B-2XL	31710325	2XL	12/Cs
◆ QC125B-3XL	31710326	3XL	12/Cs
◆ QC125B-4XL	31710327	4XL	12/Cs
Tychem® QC Coveralls, Collar, Elastic Wrists and Ankles, Serged Seams			
QC125S-L	31710329	L	12/Cs
QC125S-XL	31710332	XL	12/Cs
◆ QC125S-2XL	31710333	2XL	12/Cs
◆ QC125S-3XL	31710334	3XL	12/Cs
QC125S-4XL	31710335	4XL	12/Cs
Tychem® QC Coveralls, Attached Hood, Elastic Face, Wrists and Ankles, Serged Seams			
QC127S-M	31710346	M	12/Cs
QC127S-L	31710345	L	12/Cs
QC127S-XL	31710348	XL	12/Cs
QC127S-2XL	31710349	2XL	12/Cs
QC127S-3XL	31710350	3XL	12/Cs
QC127S-4XL	31710351	4XL	12/Cs
QC127S-5XL	31710352	5XL	12/Cs



DuPont
Personal Protection

DuPont™ Tychem® F Coveralls

Made of proprietary barrier film laminated to Tyvek® substrate. Fabric provides at least 30 minutes of protection against over 180 challenge chemicals including chemical warfare agents and toxic industrial chemicals. Strong, durable and lightweight. Low-visibility gray color is preferred by law enforcement, emergency medical service (EMS) technicians and military personnel. Taped seams (sewn seams covered with a strip of compatible chemical-resistant fabric through heat sealing) offer strong chemical resistance against heavy liquid splashes. Features 3-piece attached hood design with zipper front that extends to chin, storm flap that covers zipper, and elastic wrists and ankles for tighter fit.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TF145TGYMD000600	31710728	Tychem® F coveralls	M	6/Cs
◆ TF145TGYLG000600	31710727	Tychem® F coveralls	L	6/Cs
TF145TGYXL000600	31710729	Tychem® F coveralls	XL	6/Cs
TF145TGY2X000600	31710730	Tychem® F coveralls	2XL	6/Cs
TF145TGY3X000600	31710731	Tychem® F coveralls	3XL	6/Cs
TF145TGY4X000600	31710732	Tychem® F coveralls	4XL	6/Cs

TF145TGY



SL122B

DuPont Personal Protection **DuPont™ Tychem® SL Coveralls**

Made from lightweight Tyvek® laminated to chemical-resistant Saranex™ 23P film. Provides protection against a broad spectrum of chemicals, hazardous particles and liquids. Strong fabric reduces risk of tears and abrasions. Features zipper front with storm flap. White.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.

ITEM #	ORDER #	SIZES	UOM
Tychem® SL Coveralls, Collar, Open Wrists and Ankles, Bound Seams			
◆ SL120B-L	31710378	L	12/Cs
◆ SL120B-XL	31710381	XL	12/Cs
◆ SL120B-2XL	31710382	2XL	12/Cs
◆ SL120B-3XL	31710383	3XL	12/Cs
◆ SL120B-4XL	31710384	4XL	12/Cs
Tychem® SL Coveralls, Attached Hood and Socks, Elastic Face and Wrists, Bound Seams			
SL122B-XL	31710389	XL	12/Cs
SL122B-2XL	31710390	2XL	12/Cs
SL122B-3XL	31710391	3XL	12/Cs
Tychem® SL Coveralls, Collar, Elastic Wrists and Ankles, Taped Seams			
◆ SL125T-L	31712378	L	12/Cs
◆ SL125T-XL	31710699	XL	12/Cs
◆ SL125T-2XL	31712382	2XL	12/Cs
◆ SL125T-3XL	31713529	3XL	12/Cs
◆ SL125T-4XL	31713314	4XL	12/Cs
Tychem® SL Coveralls, Collar, Elastic Wrists and Ankles, Bound Seams			
◆ SL125B-L	31710399	L	12/Cs
◆ SL125B-XL	31710402	XL	12/Cs
◆ SL125B-2XL	31710403	2XL	12/Cs
◆ SL125B-3XL	31710404	3XL	12/Cs
◆ SL125B-4XL	31710405	4XL	12/Cs

DuPont Personal Protection **DuPont™ Tempro® Coveralls**

Cost-efficient over garment designed to be worn over primary flame-resistant garments to provide a barrier against non-hazardous particles and aerosols. Sealed seams. Blue.

ITEM #	ORDER #	SIZES	UOM
Tempro® Coveralls, Collar, Open Wrists and Ankles			
TM120S-L	31712975	L	25/Cs
TM120S-XL	31712978	XL	25/Cs
TM120S-2XL	31712979	2XL	25/Cs
TM120S-3XL	31712980	3XL	25/Cs
TM120S-4XL	31713965	4XL	25/Cs
TM120S-5XL	31714029	5XL	25/Cs
Tempro® Coveralls, Attached Hood and Socks, Elastic Wrists			
TM122S-L	31713564	L	25/Cs
TM122S-XL	31713761	XL	25/Cs
TM122S-2XL	31714082	2XL	25/Cs
TM122S-3XL	31711122	3XL	25/Cs
TM122S-4XL	31711123	4XL	25/Cs
TM122S-5XL	31712509	5XL	25/Cs
Tempro® Coveralls, Attached Hood, Elastic Wrists and Ankles			
TM127S-L	31712985	L	25/Cs
TM127S-XL	31712988	XL	25/Cs
TM127S-2XL	31712989	2XL	25/Cs
TM127S-3XL	31712990	3XL	25/Cs
TM127S-4XL	31710457	4XL	25/Cs
TM127S-5XL	31714038	5XL	25/Cs



TM127S

◆ Non-stock item. Minimum quantity may apply.



Disposable

Our Quality Shows in Every Format...



Zipper front, no elastic



Zipper front, elastic back, wrists and ankles




Zipper front, elastic back, wrists, ankles & hood




Zipper front, elastic back, wrists, ankles, hood & boots

...And in Every Seam.



SERGED SEAM

is a basic stitched seam that's appropriate for exposure to non-hazardous substances. Overlap stitching provides strength and durability.



BOUND SEAM

is a serged seam that's reinforced with binding for strength and tear resistance.




TAPED SEAM

is serged, then reinforced with a film tape that's resistant to water and many liquid chemicals.*

*If your application requires a chemical resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.

Sizing Chart for Reflex* Design Garments



Symbol Key



Breathable



Allows Sweat and Moisture Vapor to Escape



Resistant to Dry Particles



Repellent to Liquid Splashes



Resistant to Liquids Under Pressure



Resistant to Blood, Body Fluids and Bloodborne Pathogens



Resistant to Many Liquid and Dry Particulate Chemicals



Resistant to Select Chemicals and Vapors



Anti-Static



Resistant to Flame

These symbols will help you identify the KIMBERLY-CLARK PROFESSIONAL* Protective Apparel that meets your specific needs. Look for them on the product pages.



Kleanguard* A10 Light-Duty Coveralls

Lightweight polypropylene material provides great comfort. Features zipper front and elastic wrists. Typical uses include food processing, general maintenance and manufacturing. White. Meets ANSI/ISEA 101-1996 sizing standards.



10468

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10468	15401114	A10 Coveralls	L	25/Cs
10636	15401111	A10 Coveralls	XL	25/Cs



Kleanguard* A20 Breathable Particle Protection Coveralls

Constructed of patented Microforce* Barrier SMS Fabric that offers protection against dry particulates. Patented Reflex* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Typical uses: laboratories, decontamination modesty garment, remediation, pesticides and heavy-dust environments. Lightweight and breathable. Zipper front.



49103

ITEM #	ORDER #	SIZES	COLOR	UOM
A20 Coveralls, Collar, Open Wrists and Ankles				
49002	15409002	M	White	24/Cs
49003	15408225	L	White	24/Cs
49004	15408238	XL	White	24/Cs
49005	15408239	2XL	White	24/Cs
49006	15408235	3XL	White	20/Cs
49007	15400618	4XL	White	20/Cs

A20 Coveralls, Collar, Elastic Back, Wrists and Ankles				
49102	15408246	M	White	24/Cs
49103	15408248	L	White	24/Cs
49104	15408250	XL	White	24/Cs
49105	15408244	2XL	White	24/Cs
49106	15408245	3XL	White	20/Cs
49107	15404910	4XL	White	20/Cs

A20 Coveralls, Attached Hood, Elastic Back, Wrists and Ankles				
49112	15408251	M	White	24/Cs
49113	15408252	L	White	24/Cs
49114	15408254	XL	White	24/Cs
49115	15408256	2XL	White	24/Cs
49116	15408219	3XL	White	20/Cs
49117	15400619	4XL	White	20/Cs

A20 Coveralls, Elastic Back, Wrists and Ankles				
58502	15400286	M	Blue	24/Cs
58503	15408503	L	Blue	24/Cs
58504	15400279	XL	Blue	24/Cs
58505	15408505	2XL	Blue	24/Cs
58506	15408506	3XL	Blue	20/Cs
58507	15408507	4XL	Blue	20/Cs



Kleanguard* A30 Breathable Splash and Particle Protection Coveralls

Breathable, patented Microforce* Barrier SMS Fabric. Strong and abrasion-resistant. Typical uses: pharmaceutical research, dry particle contamination, aerospace, maintenance/general manufacturing. Patented Reflex* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Zipper front with 1" flap. Elastic back. White.



46104

ITEM #	ORDER #	SIZES	UOM
A30 Coveralls, Collar, Elastic Wrists and Ankles			
46102	15400580	M	25/Cs
46103	15400581	L	25/Cs
46104	15400582	XL	25/Cs
46105	15400583	2XL	25/Cs
46106	15400585	3XL	21/Cs
46107	15400586	4XL	21/Cs

A30 Coveralls, Attached Hood, Elastic Wrists and Ankles			
46112	15400587	M	25/Cs
46113	15400588	L	25/Cs
46114	15406114	XL	25/Cs
46115	15400589	2XL	25/Cs
46116	15400590	3XL	21/Cs
46117	15406117	4XL	21/Cs



Kleanguard* A10 Light-Duty Shoe Covers

Lightweight polypropylene material provides comfort. Fully elasticized and low skid. Universal. Blue. Meets ANSI/ISEA 101-1996 sizing standards.



36811

ITEM #	ORDER #	DESCRIPTION	UOM
36811	15406811	A10 Shoe covers	300/Cs



44302



44323



Kleenguard* A40 Liquid and Particle Protection Coveralls

Breathable, microporous film laminate. Low in lint. Ideal for fiberglass manufacturing, tank cleaning, utilities and liquid handling. Zipper front. White. NFPA 99 Compliant Antistatic material. Passes ASTM F1670 testing for penetration of blood and bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard.

ITEM #	ORDER #	SIZES	UOM
A40 Coveralls, Collar, Open Wrists and Ankles			
44302	15400302	M	25/Cs
44303	15400303	L	25/Cs
44304	15400304	XL	25/Cs
44305	15400305	2XL	25/Cs
44306	15400306	3XL	25/Cs
A40 Coveralls, Collar, Elastic Wrists and Ankles			
44313	15400313	L	25/Cs
44314	15400314	XL	25/Cs
44315	15401315	2XL	25/Cs
44316	15401316	3XL	25/Cs
A40 Coveralls, Attached Hood, Elastic Wrists and Ankles			
44323	15400298	L	25/Cs
44324	15400299	XL	25/Cs
44325	15401325	2XL	25/Cs
44326	15400300	3XL	25/Cs
44327	15400301	4XL	25/Cs



Kleenguard* A60 Bloodborne Pathogen and Chemical Protection Coveralls

Patented 3-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape, yet protects against many dry particulates and liquids, even under pressure. Outer layers provide protection of the film barrier against tearing and abrasion. Seamless front provides greater protection. Attached hood and boots, elastic wrists and ankles, and zipper front with taped storm flap. Patented Reflex* design is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length. Passes ASTM F1670/F1671 testing for penetration of blood, bodily fluids and bloodborne pathogens. Blue.

ITEM #	ORDER #	SIZES	UOM
A60 Coveralls			
45093	15400424	L	24/Cs
45094	15405094	XL	24/Cs
45095	15400426	2XL	24/Cs
45096	15400427	3XL	20/Cs



45094





DuPont Personal Protection **DuPont™ Tyvek® Sleeves**

Offers extra protection for arms and garments. Effective barrier to non-hazardous liquids and particles. Elastic ends ensure secure fit. Serged seams. Universal. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY500S	31710538	Tyvek® sleeves, 18"	200/Cs



TY500S

DuPont Personal Protection **DuPont™ Tyvek® Shoe Covers**

Flashspun high-density polyethylene provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. Universal. White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY450SWH00020000	31713959	Tyvek® shoe covers, 5"	200/Cs
TY450SWH000200LG	31714083	Tyvek® shoe covers, 8 1/4"	200/Cs



TY450S

DuPont Personal Protection **DuPont™ SureStep™ Shoe and Boot Covers**

Features elastic opening and a unique polyethylene extrusion coating for skid resistance. Tear-resistant fabric has a seamless bottom design and is fluid-resistant for safety and extended life. Virtually lint-free, will not delaminate. Generous cut. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ PE444SWHLG010000	31716622	Boot covers w/ elastic ankle, 13" high	L	White	100/Bx
◆ PE444SWHXL010000	31714441	Boot covers w/ elastic ankle, 13" high	XL	White	100/Bx
◆ PE440SWHLG020000	31710217	Shoe covers, 5 1/2" high	L	White	200/Bx
PE440SWHXL020000	31710218	Shoe covers, 5 1/2" high	XL	White	200/Bx
PE440SBULG020000	31711669	Shoe covers, 5 1/2" high	L	Blue	200/Bx
◆ PE440SBUXL020000	31711670	Shoe covers, 5 1/2" high	XL	Blue	200/Bx



PE444SWH

DuPont Personal Protection **DuPont™ Tyvek® Boot Covers**

Flashspun high-density polyethylene provides an ideal balance of durability and comfort. Provides an effective barrier against hazardous, small sized particles, even after abrasion. Features elastic top and serged seams. Height: 18". White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
TY454S	31718090	Tyvek® boot covers	Universal	100/Cs
TY454SWHLG0100SR	31714075	Tyvek® boot covers w/ skid-resistant sole	L	100/Cs
TY454SWHXL0100SR	31714065	Tyvek® boot covers w/ skid-resistant sole	XL	100/Cs



TY454S

DuPont Personal Protection **DuPont™ Tyvek® FC Boot Covers**

Made with spunbonded olefin with skid-resistant friction coating. Elastic top. Serged seams. Height: 18". Universal. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
FC454S	31714100	Tyvek® FC boot covers	100/Cs



FC454S

DuPont Personal Protection **DuPont™ Tyvek® FC Shoe Covers**

Made with spunbonded olefin. Skid-resistant with low elastic top. Serged seams. Height: 5". Universal. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
FC450S	31713961	Tyvek® FC shoe covers	200/Cs



FC450S

◆ Non-stock item. Minimum quantity may apply.



TY273S

DuPont
Personal Protection

DuPont™ Tyvek® Aprons

Provides front body protection from non-hazardous particles and light liquid splash. Bib-style with neck loop for easy on and off. Low linting and static-free. 28" x 36". White.

ITEM #	ORDER #	DESCRIPTION	UOM
TY273S	31710784	Tyvek® bib-style aprons	100/Cs

DuPont
Personal Protection

DuPont™ Tychem® QC Bib Aprons

Polyethylene-coated fabric offers effective splash protection. Lightweight fabric is durable and resistant to tear and abrasion. Bright yellow color creates contrast across a broad range of backgrounds. Features 26" bound neck and 24" ties. 28" x 36". Universal.

Warning: Not flame-resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments. Garments should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur. Consult user manual for instructions on proper use, care and maintenance of Tychem® garments.



QC273B

ITEM #	ORDER #	DESCRIPTION	UOM
QC273BYL00010000	31710674	Tychem® QC bib aprons	100/Cs



TY211S

SIDE

BACK

DuPont
Personal Protection

DuPont™ Tyvek® Frocks

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Feature serged seams and snap closures. No pockets. White.

ITEM #	ORDER #	SIZES	UOM
Tyvek® Frocks, Open Wrists			
TY210S-M	31710494	M	30/Cs
TY210S-L	31710493	L	30/Cs
TY210S-XL	31710496	XL	30/Cs
TY210S-2XL	31710497	2XL	30/Cs
TY210S-3XL	31710498	3XL	30/Cs
TY210S-4XL	31710499	4XL	30/Cs
Tyvek® Frocks, Elastic Wrists, Extra Long			
TY211S-M	31710502	M	30/Cs
TY211S-L	31710501	L	30/Cs
TY211S-XL	31710504	XL	30/Cs
TY211S-2XL	31710505	2XL	30/Cs
TY211S-3XL	31710506	3XL	30/Cs
TY211S-4XL	31713282	4XL	30/Cs
TY211S-5XL	31713266	5XL	30/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Shirts

Flashspun high-density polyethylene (HDPE) substrate provides comfortable inherent barrier protection against hazardous dry particles and non-hazardous, light liquid splash. Feature serged seams and snap front (4) with open wrists. White.



TY303S

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ TY303SWHMD005000	31710521	Tyvek® long sleeve shirts	M	50/Cs
◆ TY303SWHLG005000	31710520	Tyvek® long sleeve shirts	L	50/Cs
TY303SWHXL005000	31710523	Tyvek® long sleeve shirts	XL	50/Cs
TY303SWH2X005000	31710524	Tyvek® long sleeve shirts	2XL	50/Cs
◆ TY303SWH3X005000	31710525	Tyvek® long sleeve shirts	3XL	50/Cs
◆ TY303SWH4X005000	31710526	Tyvek® long sleeve shirts	4XL	50/Cs

DuPont
Personal Protection

DuPont™ Tyvek® Hoods

Designed as a pullover with elasticized face opening and helps cover shoulders. Features serged seams. Universal. White.



TY657S

ITEM #	ORDER #	DESCRIPTION	UOM
TY657SWH00010000	31710539	Tyvek® pullover hoods	100/Cs



TY212S



TY350S

DuPont Personal Protection **DuPont™ Tyvek® Lab Coats**

Flashspun high-density polyethylene substrate provides comfortable, inherent barrier protection against hazardous dry particles and light liquid splash. Feature serged seams, snap closure, open wrists and (2) pockets. White.

ITEM #	ORDER #	SIZES	UOM
Tyvek® Lab Coats			
TY212S-M	31710508	M	30/Cs
TY212S-L	31710507	L	30/Cs
TY212S-XL	31710510	XL	30/Cs
TY212S-2XL	31710511	2XL	30/Cs
TY212S-3XL	31710512	3XL	30/Cs

DuPont Personal Protection **DuPont™ Tyvek® Pants**

Flashspun high-density polyethylene substrate provides comfortable inherent barrier protection against hazardous dry particles and non-hazardous, light liquid splash. Feature serged seams, elastic waist and open ankles. White.


ITEM #	ORDER #	SIZES	UOM
Tyvek® Pants			
TY350S-M	31710528	M	50/Cs
TY350S-L	31710527	L	50/Cs
TY350S-XL	31710530	XL	50/Cs
TY350S-2XL	31710531	2XL	50/Cs



Kevlar® Double-Ply Cut-Resistant Sleeves

Made with 100% DuPont™ Kevlar. Provides high-tensile strength and will not melt, ignite or conduct electricity. High comfort level allows for manual dexterity. Non-coated, 2-ply, washable and made with FDA-accepted materials for use in food processing applications. Do not bleach. 18" Length. ANSI cut level 3. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
9378	331493791	Kevlar regular weight sleeve	Ea
9378E	331416411	Kevlar econo weight sleeve	Ea
9378T	331493781	Kevlar regular weight sleeve w/ thumb slot	Ea
9378TE	331416441	Kevlar econo weight sleeve w/ thumb slot	Ea



9378T

Honeywell Kevlar® Sleeves

Made from 100% DuPont™ Kevlar® engineered fiber. Two-ply tube design offers superior cut and slash resistance. Thumb hole keeps sleeve securely in place while offering increased protection in the palm area. 18" Length. Yellow.

ITEM #	ORDER #	DESCRIPTION	UOM
KVS-2-18TH	341514211	Kevlar knit sleeve w/ thumb hole	Ea



KVS-2-18TH

DuPont Personal Protection **DuPont™ Proshield® NexGen® Sleeves**

Microporous film laminated to a nonwoven fabric provides unabraded barrier to non-hazardous particles and light liquid splash. Elastic at both ends. 18" Length. White.

ITEM #	ORDER #	DESCRIPTION	UOM
NG500SWH00000	31711577	ProShield® NexGen® sleeves	200/Cs



NG500SWH00000



Classic 3-Piece Rain Suits

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and durability. Consists of jacket, detachable hood and fly-front bib pants. Ideal for construction, utilities, airlines and municipalities. Yellow.



2003

ITEM #	ORDER #	SIZES	UOM
Classic 3-Piece Rain Suits			
2003-L	331455641	L	20/Cs
2003-XL	331455651	XL	20/Cs
2003-2X	331455661	2XL	20/Cs
2003-3X	331455671	3XL	20/Cs
2003-4X	331449851	4XL	20/Cs



Schooner Ponchos

PVC .10 mm film provides light-duty protection from rain, dust and wind. Features attached hood and side snap closures. Includes handy tote pouch. Universal. Measures: 52" x 80".

ITEM #	ORDER #	COLOR	UOM
Schooner Poncho			
042	331423711	Clear	Ea
043	331423721	Blue	Ea



042



3882



Dominator Rainwear

Made with .42 mm PVC/hi-tensile polyester/PVC in green for easy identification. Offers excellent splash protection and is a good choice for use in environments with exposure to chemicals and acids. Jacket has attached hood and zipper front with storm flap; bib pants have plain front and green plastic take-up snaps at ankles. Limited flammability tested in accordance with ASTM D6413-08. Green.

ITEM #	ORDER #	SIZES	UOM
Dominator 2-Piece Rain Suit			
3882-L	331456491	L	Ea
3882-XL	331456501	XL	Ea
3882-2X	331429241	2XL	Ea
3882-3X	331436261	3XL	Ea





Classic Series 49" Raincoat

Made from .35 mm PVC on polyester broadloom fabric for double-layered protection and long-term durability. Features cape-vented back and (2) patch pockets. Applications include construction, utilities, airlines, municipalities and more. Yellow.

ITEM #	ORDER #	SIZES	UOM
Classic Raincoat			
200C-M	331482561	M	Ea
200C-L	331482571	L	Ea
200C-XL	331482581	XL	Ea
200C-2X	331482591	2XL	Ea



Classic Rainwear Rider Coat

Features extended 60" length, matching corduroy collar, detachable hood, cape-ventilated back, badge tab holder, black plastic take-up snaps at wrists and snap-close, storm-fly front. Includes inner leg snaps that form chaps. Applications include security work, refineries and wherever more coverage is needed. Black.


ITEM #	ORDER #	SIZES	UOM
Classic Rainwear Rider Coat			
267C-L	331427171	L	Ea
267C-XL	331427201	XL	Ea
267C-2X	331427211	2XL	Ea
267C-3X	331427221	3XL	Ea
267C-4X	331437381	4XL	Ea



Classic Plus 3-Piece Reflective Suit

Constructed of .35 mm PVC on polyester broadloom fabric. Ideal for both indoor and outdoor use. Jacket features corduroy collar, cape-ventilated back and detachable hood. Jacket and bib-style pants have highly reflective tape stripes to increase visibility in low-light conditions. Applications include construction, utilities, airlines and municipalities. Yellow.

ITEM #	ORDER #	SIZES	UOM
Classic Plus Reflective Suit			
2403R-L	331426321	L	Ea
2403R-XL	331426351	XL	Ea
2403R-2XL	331426361	2XL	Ea






Hi-Viz Apparel

Workers providing temporary traffic control should wear high-visibility clothing with a background of fluorescent orange-red or yellow-green and retroreflective material of orange, yellow, white, silver, or yellow-green.

Visit www.osha.gov for complete details and regulation requirements.



Class 2 Value Mesh Vest

Made of 100% ANSI polyester mesh with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Features hook-and-loop closure and (1) inside left chest pocket with closure. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
ECO-GC-YS/M	325347531	Class 2 value mesh vest	S/M	Ea
ECO-GC-YL/XL	325347541	Class 2 value mesh vest	L/XL	Ea
ECO-GC-Y2/3X	325347551	Class 2 value mesh vest	2XL/3XL	Ea
ECO-GC-Y4/5X	325347561	Class 2 value mesh vest	4XL/5XL	Ea




**Turn to page 201
for more
Reflective Apparel**



Class 2 Value Solid Vests

Made of lightweight, 100% ANSI polyester tricot with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Features hook-and-loop closure. ANSI 107-2010 Class 2 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
ECO-G-YS/M	325343101	Class 2 value solid vest	S/M	Yellow	Ea
ECO-G-YL/XL	325343111	Class 2 value solid vest	L/XL	Yellow	Ea
ECO-G-Y2/3X	325343121	Class 2 value solid vest	2XL/3XL	Yellow	Ea
ECO-G-Y4/5X	325343131	Class 2 value solid vest	4XL/5XL	Yellow	Ea
♦ ECO-G-OS/M	325343001	Class 2 value solid vest	S/M	Orange	Ea
ECO-G-OL/XL	325343011	Class 2 value solid vest	L/XL	Orange	Ea
ECO-G-O2/3X	325343021	Class 2 value solid vest	2XL/3XL	Orange	Ea
ECO-G-O4/5X	325343031	Class 2 value solid vest	4XL/5XL	Orange	Ea



Class 2 Premium Solid Dual Stripe Vests

Made of 100% ANSI polyester tricot with 2" 3M™ Scotchlite™ Reflective Material, (2) 360° horizontal and (2) vertical stripes. Features hook-and-loop closure. Machine washable. ANSI 107-2010 Class 2 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
LUX-SSFULLG-YL	325300571	Class 2 dual stripe vest	L	Yellow	Ea
LUX-SSFULLG-YXL	325300601	Class 2 dual stripe vest	XL	Yellow	Ea
LUX-SSFULLG-Y2X	325300611	Class 2 dual stripe vest	2XL	Yellow	Ea
LUX-SSFULLG-Y3X	325300621	Class 2 dual stripe vest	3XL	Yellow	Ea
LUX-SSFULLG-Y4X	325300631	Class 2 dual stripe vest	4XL	Yellow	Ea
LUX-SSFULLG-OL	325300491	Class 2 dual stripe vest	L	Orange	Ea
LUX-SSFULLG-OXL	325300521	Class 2 dual stripe vest	XL	Orange	Ea
LUX-SSFULLG-O2X	325300531	Class 2 dual stripe vest	2XL	Orange	Ea
LUX-SSFULLG-O3X	325300541	Class 2 dual stripe vest	3XL	Orange	Ea
LUX-SSFULLG-O4X	325300551	Class 2 dual stripe vest	4XL	Orange	Ea




LUX-SSFULLG-O

LUX-SSFULLG-Y




LUX-SC2TZ-Y



Class 2 Premium Expandable Two-Tone Mesh Vests

Bright, 100% ANSI polyester mesh with 2" 3M™ Scotchlite™ Reflective Material, (1) 360° horizontal and (2) vertical stripes with contrasting color trim. Features zipper closure, (2) lower inside pockets and (1) outer left chest pocket. ANSI 107-2010 Class 2 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
LUX-SC2TZ-YM/L	325300051	Class 2 expandable two-tone mesh vest	M/L	Yellow	Ea
LUX-SC2TZ-YXL/2	325300061	Class 2 expandable two-tone mesh vest	XL/2XL	Yellow	Ea
LUX-SC2TZ-Y3/4X	325300071	Class 2 expandable two-tone mesh vest	3XL/4XL	Yellow	Ea
LUX-SC2TZ-OM/L	325347221	Class 2 expandable two-tone mesh vest	M/L	Orange	Ea
LUX-SC2TZ-OXL/2	325347231	Class 2 expandable two-tone mesh vest	XL/2XL	Orange	Ea
LUX-SC2TZ-O3/4X	325347241	Class 2 expandable two-tone mesh vest	3XL/4XL	Orange	Ea



Class 2 Premium 5-Pt. Breakaway Mesh Vest

Lightweight, 100% ANSI polyester mesh with 2" 3M™ Scotchlite™ Reflective Material, (1) 360° horizontal and (2) vertical stripes. Features hook-and-loop closure at top, sides and front that breakaway when tugged with moderate force, to help prevent workers from being caught and pulled. Designed with (1) outside lower pocket and (1) inside chest pocket with hook-and-loop closure. ANSI 107-2010 Class 2 compliant. Additional sizes available. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SSBRPC-YL	325347251	Class 2 premium breakaway mesh vest	L	Ea
LUX-SSBRPC-YXL	325347261	Class 2 premium breakaway mesh vest	XL	Ea
LUX-SSBRPC-Y2X	325347271	Class 2 premium breakaway mesh vest	2XL	Ea
LUX-SSBRPC-Y3X	325347281	Class 2 premium breakaway mesh vest	3XL	Ea



LUX-SSBRPC-Y



LUX-SSGCS-0



Class 2 Classic Surveyors Mesh Vests

Lightweight, 100% polyester mesh with 2" silver reflective tape stripes, (1) 360° horizontal and (2) vertical. Pockets: (2) inside lower with pen compartment, (4) pen on outside right chest and (1) outside left, double with (4) pen compartments. Features zipper front. ANSI 107-2010 Class 2 compliant. Additional sizes available.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
LUX-SSGCS-YL/XL	325351121	Class 2 classic surveyors mesh vest	L/XL	Yellow	Ea
LUX-SSGCS-Y2/3X	325341131	Class 2 classic surveyors mesh vest	2XL/3XL	Yellow	Ea
LUX-SSGCS-Y4/5X	325351131	Class 2 classic surveyors mesh vest	4XL/5XL	Yellow	Ea
LUX-SSGCS-OL/XL	325347381	Class 2 classic surveyors mesh vest	L/XL	Orange	Ea
LUX-SSGCS-O2/3X	325347391	Class 2 classic surveyors mesh vest	2XL/3XL	Orange	Ea
LUX-SSGCS-O4/5X	325347401	Class 2 classic surveyors mesh vest	4XL/5XL	Orange	Ea




LUX-XGTM-OR



LUX-XNTM-YR


LUX-XNTM-OR



Non-ANSI Value Vest with Gloss Tape

100% Polyester mesh vest with 1" vertical, glossy yellow tape stripes. Features elastic side straps, hook-and-loop closure and (1) inside lower pocket. Non-ANSI. Orange.


ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-XGTM-OR	325320191	Non-ANSI mesh vest	Regular	Ea



Non-ANSI Value Vests

100% Polyester mesh vest without stripes. Features elastic side straps, hook-and-loop closure and (1) inside lower pocket. 100/Cs. Non-ANSI.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
LUX-XNTM-YR	325305181	Non-ANSI mesh vest, no stripes	Regular	Yellow	Ea
LUX-XNTM-OR	325305171	Non-ANSI mesh vest, no stripes	Regular	Orange	Ea



Value Mesh Two-Tone Vest

100% Polyester mesh fabric features 1 3/8" silver reflective tape backed by orange trim. Offers elastic side straps, hook-and-loop closure and (1) inside lower pocket. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-XTTM-YR	325307911	Value mesh two-tone vest	Regular	Ea



LUX-XTTM-YR



LUX-SSETPBK




Classic Black Bottom T-Shirt

Made of 3.8 oz., 100% ANSI wicking birdseye fabric. Features 2" silver reflective tape, left chest pocket and black bottom front to hide dirt. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SSETPBK-L	325327571	Classic black bottom t-shirt	L	Ea
LUX-SSETPBK-XL	325327581	Classic black bottom t-shirt	XL	Ea
LUX-SSETPBK-2X	325377221	Classic black bottom t-shirt	2XL	Ea

More Sizes Available.



Standard Wicking T-Shirt with Pocket

Made of 3.8 oz., 100% ANSI wicking birdseye fabric with 2" silver reflective tape. Features left chest pocket and lightweight fabric for comfort. ANSI 107-2010 Class 2 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-SSETP2B-YL	325337721	Standard wicking t-shirt w/ pocket	L	Ea
LUX-SSETP2B-YXL	325347651	Standard wicking t-shirt w/ pocket	XL	Ea

More Sizes Available.



LUX-SSETP2B



690-1208



ANSI Class 2 Safety Vest

100% Polyester fluorescent yellow mesh material with 2" reflective tape on shoulders and chest. Secures with front hook-and-loop closure. ANSI 107-2010 Class 2 high visibility apparel compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
690-1208	G73512081	Class 2 safety vest	M	Ea
690-1209	G73512091	Class 2 safety vest	L	Ea
690-1210	G73512101	Class 2 safety vest	XL	Ea
690-1211	G73512111	Class 2 safety vest	2XL	Ea
690-1212	G73512121	Class 2 safety vest	3XL	Ea



ECO-GCZ-O



ECO-GCZ-Y

ECO-GCZ3-Y



Value Mesh Vest with Zipper

Made of 100% ANSI polyester mesh with 2" silver reflective tape. Features zipper closure and inner left chest pocket. ANSI 107-2010 Class 2 compliant.


ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
ECO-GCZ-YS/M	325377181	Value mesh vest w/ zipper	S/M	Yellow	Ea
ECO-GCZ-YL/XL	325377191	Value mesh vest w/ zipper	L/XL	Yellow	Ea
ECO-GCZ-Y2/3X	325305521	Value mesh vest w/ zipper	2XL/3XL	Yellow	Ea
ECO-GCZ-Y4/5X	325377211	Value mesh vest w/ zipper	4XL/5XL	Yellow	Ea
ECO-GCZ-OS/M	325377141	Value mesh vest w/ zipper	S/M	Orange	Ea
ECO-GCZ-OL/XL	325377151	Value mesh vest w/ zipper	L/XL	Orange	Ea
ECO-GCZ-O2/3X	325327951	Value mesh vest w/ zipper	2XL/3XL	Orange	Ea
ECO-GCZ-O4/5X	325327961	Value mesh vest w/ zipper	4XL/5XL	Orange	Ea



Class 3 Value Zipper-Front Mesh Vests

Made of 100% ANSI polyester mesh with 2" reflective tape stripes, (1) 360° horizontal and (2) vertical. Features (2) pockets and zipper closure. ANSI 107-2010 Class 3 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
ECO-GCZ3-YS/M	325347001	Class 3 value zipper-front vest	S/M	Yellow	Ea
ECO-GCZ3-YL/XL	325347011	Class 3 value zipper-front vest	L/XL	Yellow	Ea
ECO-GCZ3-Y2/3X	325347021	Class 3 value zipper-front vest	2XL/3XL	Yellow	Ea
ECO-GCZ3-Y4/5X	325347031	Class 3 value zipper-front vest	4XL/5XL	Yellow	Ea
ECO-GCZ3-OS/M	325347041	Class 3 value zipper-front vest	S/M	Orange	Ea
ECO-GCZ3-OL/XL	325347051	Class 3 value zipper-front vest	L/XL	Orange	Ea
ECO-GCZ3-O2/3X	325347061	Class 3 value zipper-front vest	2XL/3XL	Orange	Ea
ECO-GCZ3-O4/5X	325347071	Class 3 value zipper-front vest	4XL/5XL	Orange	Ea




Class 3 Wicking Crew Neck Sweatshirts

Made of 9.4 oz., 100% ANSI wicking polyester to keep wearer warm and dry. Features elastic cuffs and waistband. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2010 Class 3 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
LUX-SWT3-YL	325347121	Class 3 wicking crew neck sweatshirt	L	Yellow	Ea
LUX-SWT3-YXL	325347131	Class 3 wicking crew neck sweatshirt	XL	Yellow	Ea
LUX-SWT3-Y2X	325347141	Class 3 wicking crew neck sweatshirt	2XL	Yellow	Ea
LUX-SWT3-Y3X	325347151	Class 3 wicking crew neck sweatshirt	3XL	Yellow	Ea
LUX-SWT3-Y4X	325347161	Class 3 wicking crew neck sweatshirt	4XL	Yellow	Ea
LUX-SWT3-OL	325347171	Class 3 wicking crew neck sweatshirt	L	Orange	Ea
LUX-SWT3-OWL	325347181	Class 3 wicking crew neck sweatshirt	XL	Orange	Ea
LUX-SWT3-O2X	325347191	Class 3 wicking crew neck sweatshirt	2XL	Orange	Ea
LUX-SWT3-O3X	325347201	Class 3 wicking crew neck sweatshirt	3XL	Orange	Ea
LUX-SWT3-O4X	325347211	Class 3 wicking crew neck sweatshirt	4XL	Orange	Ea



LUX-SWT3-Y



Class 3 Premium Wicking Zip-Up Sweatshirts


Made of 9.4 oz., 100% ANSI wicking polyester which keeps wearer warm and dry. Features elastic cuffs and waistband, zipper, attached hood and (2) pockets. Includes 2" 3M™ Scotchlite™ Reflective Material, (2) stripes on each arm, (2) vertical and (1) 360° horizontal. ANSI 107-2010 Class 3 compliant.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
LUX-SWT3HZ-YL	325301541	Class 3 premium wicking zip-up sweatshirt	L	Yellow	Ea
LUX-SWT3HZ-YXL	325301571	Class 3 premium wicking zip-up sweatshirt	XL	Yellow	Ea
LUX-SWT3HZ-Y2X	325301581	Class 3 premium wicking zip-up sweatshirt	2XL	Yellow	Ea
LUX-SWT3HZ-Y3X	325301591	Class 3 premium wicking zip-up sweatshirt	3XL	Yellow	Ea
♦ LUX-SWT3HZ-Y4X	325301601	Class 3 premium wicking zip-up sweatshirt	4XL	Yellow	Ea
LUX-SWT3HZ-OL	325301471	Class 3 premium wicking zip-up sweatshirt	L	Orange	Ea
LUX-SWT3HZ-OWL	325306741	Class 3 premium wicking zip-up sweatshirt	XL	Orange	Ea
LUX-SWT3HZ-O2X	325301501	Class 3 premium wicking zip-up sweatshirt	2XL	Orange	Ea
LUX-SWT3HZ-O3X	325301511	Class 3 premium wicking zip-up sweatshirt	3XL	Orange	Ea
LUX-SWT3HZ-O4X	325301521	Class 3 premium wicking zip-up sweatshirt	4XL	Orange	Ea



LUX-SWT3HZ-Y

LUX-SWT3HZ-O



Class 3 Premium 4-Way Bomber Jacket

Convertible, 2-layer jacket in PU-coated polyester with 3M™ Scotchlite™ Reflective Material. Features snap-on, roll-up hood, flip-up collar, zipper/snap front, radio pocket, (2) outside hand pockets and (1) inside pocket. Collar and elasticized cuffs and waistband are dark to hide dirt. On warmer days, zip out inner fleece lining and wear bomber jacket as windbreaker jacket, still Class 3. Remove sleeves to wear as Class 2 vest alone, or with inner fleece jacket underneath. Non-compliant, black fleece jacket can be worn alone when working away from traffic. ANSI 107-2010 Class 3 compliant. Yellow.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
LUX-TJBJ-BYL	325308441	Premium black bottom bomber jacket	L	Ea
LUX-TJBJ-BYXL	325327191	Premium black bottom bomber jacket	XL	Ea
LUX-TJBJ-BY2X	325308451	Premium black bottom bomber jacket	2XL	Ea
LUX-TJBJ-BY3X	325308461	Premium black bottom bomber jacket	3XL	Ea

More Sizes Available.

LUX-TJBJ-BY



Plant & Workzone Safety

OSHA states: "Each employer must furnish each of his employees a place of employment free from recognized hazards that are causing or are likely to cause death or serious physical harm to his employees." That applies to areas inside and outside the facility and applies to all remote locations where work activities are performed. Numerous types of required safety products are available and must be selected to best protect for each job function appropriately.





Instrumentation
210



Safety Barriers
214



Confined Space
218



Identification 222



Heat Stress 226



First Aid 230



Showers & Eyewash
232



Wipes & Cleaners
246



Lockout/Tagout
244



Lighting 238



Sorbents 250



Hazardous Storage
252



Instrumentation

Comprehensive and continuous toxic gas monitoring is required in order to comply with OSHA regulations. There are regulations intended to minimize exposure levels to hazardous gases and vapors that employees may be subjected to. Employers must ensure employee safety and compliance with OSHA regulations.

Visit www.osha.gov for complete details and regulation requirements.



10092522

10092523

10092521



ALTAIR® Single-Gas Detectors

Single-gas detection for carbon monoxide, hydrogen sulfide or oxygen that will operate for over 2 years. Offers superior dust/water protection and high resistance to RFI. Rubberized housing and 1-button operation provide durability and ease of use. Features triple alarm system with (2) bright LEDs and audible/vibrating alarms. Automatically records last 25 alarm events. MSA infrared adapter with built-in IR communication port enables user to read data or change alarm set points. Small, thin sensor profile provides high performance in very small package.

ITEM #	ORDER #	DESCRIPTION	UOM
10092521	3085885B1	ALTAIR: H2S, 10 ppm (1st alarm)-15 ppm (2nd alarm)	Ea
♦ 10092522	3085617D1	ALTAIR: CO, 25 ppm (1st alarm)-100 ppm (2nd alarm)	Ea
10092523	3085157D1	ALTAIR: O2, 19.5% vol. (1st alarm)-23% vol. (2nd alarm)	Ea



10074136



ALTAIR® Pro Single-Gas Detector

Accurately measures gas concentration and displays information on large, clear, backlit LCD. Features superior dust/water protection, excellent impact resistance, great RFI performance and extremely effective alarm system. Distinct alarm indicated by (2) bright flashing LEDs, piercing audible alarm and internal vibrating alarm. Automatically records last 50 alarm or test events and has active datalogging. Infrared adapter with built-in IR communication port enables user to read data or change alarm set points. Adjustable alarm set points for LOW, HIGH, TWA and STEL. Rubberized armor housing and 1-button operation provides durability and operational simplicity. Sensors and battery are easily replaced.

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10074136	3085541C1	ALTAIR Pro: H2S	Ea



ALTAIR® 2X Gas Detectors

This rugged, intrinsically-safe gas detector is available in (3) models to fit all situations. Features tough over-molded rubber armor that can survive 25' drops onto concrete. Agency certified dust and water IP67 construction.

- **ALTAIR 2X** single-gas detector incorporates proven XCell® sensor technology and records 150+ hours of periodic data
- **ALTAIR 2XP** single-gas detector with XCell Pulse Technology features stand-alone bump test anytime, anywhere without specific calibration gas; records 150+ hours of periodic data
- **ALTAIR 2XT** can monitor (2) gases and records 100+ hours of periodic data

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10153986	308501591	ALTAIR 2X: CO w/ XCell sensor technology	Charcoal	Ea
◆ 10153984	308539841	ALTAIR 2XP: H2S w/ Cell Pulse technology	Charcoal	Ea
◆ 10154040	308500991	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Charcoal	Ea
◆ 10154181	308501381	ALTAIR 2XT: CO/H2S w/ XCell Two-Tox sensors	Glow	Ea



ALTAIR® 4X Multi-Gas Detectors

Tough, functional detector for LEL, CO, H2S and O2. Rugged, IP67 certified housing provides unsurpassed durability, including ability to survive 20' drop. Easy to operate even in low-light conditions with large, glove-friendly buttons and high-contrast display. Features fast, high-performing sensors, exclusive MSA MotionAlert™ and InstantAlert™ and end-of-sensor-life warning. Sensor response and clear times under 15 seconds. Sixty-second span calibration time. Two-tox CO/H2S sensor with virtually no cross-channel interference. Digital output sensors provide less susceptibility to RF interference. Four-year sensor life with 24-hour run time. Includes quick-start card, datalogging, charger, calibration cap and tubing and CD manual.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10107602	3085400D1	ALTAIR 4X: LEL, O2, CO, H2S	Charcoal	Ea
◆ 10107603	3085535D1	ALTAIR 4X: LEL, O2, CO, H2S	Phosphorescent	Ea



ALTAIR® 5X Multi-Gas Detectors

Measures up to 6 gases simultaneously and can be fitted with a wide range of both toxic and infrared sensors. Features MSA's XCell® sensors with extended range covering SO2, Cl2 and NH3. Offers superior stability, accuracy, repeatability, fast response and longevity. Standard sensors designed for average life of more than 4 years (more than 3 years for SO2, Cl2, and NH3); allow for faster response/clear times, bump tests in less than 10 seconds, and span calibration time of 60 seconds for common configurations; provide greater signal stability and repeatability under changing or extreme environmental conditions; are plug-and-play-capable. End-of-sensor-life indicator gives advanced warning to user, eliminating service outages. Event/data log records up to 500 events. MotionAlert™ triggers alarm if user remains motionless for 20 seconds. InstantAlert™ allows users to manually activate all alarms to alert others to potential hazards. Includes triple alarm system (visual, audible and vibration), large hi-res LCD screen (color or monochromatic), 24-hour bump test checkmark, rugged rubberized housing and ergonomic design, auto calibration, Li-polymer battery with up to 18 hours usage between charges, 10' sampling line and 1' probe. MSA Link™ software and Galaxy® system compatible. IP65 rated for dust and water ingress.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10116926	3085842D1	ALTAIR 5X: LEL, O2, CO, H2S Industrial kit w/ monochrome display, 10' sampling line & 1' probe	Ea
◆ 10116928	3085686D1	ALTAIR 5X: LEL, O2, CO, H2S Deluxe kit w/ color display, 10' sampling line & 1' probe	Ea





GALAXY® GX2 Automated Test Systems

Provides simple, intelligent testing and calibration of ALTAIR® 4X and ALTAIR 5X multi-gas detectors. Easy-to-use automated test stand offers high performance as either stand-alone unit or integrated portable detector management system, enabling total data access and control of the MSA ALTAIR family Gas Detector fleet. New MSA Link™ Pro Software for proactive safety management; gas exposure email alerts, direct data input, live filtering, test and exposure queries, collecting and printing reports.

Features:

- Color touch screen for ease of setup and viewing
- Extremely simple to use; testing starts automatically without touching a single button
- Simultaneous testing of up to (10) instruments
- GALAXY GX2 System is optimized for use with MSA's XCell® Sensors; provides up to 50% cost of ownership reduction
- At-a-glance indicators include low calibration gas volume, expiration warnings and test stand status
- MSA Link Pro Software provides proactive safety management, dashboard overview and total record-keeping
- 18 Languages available for test stand and MSA Link Pro Software that simplifies usage and reduces training

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 10128628	308586291	GALAXY GX2 automated test system w/ 1 valve for ALTAIR 5/5X	Ea
◆ 10128642	3085303E1	GALAXY GX2 automated test system w/ 1 valve for ALTAIR 4/4X	Ea



When to Bump Test and When to Calibrate

According to the International Safety Equipment Association (ISEA), "A bump test or full calibration of direct-reading portable gas monitor should be made before each day's use in accordance with manufacturer's instructions, using an appropriate test gas." If the instrument fails a bump test, it must be adjusted through a full calibration before it is used. The acceptable interval between testing should never exceed 30 days. Only use certified calibration test gases in the proper concentration before the expiration date.

Visit www.osha.gov or www.safetyequipment.org for further information on portable gas monitor bump testing and calibration.



Honeywell ToxiPro® Single-Gas Detectors

Compact, rugged in design and fully serviceable with simple 1-button operation. Available sensors: O2, CO, H2S, PH3 and NH3. Three highly-visible, chasing yellow and red alarm LEDs plus vibration. Max, STEL and TWA readings are accessible by pressing the MODE button. Datalogging included. Continuous real-time gas readings. Includes black-box recorder and event logger (100 events). Meets IP66/IP67 ingress protection. Compatible with the IQ Express Docking Station. C-UL-US. Classified for Class I, Div. I, Groups A, B, C, and D T4; Class II, Div. II, Groups E, F, and G.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 54-45-01VD	C23500011	ToxiPro: CO	Ea
◆ 54-45-02VD	C23545041	ToxiPro: H2S	Ea
◆ 54-45-13VD	C23545131	ToxiPro: PH3	Ea
◆ 54-45-21VD	C23545221	ToxiPro: NH3	Ea
◆ 54-45-90VD	C23545911	ToxiPro: O2	Ea



Econo-Cal® Calibration Cylinders - Reactive Gases, Aluminum Cylinder

Aluminum cylinder has 500 psig and contains approximately 34 L at atmospheric pressure. Size: 13 3/4" x 3". Weighs 1 lb., 1 oz.



Model RP Calibration Cylinders - Reactive Gases, Aluminum Cylinder

Model RP aluminum cylinder has 500 psig and contains approximately 58 L at atmospheric pressure.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 711058	30851058	Multi-gas cylinder w/ CO 300 ppm, O2 15%, Methane 1.45%, H2S 10 ppm, balance N	Ea
◆ 10048280	30858280	Multi-gas cylinder w/ CO 60 ppm, O2 15%, Pentane 1.45%, H2S 20 ppm, balance N	Ea

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 467897	308551731	Single-gas cylinder w/ H2S 40 ppm, balance N	Ea
◆ 804770	30854770	Multi-gas cylinder w/ CO 300 ppm, Methane 1.45%, H2S 10 ppm, O2 15%, balance N	Ea
◆ 10045035	308535101	Multi-gas cylinder w/ CO 60 ppm, Methane 1.45%, H2S 20 ppm, O2 15%, balance N	Ea



710288



Gas Miser® Demand Regulator

Constructed of nickel-plated brass and polished aluminum (especially important for reactive gases). Regulator can supply gas flow from 0.1 lpm to 3.0 lpm. Designed for use with any MSA Model RP Calibration cylinder except chlorine and ammonia and features automatic ON/OFF valve that

releases gas only on demand, using only amount of gas needed to calibrate your MSA instrument. When calibration is complete, regulator shuts off automatically. Regulator can stay connected to cylinder where it remains in ready state, making it ideal for fixed installations such as work benches and calibration stations. Eliminates need to change regulators to accommodate different instruments or flow rates. Supplied with calibration tubing and special fitting.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 710288	308586011	Model RP Gas Miser regulator, 0.1-3.0 lpm	Ea



467895



MSA Fixed Flow Regulator

Model RP regulator with fixed flow rate of 0.25 lpm. Fixed flow design provides constant and accurate flow to the instrument pump or aspirator. Approved for all MSA calibration gases.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 467895	30857895	Model RP cylinder regulator, 0.25 lpm	Ea



Model RP Calibration Check Kit

Kit includes 0.25 lpm regulating valve with gauge to measure container pressure, 30' tubing (without sampling line connection), calibration plug for MSA electrochemical sensors, zero plugs for MSA electrochemical sensors and calibration plug for MSA electrochemical sensors, adapter hose, instructions and case fitted with room for (2) Model RP cylinders of calibration check gas.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 477149	30857149	Calibration check kit	Ea



477149

◆ Non-stock item. Minimum quantity may apply.



Work Zone Safety Barrier Systems

Helping to ensure safety for all pedestrians around work sites, protection from potential injury must be provided including smooth travel paths and highly visible, durable barriers.

Visit mutcd.fhwa.dot.gov for complete details and regulation requirements.



Skipper™ Skipper™ Retractable Barrier System

Cordon off any area and create safer environments with hi-viz retractable 30' tape. Simply clicks onto any traffic cone or Skipper post and base system.


ITEM #	ORDER #	DESCRIPTION	UOM
SKIPPER010	G71121001	Skipper unit w/ red/white retractable tape	Ea
SKIPPER010B	G71121011	Skipper unit w/ black/yellow retractable tape	Ea



Skipper™ XS Unit

A retractable barrier system which has all the versatility of the standard Skipper unit but is for use without cones or posts. Includes the full 30' of retractable tape as well as connector points for affixing accessories.

ITEM #	ORDER #	DESCRIPTION	UOM
XS01-ORW	G71121111	Skipper XS unit w/ red/white retractable tape	Ea
XS01-OBY	G71121121	Skipper XS unit w/ black/yellow retractable tape	Ea



Product shown with additional accessories, available separately.



Product shown with additional accessories, available separately.

POST02-0



Skipper™
The industry's most innovative solutions

Skipper™ Post and Base System

Works with Skipper retractable barrier system. Can be used on both hard and soft ground, indoors and outdoors. Simply pour water or sand into the base for strength and stability.

ITEM #	ORDER #	DESCRIPTION	UOM
POST02-0	G71121021	Post & base system	Ea



Product shown with additional accessories, available separately.

LIGHT01



Skipper™
The industry's most innovative solutions

Skipper™ Rechargeable Safety Light

Environmentally friendly warning light is a multifunctional L.E.D. device that is fully rechargeable. Simply click on top of any Skipper unit or Skipper XS unit. Features permanent or flashing ability and a light sensor for automatic activation. Requires (6) AA batteries (not included).

ITEM #	ORDER #	DESCRIPTION	UOM
LIGHT01	G71121091	Rechargeable safety light	Ea



The Skipper cone's light reflectivity is twice as strong as a standard cone.

Skipper™
The industry's most innovative solutions

Skipper™ Road Cone

Two-piece cone features an incorporated helix, which deflects wind away and adds to its stability. Innovative glass bead sleeve has greater reflectivity than prismatic alternatives and is robust and durable. Perfect for all applications from traffic and airports to industrial and commercial.

CONE01



ITEM #	ORDER #	DESCRIPTION	UOM
CONE01	G71121031	Skipper road cone	Ea



Skipper™
The visibility management solution

Skipper™ Sign Holder

Designed to fit seamlessly on the Skipper unit. Simply insert your message into the polycarbonate sleeve and slide into the robust u-shaped frame. Perfect for warnings, promotions and messages. Holds 8.3" W x 11.7" H signs.

SIGN01

ITEM #	ORDER #	DESCRIPTION	UOM
SIGN01	G71121061	Sign holder	Ea

Product shown with additional accessories, available separately.



Product shown with additional accessories, available separately.



W/SUPPORT01

Skipper™
The visibility management solution

Skipper™ Support Brackets

Hold Skipper units in place without the need for a cone or post. Can be used to screw into position for a more permanent/semi-permanent fixture (wall version) or to connect to magnetic surfaces such as metal shelving and vehicles (magnetic version).

ITEM #	ORDER #	DESCRIPTION	UOM
W/SUPPORT01	G71121041	Wall support bracket	Ea
M/SUPPORT01	G71121051	Magnetic support bracket	Ea



Product shown with additional accessories, available separately.



M/RECEIVER01

Skipper™
The visibility management solution

Skipper™ Receiver Clips

Allow the Skipper unit's tape end to attach directly without the need for another Skipper unit or cone. Simply attach to a magnetic surface (magnetic version) or screw into the desired position (wall version) and connect the Skipper unit's tape end clip.

ITEM #	ORDER #	DESCRIPTION	UOM
M/RECEIVER01	G71121071	Magnetic receiver clip	Ea
W/RECEIVER01	G71121081	Wall receiver clip	Ea



Product shown with additional accessories, available separately.



PAD01

Skipper™
The regulatory management solutions

Skipper™ Suction Pad Holder/Receiver

Attaches to high gloss surfaces and glass. Can hold the Skipper XS unit in place, or act as a tape receiver.

ITEM #	ORDER #	DESCRIPTION	UOM
PAD01	G71121131	Suction pad holder/receiver	Ea



CORD01

Skipper™
The regulatory management solutions

Skipper™ Magnetic and Cord Strap Holder/Receiver

Can attach to magnetic surfaces or be tied to pillars using 'tourniquet' cord provided. Holds Skipper unit in place or acts as a tape receiver.


ITEM #	ORDER #	DESCRIPTION	UOM
CORD01	G71121141	Magnetic & cord strap holder/receiver	Ea



Product shown with additional accessories, available separately.



Product shown with additional accessories, available separately.



CLAMP01

Skipper™
The regulatory management solutions

Skipper™ Clamp Holder/Receiver

Allows the Skipper XS unit to attach to angular surfaces such as door frames, worktops and racking in both horizontal and vertical positions. Holds Skipper unit in place or acts as a tape receiver.

ITEM #	ORDER #	DESCRIPTION	UOM
CLAMP01	G71121151	Clamp holder/receiver	Ea



Confined Space

Confined spaces are not intended for continuous occupancy in part because they are not typically designed for people. The limited or restricted means of entry and/or exit can be dangerous.

Visit www.osha.gov for complete details and regulation requirements.



AC/DC Axial Blowers with Canisters

AC Axial blower offers lightweight design and high output from an AC electric motor. Easy-to-use ventilation system is designed with tough steel construction, a durable grill, convenient carry handle and rubber feet. DC Axial blower is perfect when electricity is not available and may be operated off a truck battery. Features same durable construction as AC model except with a 12 VDC electric motor with thermal protector, single speed performance. Both systems can be stored vertically. Units sold individually or as a kit with choice of 15' or 25' of ducting with durable canister.

9513



9506-01

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9513	334203181	AC Axial blower only	1275 CFM	661 CFM	582 CFM	Ea
9514	334203231	AC Axial blower w/ canister & 15' ducting	1275 CFM	661 CFM	582 CFM	Ea
9514-25	334203271	AC Axial blower w/ canister & 25' ducting	1275 CFM	661 CFM	582 CFM	Ea
9506	334203041	DC Axial blower only	1150 CFM	595 CFM	530 CFM	Ea
9506-01	334203051	DC Axial blower w/ canister & 15' ducting	1150 CFM	595 CFM	530 CFM	Ea
9506-25	334203061	DC Axial blower w/ canister & 25' ducting	1150 CFM	595 CFM	530 CFM	Ea



9543-15



12" Plastic Axial Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. 1 hp, 110/220 VAC, 50/60 Hz. Safety orange color.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9543	33429543	12" Plastic Axial blower	1842 CFM	1004 CFM	933 CFM	Ea
9543-15	33429544	12" Plastic Axial blower w/ canister & 15' ducting	1842 CFM	1004 CFM	933 CFM	Ea
9543-25	33429545	12" Plastic Axial blower w/ canister & 25' ducting	1842 CFM	1004 CFM	933 CFM	Ea



16" and 20" Axial Blowers

Designed for large confined spaces and easy stacking for multiple blower use. Delivers high output for drawing or pushing air. Constructed with durable orange metal housing. Standard and explosion-proof 16" blowers have a 1/2 hp motor. High-output blowers have a 2 hp motor with 3-blade impeller on the 16" model and 4-blade impeller on the 20" model. Explosion-proof blowers include single phase motor and are UL®/CSA listed and NEMA rated 115 V plug. Meet Class I, Division 1 and 2, Group C and D, Class II, Division 1 and 2, Group F and G.

Ships Direct **FOB Mfg.**



9515

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
16" Axial Blowers						
9515	334203291	Standard	3400 CFM	2800 CFM	2300 CFM	Ea
9516	334203321	High output	5500 CFM	4950 CFM	4400 CFM	Ea
9515-01	334203311	Explosion-proof	2900 CFM	1800 CFM	1750 CFM	Ea
20" Axial Blowers						
9525	33429525	Standard	4650 CFM	3150 CFM	2950 CFM	Ea
9525-50	33422550	High output	7500 CFM	6700 CFM	6130 CFM	Ea
9525-01	33422501	Explosion-proof	4650 CFM	3150 CFM	2950 CFM	Ea



8" Plastic COM-PAX-IAL Blowers

Made of durable, lightweight, corrosion-, UV- and chemical-resistant polyethylene material. Sturdy, easy-grip handles molded directly into blower and canister housing provide convenient, reliable transport. Choice of 15' or 25' ducting with quick-connect clipping system that provides tools-free connection to canister. Use on input side for powerful extraction or output side for ventilation. Ducting stores conveniently within canister. Safety orange color.

AC blower: Electric, explosion-proof, single-phase motor is UL®/CSA listed and includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous Location Requirements.

DC blower: Versatile system features the 8" COM-PAX-IAL 1/3 hp, 25 VAC/12 VDC blower with canister and can run off of a truck battery.



9533-15

9536

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9533	334203461	8" AC blower only	831 CFM	709 CFM	586 CFM	Ea
9533-15	334203481	8" AC blower w/ canister & 15' ducting	831 CFM	709 CFM	586 CFM	Ea
9533-25	334203491	8" AC blower w/ canister & 25' ducting	831 CFM	709 CFM	586 CFM	Ea
9536	334203561	8" DC Axial blower	816 CFM	526 CFM	442 CFM	Ea
9536-15	334203571	8" DC Axial blower w/ canister & 15' ducting	816 CFM	526 CFM	442 CFM	Ea
9536-25	334203581	8" DC Axial blower w/ canister & 25' ducting	816 CFM	526 CFM	442 CFM	Ea



Air Bag Blowers with Ducting

Blower built into heavy-duty bag with zippered ends that allows use without removing from bag. Constructed with 9-blade polypropylene fan, steel/powder-coated housing and grill, and carry handle with molded-in 2-speed switch. Includes single-ply, lightweight vinyl/polyester PVC-coated 15' ducting.

Ships Direct **FOB Mfg.**



9535-08

ITEM #	ORDER #	DESCRIPTION	SIZES	FREE AIR	UOM
9535-08	334205381	Air bag blower, 8", 1/4 hp	27" L x 15" W x 12" H	760 CFM	Ea
9535-12	334235121	Air bag blower, 12", 1/2 hp	28" L x 16" W x 14" H	1840 CFM	Ea



ALLEGRO **Complete Axial and Centrifugal MVP Blower Systems**

Includes choice of blowers, 6' and 15' of ducting with storage bag and manhole ventilation pass-thru (MVP) that combines low-profile manhole air vent, 90° elbow and built-in mounting into a single assembly. Offers lightweight portability with highest output available. CFM on two-speed blower is low speed/high speed.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	FREE AIR	ONE 90° TURN	TWO 90° TURNS	UOM
9520-33M	334203431	AC plastic blower system	831 CFM	709 CFM	586 CFM	Ea
9520-36M	334203441	DC plastic blower system	816 CFM	526 CFM	442 CFM	Ea
9520-14M	334203421	AC metal blower system	1275 CFM	661 CFM	582 CFM	Ea
9520-06M	334203401	DC metal blower system	1150 CFM	595 CFM	530 CFM	Ea
9520-04M	334203381	Standard blower system	1066 CFM	839 CFM	745 CFM	Ea
9520-07M	33422007	Two-speed blower system	760/1850 CFM	500/1050 CFM	360/800 CFM	Ea



Manhole Accessories

- **Shield:** Constructed of rugged, lightweight polyethylene with bright yellow material that resists fading. Fits 27", 30" and 32" dia. manholes with inflatable, watertight seal. Designed with (4) outrigger support gussets for stability and is 12" tall to keep out water and mud. Can be used with Allegro guard rail.
- **Guard rail:** Strong 1" tubular .078 gauge steel construction is powder-coated in safety yellow for durable finish and high visibility. Rail locks open and (2) hooking chains provide protected entry and exit. For safety, rail accommodates signs, flags or lights, and for convenience, can be used with a guard rail tent, umbrellas or winch. Protects an area of 33" x 33" for added safety. The 42" high guard rail collapses to only 44" square x 4" for easy storage. Single-piece construction assembles easily without tools. Weighs 34 lbs.
- **Lid lifter:** All-steel handle provides necessary leverage to lift heaviest lids. For safe storage, alloy-steel hook recesses and locks into pole. Rubber grips on handle and foot prevent slips. Cadmium plating resists rust.
- **Deluxe umbrella:** Heavy-duty, yellow vinyl with a sturdy, 92" 2-part metal pole. Can be pushed into the ground or strapped to manhole guard rail.
- **Economy umbrella:** Heavy-duty, yellow vinyl with strong, pointed 84" 2-part wood pole. 68" dia. collapses to 4' x 6" in dia.

ITEM #	ORDER #	DESCRIPTION	UOM
9401-12	334202681	Manhole shield	Ea
9401	334202661	Manhole guard rail	Ea
9401-20	334202691	Manhole lid lifter	Ea
9403	334202781	Deluxe umbrella	Ea
9403-01	334202791	Economy umbrella	Ea



Ships Direct **FOB Mfg.**



Magnetic Manhole Lid Lifters

Quickly and safely removes and replaces manhole covers up to 36" without needing a pry bar. Minimizes stress and strain on back and body. Collapsible for easy storage and transport. Can access uneven textured surface found on manhole covers with dual-position lifting points to provide the power to break loose stubborn covers. For safety, the magnet must be in contact with manhole cover to be engaged. Available with steel or aluminum dolly.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
9401-25	33422127	Steel dolly & magnet, 660-lb. lift weight	Ea
9401-26	33422128	Steel dolly & magnet, 900-lb. lift weight	Ea
9401-25A	33422129	Aluminum dolly & magnet, 660-lb. lift weight	Ea
9401-26A	33422130	Aluminum dolly & magnet, 900-lb. lift weight	Ea



Work Tents and Heater

- **Economy tent:** Utility shelter springs from backpack into full-size tent in seconds. Water-resistant, flame-retardant, UV-treated nylon with 360° reflective striping. Quick set-up from inside or outside with (2) floor-to-floor fiber poles. Features large door, (2) large windows and open bottom. Hi-viz green with (12) yellow 9" plastic stakes. Folds to 31" L x 2 1/2" H. Weighs 22 lbs.
- **Deluxe portable work tents:** Easy-to-use, durable and features quick set-up from inside or outside with fiberglass rod frame and handy attached roll-up flap for compact storage and easy transport. One-door design has zipper closure, two-door design has (1) zipper and (1) roll-up door. Pitch roof style. Frame rods are bolted and unbreakable hinges are made of rolled steel. Blower duct tube in rear of tent and covered window included. Flame-retardant. Hi-viz green.
- **Heater:** Lightweight with rugged, heavy-duty design of all-steel housing with enclosed heating elements and sealed, 110 VAC motor. Produces 5,000 BTU, with 115 CFM airflow and will raise the temperature 50° F in a work tent. Weighs 14 lbs. Hi-viz green. UL® Listed, CSA Approved.

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9403-66	334202811	Economy work tent	7' H x 6' W x 6' D	Ea
9401-66	334202721	Deluxe work tent w/ 1 door	6 1/2' H x 6' W x 6' D	Ea
9401-88	334202741	Deluxe work tent w/ 1 door	7 1/2' H x 8' W x 8' D	Ea
9402-66	334202751	Deluxe work tent w/ 2 doors	6 1/2' H x 6' W x 6' D	Ea
9402-88	334202771	Deluxe work tent w/ 2 doors	7 1/2' H x 8' W x 8' D	Ea
9401-50	334202711	Tent heater	12" H x 8" W x 12" D	Ea

9403-66



9401-66



9401-50



DEWATERING AND SLUDGE PUMPS



Dewatering and Sludge Pumps

Portable, submersible 110 VAC single phase pumps are excellent for manholes, vaults, construction sites, industrial wastewater site drainage and effluent transfer. Offer quick, high-volume discharging and allow continuous operation at low water levels and extended dry runs without overheating. Include synthetic rubber wear parts and vortex impellers for durability. All pumps and hoses feature 2" fire hose style quick-connect fittings, and a V-ring system to protect the shaft seal from abrasives. Also available in DC model.

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	UOM
9404-02	334202831	Standard submersible dewatering pump, 2/3 hp, 39 1/2' head, rated 63 1/2 gpm	Ea
9404-03	334202841	Low water dewatering pump, 2/3 hp, 39' head, rated 63 gpm	Ea
9404-04	334202851	Sludge pump, 1/2 hp, 39' head, rated 50 gpm	Ea
9404-05	33421405	DC submersible dewatering pump, 1/3 hp, 25' head, rated 43 gpm	Ea
9404-50	334202861	Pump discharge hose, 50' x 2" dia.	Ea

Identification

Employers must warn employees of all potential hazards in the workplace and must provide safety training in a language and vocabulary workers can understand. A copy of the Safety Data Sheets must be readily available.

Visit www.osha.gov for complete details and regulation requirements.



WSID-01



Worker Emergency I.D. "Hard Hat" Sticker


Easily fitted to the exterior of worker's hard hat and securely stores critical and potentially lifesaving ID information essential in the event of a serious accident or medical emergency. Lightweight and 100% waterproof. Features 3M™ Scotchlite™ reflective material. Can also be fitted to clothing. Model WSID-02 features a data/name window for displaying information such as workers name or safety induction number without opening sleeve. Both models feature a security seal to keep the worker's information secure. Quality 3M™ "Helmet safe" adhesive used to fix unit to helmet.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
WSID-01	F58510015	Hard hat ID	2 3/4" x 1/2"	100/Pk
WSID-02	F58510025	Hard hat ID w/ data window	3 1/4" x 3/4"	100/Pk



"Universal Fit" Worker Emergency I.D.

Designed to allow paramedics/first responders quick access to a workers medical information and emergency contact numbers in the event of a serious onsite accident or medical emergency. Allows worker to carry/store ID in a number of different ways to suit many types of industries and work environments. Can be attached to boots/shoes, hard hats, belts, harnesses/fall restraints, back packs and zipper pulls. Unique "shock-cord" fitting system allows flexibility in how it is used. Features waterproof ID card inside with up to 500 characters of information to be stored. Made of strong polycarbonate for durability and strength in extremes of temperatures.



WSID-05



WSID-04

WRITABLE BACK



Worker Emergency "Wallet I.D." Card

A great solution to ensuring employees are able to carry their medical and emergency contact information after "work hours" when they are no longer on site and wearing their hard hat or boots. Ideal for remote workers or those who work away from home for extended periods. Stores information on the front and back of this tough credit card sized plastic wallet card.

ITEM #	ORDER #	DESCRIPTION	UOM
WSID-05	F58510055	Universal ID	100/Pk

ITEM #	ORDER #	DESCRIPTION	UOM
WSID-04	F58500045	Emergency wallet ID card	100/PK



AccuFORM SIGNS Signs

Sign standards, OSHA 29 CFR 1910.145 and ANSI Z535, provide guidance for specifications, design, and application of accident prevention signs. Signs indicate potential, type, and degree of hazards that may lead to accidental injury or property damage and convey a rapidly understood message on how to avoid hazards.

Materials

Adhesive Vinyl (VS): Flexible 4-mil thick vinyl with permanent acrylic adhesive back. Moisture resistant with scored backing for easy peel-off and application. Ideal for light-duty use.

Plastic (VP): Moderate-duty .055" thick plastic ideal for indoors and sheltered outdoor environments. Impact resistant with 3/16" corner mounting holes.

Aluminum (VA): Rigid .040" aluminum printed and protected with UV overlaminate. Durable for indoor and outdoor harsh environments. 3/16" corner mounting holes.



How to Calculate Pricing

Use the Material Code to find the price of your sign.

Example:



MADM006 **VS**

SIZE	MATERIAL	PER EACH
	ADHESIVE VINYL (VS)	
◆ 10" x 14"	PLASTIC (VP)	
◆	ALUMINUM (VA)	

Admittance and Exit



ITEM #	ORDER #
MADM006VS	054202961
MADM006VP	054202951
MADM006VA	054221031



ITEM #	ORDER #
MADM139VS	054202811
MADM139VP	054202801
MADM139VA	054210951



ITEM #	ORDER #
MADM141VS	054202871
MADM141VP	054202861
MADM141VA	054215681



ITEM #	ORDER #
MADM064VS	054202991
MADM064VP	054202981
MADM064VA	054215691



ITEM #	ORDER #
MADM076VS	054203011
MADM076VP	054203001
MADM076VA	054218351



ITEM #	ORDER #
MADM323VS	054215861
MADM323VP	054210691
MADM323VA	054221161



ITEM #	ORDER #
MADM304VS	054215891
MADM304VP	054221051
MADM304VA	054215881



ITEM #	ORDER #
MADC801VS	054200351
MADC801VP	054200341
MADC801VA	054222021



ITEM #	ORDER #
MADC808VS	054202921
MADC808VP	054200381
MADC808VA	054209501



ITEM #	ORDER #
MABR825VS	054202941
MABR825VP	054202931
MABR825VA	054215821



ITEM #	ORDER #
MASE807VS	054203041
MASE807VP	054214351
MASE807VA	054211911



ITEM #	ORDER #
MADM893VS	054215801
MADM893VP	054221121
MADM893VA	054206891



ITEM #	ORDER #
MEXT906VS	054204351
MEXT906VP	054204341
MEXT906VA	054219891



ITEM #	ORDER #
MEXT911VS	054204391
MEXT911VP	054204381
MEXT911VA	054216751



ITEM #	ORDER #
MEXT518VS	054207151
MEXT518VP	054211351
MEXT518VA	054215761

Chemical & Hazardous Materials



ITEM #	ORDER #
MCHL174VS	054200591
MCHL174VP	054200581
MCHL174VA	054207631



ITEM #	ORDER #
MCHL226VS	054213511
MCHL226VP	054212811
MCHL226VA	054220631



ITEM #	ORDER #
MCHL231VS	054200491
MCHL231VP	054203061
MCHL231VA	054215961



ITEM #	ORDER #
MCHG102VS	054220641
MCHG102VP	054213021
MCHG102VA	054215991



ITEM #	ORDER #
MCSP141VS	054203731
MCSP141VP	054203721
MCSP141VA	054216461



ITEM #	ORDER #
MCSP134VS	054203771
MCSP134VP	054203761
MCSP134VA	054220591



ITEM #	ORDER #
MCHL245VS	054203141
MCHL245VP	054203131
MCHL245VA	054208641



ITEM #	ORDER #
MCHL170VS	054203341
MCHL170VP	054203331
MCHL170VA	054206051



ITEM #	ORDER #
MCPG825VS	054203601
MCPG825VP	054203591
MCPG825VA	054209741

More Legends Available! Call Us for More Information!



ITEM #	ORDER #
MCSP058VS	054203751
MCSP058VP	054203741
MCSP058VA	054217051



ITEM #	ORDER #
MCSP026VS	054216471

Electrical



ITEM #	ORDER #
MELC114VS	054204081
MELC114VP	054204071
MELC114VA	054216201

ITEM #	ORDER #
MELC128VS	054204061
MELC128VP	054204051
MELC128VA	054213291

ITEM #	ORDER #
MELC625VS	054204181
MELC625VP	054204171
MELC625VA	054216191

ITEM #	ORDER #
MPPA005VS	054205141
MPPA005VP	054205131
MPPA005VA	054219301

ITEM #	ORDER #
MPPA606VS	054205091
MPPA606VP	054205081
MPPA606VA	054213011

ITEM #	ORDER #
MPPA608VS	054205051
MPPA608VP	054205041
MPPA608VA	054215571

Equipment, Machinery and Operations



More Legends Available! Call Us for More Information!



ITEM #	ORDER #
MADM014VS	054216021
MADM014VP	054202971
MADM014VA	054214381

ITEM #	ORDER #
MCRT016VS	054204261
MCRT016VP	054204251
MCRT016VA	054216301

ITEM #	ORDER #
MEQM152VS	054204301
MEQM152VP	054204291
MEQM152VA	054216311

ITEM #	ORDER #
MPPA603VS	054205071
MPPA603VP	054205061
MPPA603VA	054208031

ITEM #	ORDER #
MPPA801VS	054205171
MPPA801VP	054205161
MPPA801VA	054215671

Fall Protection



ITEM #	ORDER #
MSTF661VS	054203711
MSTF661VP	054203701
MSTF661VA	054214401

Fire



ITEM #	ORDER #
MFYG908VS	054204491
MFYG908VP	054204481
MFYG908VA	054216501

First Aid



ITEM #	ORDER #
MFSD960VS	054204451
MFSD960VP	054204441
MFSD960VA	054210971

Smoking Control



ITEM #	ORDER #
MMSK133VS	054205271
MMSK133VP	054205261
MMSK133VA	054213471



ITEM #	ORDER #
MMSK136VS	054202091
MMSK136VP	054202101
MMSK136VA	054216341



ITEM #	ORDER #
MMSK570VS	054205461
MMSK570VP	054205451
MMSK570VA	054216351

Traffic and Industrial



ITEM #	ORDER #
MVHR633VS	054205531
MVHR633VP	054205521
MVHR633VA	054217951



ITEM #	ORDER #
MVHR842VS	054205511
MVHR842VP	054205501
MVHR842VA	054216421

Use the Material Code to find the price of your sign.

Example:



MADM006VS

SIZE	MATERIAL	PER EACH
◆	ADHESIVE VINYL (VS)	
◆	10" x 14" PLASTIC (VP)	
◆	ALUMINUM (VA)	



Marking Physical Hazards

Hazards and/or potential hazards in any work environment must be identified to alert employees of the possible dangers in the area. The use of floor marking signs, barrier tapes, and roll flagging are good temporary solutions. Depending on the environment, the use of other options like barricade tapes, painted information or accident prevention signs may be better suited.

For more complete information visit www.osha.gov.

AccuFORM SIGNS **Tags**

Header-style tags meet OSHA requirements. Choose from common styles and legends that apply to a variety of situations. Available in PF-Cardstock, a pliable, 10-mil poly-based cardstock and RP-Plastic, a tear-resistant and weather-resistant 15-mil rigid plastic.


Materials

PF-Cardstock (CTP): Pliable, 10-mil plastic (wood & paper-free). Tear-resistant and waterproof for light-duty, short-term use. 5 7/8" x 3 1/8" with 3/8" hole and dirt. 5 7/8" x 3 3/8" with 3/8" hole, reinforced by a pull-proof, metal grommet.

RP-Plastic (PTP): 15-mil, rigid plastic tags are tear-resistant, weatherproof, and resistant to chemicals, grease, and dirt. 5 7/8" x 3 3/8" with 3/8" hole, reinforced by a pull-proof, metal grommet.

How to Calculate Pricing

All of our Accident Prevention Tags are priced according to material on the chart and are available in packs of 25. Use the Material Code to find the price of your Tag.

Example:	SIZE	MATERIAL	PER 25/PK
	5 7/8" x 3 1/8"	PF-CARDSTOCK (CTP)	
MDT161 CTP	5 3/4" x 3 1/4"	RP-PLASTIC (PTP)	

Accident Prevention




ITEM # ORDER #
MDT161CTP 054210445
MDT161PTP 054203925



ITEM # ORDER #
MDT164CTP 054216635
MDT164PTP 054203945




Standard Back



ITEM # ORDER #
MDT112CTP 054208815
MDT112PTP 054203855



ITEM # ORDER #
MDT158CTP 054216665
MDT158PTP 054213041



Lockout/Tagout



ITEM # ORDER #
MLT407CTP 054209335
MLT407PTP 054204775



ITEM # ORDER #
MLT400CTP 054225555
MLT400PTP 054201655




14998


16000


PRESCO Barricade Tapes

Manufactured for durability and resistance to the elements and considered the preferred co-extruded polyethylene tape for marking danger areas and special instructions. Economical, disposable marking solution. Measures: 3" x 1000'.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14998	531500021	Danger, 3-mil	Black/red	RI
16000	531500041	Caution Caution, 2-mil	Black/yellow	RI

Fire Extinguisher







Back

ITEM #	ORDER #
MGT208CTP	054204655
MGT208PTP	054221505

Equipment Status



ITEM # ORDER #
MGT207CTP 054208015
MGT207PTP 054221485



ITEM # ORDER #
TRS307CTP 054221815
TRS307PTP 054205995

More Legends Available! Call Us for More Information!

◆ Non-stock item. Minimum quantity may apply.



Heat Stress

Operations involving high air temperatures, radiant heat sources, high humidity, direct physical contact with hot objects, or strenuous physical activities have a high potential for causing heat-related illness.

Visit www.osha.gov for complete details and regulation requirements.



Powder Pack™ Dry Mix

Replace lost fluids and electrolytes and avoid dangerous dehydration in high-heat environments. Quickly mixes with water and is convenient enough to take anywhere.

ITEM #	ORDER #	DESCRIPTION	UOM
23.83 oz. Powder Pack Dry Mix Makes 2 1/2 Gals.			
016040-LA	33174854	Lemonade	32/Cs
016046-GR	33174855	Grape	32/Cs
016041-OR	33174856	Orange	32/Cs
016042-FP	33174857	Fruit Punch	32/Cs
016043-LL	33174858	Lemon-Lime	32/Cs
016044-AS	33170030	Assorted	32/Cs
016045-TE	33170031	Tea	32/Cs
016047-CH	33170032	Cherry	32/Cs
016048-MB	33170033	Mixed Berry	32/Cs
016049-TC	33170034	Tropical Cooler	32/Cs
016050-CC	33170035	Cool Citrus	32/Cs
47.66 oz. Powder Pack Dry Mix Makes 5 Gals.			
016400-MB	33170036	Mixed Berry	16/Cs
016401-CH	33170037	Cherry	16/Cs
016402-CC	33170038	Cool Citrus	16/Cs
016403-LA	33170039	Lemonade	16/Cs
016404-OR	33170040	Orange	16/Cs
016405-FP	33170041	Fruit Punch	16/Cs
016406-GR	33170042	Grape	16/Cs
016408-LL	33170043	Lemon-Lime	16/Cs
016409-TC	33170044	Tropical Cooler	16/Cs



POWDER PACK DRY MIX



**FAST PACK
LIQUID
CONCENTRATE**



Fast Pack® Liquid Concentrate

Offers workers fluid and electrolyte replenishment anywhere, anytime. Mixes easily with water and packet can be used as a drinking cup. Handy size is more convenient than carrying a cooler. Also available in sugar-free Zero flavors. Yield: .6 oz. packet makes 6 oz. drink.

ITEM #	ORDER #	DESCRIPTION	UOM
015300-MB	33170007	Mixed Berry	200/Cs
015301-CH	33170008	Cherry	200/Cs
015302-GR	33170009	Grape	200/Cs
015303-LA	33170010	Lemonade	200/Cs
015304-OR	33170011	Orange	200/Cs
015305-FP	33170012	Fruit Punch	200/Cs
015306-TE	33170013	Tea	200/Cs
015308-LL	33170014	Lemon-Lime	200/Cs
015309-TC	33170015	Tropical Cooler	200/Cs
015310-CC	33170016	Cool Citrus	200/Cs
Zero - Zero Calories, Zero Sugar			
015500-OR	33170017	Zero Orange	200/Cs
015501-FP	33170018	Zero Fruit Punch	200/Cs





030320-MB 030321-CH 030322-GR 030323-LA

030329-TC 030325-FP 030319-SL 030328-LL 030330-CC



Liquid Concentrate

Great tasting, scientifically formulated electrolyte replacement drink restores important mineral salts and fluids lost through dehydration, physical exertion and heat stress. More satisfying than water or soft drinks because it is readily absorbed by the body. Mixes quickly and easily with water.

ITEM #	ORDER #	DESCRIPTION	UOM
32 oz. Liquid Concentrate Makes 2 1/2 Gals.			
020222-GR	33170047	Grape	12/Cs
020224-LL	33170049	Lemon-Lime	12/Cs
020225-FP	33170050	Fruit Punch	12/Cs
020226-OR	33170051	Orange	12/Cs
64 oz. Liquid Concentrate Makes 5 Gals.			
◆ 030319-SL	33170319	Strawberry Lemonade	6/Cs
030320-MB	33170055	Mixed Berry	6/Cs
030321-CH	33170056	Cherry	6/Cs



030324-OR

ITEM #	ORDER #	DESCRIPTION	UOM
030322-GR	33178663	Grape	6/Cs
030323-LA	33178662	Lemonade	6/Cs
030324-OR	33178664	Orange	6/Cs
030325-FP	33178665	Fruit Punch	6/Cs
030328-LL	33178666	Lemon-Lime	6/Cs
030329-TC	33170058	Tropical Cooler	6/Cs
030330-CC	33170059	Cool Citrus	6/Cs
128 oz. Liquid Concentrate Makes 6 Gals.			
040202-GR	33170070	Grape	4/Cs
040204-OR	33170072	Orange	4/Cs
040205-FP	33170073	Fruit Punch	4/Cs
040208-LL	33170075	Lemon-Lime	4/Cs



050106-MB

050103-GR

050107-OR



Zero Liquid Concentrate

Contains no calories or sugars, providing an ideal solution for diabetics or consumers monitoring their daily intake. Includes the same electrolyte content as regular Squincher® (high in potassium and low in sodium to aid the body in replenishing essential elements lost to heat stress and fatigue). Mixes quickly and easily with water. Yield: 64 oz. concentrate makes 5 gals.

ITEM #	ORDER #	DESCRIPTION	UOM
050102-FP	33170098	Fruit Punch	6/Cs
050103-GR	33170099	Grape	6/Cs
050104-LL	33170100	Lemon-Lime	6/Cs
050106-MB	33170102	Mixed Berry	6/Cs
050107-OR	33170103	Orange	6/Cs



Zero Qwik Stiks™

Offer the same great taste and electrolyte content as regular Squawcher® (high in potassium and low in sodium) with no calories or sugar. Simply tear open the convenient, single-serve pouch, add to bottled water, shake and enjoy.

ITEM #	ORDER #	DESCRIPTION	UOM
Individual Packets Yield 8-10 oz. Drinks			
◆ 060200-OR	331702005	Orange	50/Bg
◆ 060201-MB	331712015	Mixed Berry	50/Bg
060202-FP	331701465	Fruit Punch	50/Bg
060203-LA	331701425	Lemonade	50/Bg
◆ 060204-GR	331702045	Grape	50/Bg
060205-LL	331701455	Lemon-Lime	50/Bg
Individual Packets Yield 20 oz. Drinks			
060099-SL	331760995	Strawberry Lemonade	50/Bg
060100-OR	331701195	Orange	50/Bg



060100-OR

060102-FP

060099-SL

ITEM #	ORDER #	DESCRIPTION	UOM
060101-MB	331701205	Mixed Berry	50/Bg
060102-FP	331701215	Fruit Punch	50/Bg
060103-LA	331701225	Lemonade	50/Bg
060104-PT	331701405	Peach Tea	50/Bg
060106-LL	331711065	Lemon-Lime	50/Bg
060107-GR	331711075	Grape	50/Bg
060109-CC	331711095	Cool Citrus	50/Bg
Qwik Stik Assorted Flavor Tube			
060119-AS	33176119	Qwik Stik Tube, assorted flavors, 10/Pk	20 Pk/Cs



060900-OR

060901-FP

060902-LL

060904-GR



QwikServ™ Powder Concentrate

Naturally flavored, electrolyte replacement drink is low in sodium, non-carbonated and contains no caffeine. Simply pour concentrate from the convenient pack into 16.9 oz. bottled water and shake.

ITEM #	ORDER #	DESCRIPTION	UOM
060900-OR	33170900	Orange	96/Cs
060901-FP	33170901	Fruit Punch	96/Cs
060902-LL	33170902	Lemon-Lime	96/Cs
060904-GR	33170904	Grape	96/Cs



Electrolyte Chews

Electrolyte-fortified chews help replace electrolytes lost due to work and perspiration. Easy, on-the-go consumption, ideal for busy or active lifestyles, naturally flavored with no salty aftertaste. The black cherry flavor contains 50 mg of caffeine per package of 7 Bursts. 7 Each/bag; 12 bags/box; 8 boxes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
010370-OR	33170370	Orange	96/Cs
010371-WA	33170371	Wild Berry	96/Cs
010372-BC	33170372	Black Cherry w/ caffeine	96/Cs
010374-PL	33170374	Pink Lemonade	96/Cs



010370-OR

010371-WA

010372-BC

010374-PL



FastServ™ Beverage Enhancer

Convenient 'Mix-n-Go' beverage enhancer used to stylize and fortify water or other drinks to hydrate and replenish the body. Sugar-free, caffeine-free, non-carbonated, half the sodium and more potassium, without a salty aftertaste. Just shake, flip the cap, and squeeze into drink to use. Each 1.62 oz. concentrated beverage enhancer makes (24) 8 oz. servings.

ITEM #	ORDER #	DESCRIPTION	UOM
010700-FP	33171700	Fruit Punch	12/Cs
010701-SL	33171701	Strawberry Lemonade	12/Cs



010700-FP

010701-SL



Squeeze Freezer Pops

Reduce core body temperature and protect from heat stress and fatigue. Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals needed for proper rehydration. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry. Also available in Zero sugar-free flavors. 3 oz. each.

ITEM #	ORDER #	DESCRIPTION	UOM
159200201	33170128	Assorted flavors	150/Cs
159200223	33170223	Pink Lemonade	150/Cs
159200228	33170228	Zero Fruit Punch	150/Cs
159200229	33170229	Zero Tangerine Orange	150/Cs



159200201



158400104



Coolers and Accessories

Durable coolers with industrial strength handles, cup dispenser mount and convenient "urn-style" spigot for easy product dispensing. Custom imprinted Squincher® 12 oz. cups have pre-measured fill lines for easy liquid concentrate mixing right in the cup; packaged (20) tubes of (100).

ITEM #	ORDER #	DESCRIPTION	UOM
400103	33171103	3-Gal. cooler	Ea
158400104	331701331	5 1/2-Gal. cooler w/ screw-on lid	Ea
400105	331701431	5 1/2-Gal. cooler	Ea
200101	33170129	Squincher cups, 12 oz., 2,000/Cs	Cs
205200	331752001	Plastic cup dispenser	Ea



940-WAV

ASSORTED PRINTS
940-12



MiraCool® Accessories

Soak in cold water for 10-20 minutes to activate MiraCool crystals, and provide the heat relief that workers need. Each item will stay hydrated for several days.

ITEM #	ORDER #	DESCRIPTION	UOM
940-WAV	325305091	Bandana, wavy flag	Ea
940-12	325305081	Bandana, assorted prints	Ea



Insulated Beverage Containers

Insulated to keep water and beverages cold. Features drip-resistant spigot and leak-resistant lid. BPA-free. Orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
FG16100111	17701610	Insulated beverage container	10 gal.	Ea
FG16830111	17701683	Insulated beverage container	3 gal.	Ea



FG16100111

FG16830111



First Aid

Employers are required to provide medical and first aid personnel and supplies commensurate with the hazards of the workplace.

Visit www.osha.gov for complete details and regulation requirements.



Construction Bulk First Aid Kits

Provides a wide variety of items that meet the needs for most minor injuries encountered in a construction environment. Economical, weatherproof kits made of tough polypropylene are latex-free and comply with OSHA 1926.50 requirements.

DESCRIPTION	10 PERSON	25 PERSON	50 PERSON
Adhesive bandage, 1" x 3", plastic	16	32	100
Knuckle bandage, cloth	-	-	8
Triangular bandage, non-sterile	1	1	1
Adhesive tape, 1/2" x 2 1/2 yds.	1	1	2
Gauze pads, 3" x 3", sterile	4	6	10
Bloodstopper® bandage	-	-	1
Roller bandage, 3" x 6 yds., non-sterile	1	2	3
Trauma pad, 5" x 9", sterile	1	1	2
First aid/burn cream with aloe	6	6	12
Antibiotic ointment pouch	6	6	12
Antiseptic wipes, BZK	10	10	20
Aypanal non-aspirin	3	3	6
Ammonia inhalants, 2/Pk	-	-	10
Sting-relief wipes	6	6	12
Eye pad, sterile	2	2	4
Buffered eyewash	-	-	1
Forceps, pointed, plastic	1	1	1
Scissors, angled, red handle	1	1	1
Instant cold pak	1	1	2
Medical gloves, synthetic	2 pr.	2 pr.	4 pr.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019742-0029L	347627481	Construction bulk first aid kit, 10-person	8" W x 5 1/8" H x 2 3/4" D	Ea
019743-0030L	347627491	Construction bulk first aid kit, 25-person	7" W x 10 1/4" H x 3" D	Ea
019744-0031L	347627501	Construction bulk first aid kit, 50-person	10" W x 10" H x 3" D	Ea



019720-0009L



First Aid Station

Large quantity and assortment of first aid medical supplies for most minor injuries, aches and pains. Medicinals are packaged in single-dose, tamper-evident units. Ideal for large office and manufacturing settings. Contains CPR barriers and trauma dressings. ANSI Z308.1-2009 compliant.

DESCRIPTION	100 PERSON
Adhesive bandage, 3/4" x 3", cloth	100
Adhesive bandage, 1" x 3", plastic	100
Adhesive bandage, extra large, plastic	25
Conforming bandage, 2" x 6 yds., non-sterile	4
Conforming bandage, 3" x 6 yds., non-sterile	4
Elastic bandage, 3"	1
Fingertip bandage, cloth	40
Knuckle bandage, cloth	40
Bloodstopper® bandage	1
Triangular bandage, non-sterile	1
Adhesive tape, 1/2" x 5 yds., spool	1
Adhesive tape, 1" x 5 yds., spool	-
Gauze compress, 1 sq. yd.	1
Gauze pads, 3" x 3", sterile	1
Gauze pads, 2" x 2", sterile	1
Non-adherent pads, 2" x 3"	2
Eye dressing pads with adhesive strips	1
Eyewash, 4 oz.	1
Alcohol prep pads, 10/Pk	2
Antibiotic ointment, 10/Pk	1
Antiseptic pump spray, 2 oz.	1
Burn pump spray, 2 oz.	1
PVP iodine wipes, 10/Pk	4
Aypanal non-aspirin, 100/Bx	1
Cherry cough drops, 50/Bx	-
CPR Microshield® with 1 pair gloves & wipes, unitized	1
Forceps, pointed, plastic	1
Scissors, angled, red handle	1
Instant cold pak	2
Medical gloves, synthetic	5 pr.
First aid guide	1

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019720-0009L	34761009	First aid station, 100-person	10 1/2" W x 15" H x 4 3/4" D	Ea



BULK FIRST AID KITS



Bulk First Aid Kits

Contains economical bulk supplies that are readily accessible. Ideal for settings where a wide variety of first aid items are required. Available in weatherproof plastic or metal. ANSI Z308.1-2009 compliant.

DESCRIPTION	10 PERSON	25 PERSON	50 PERSON
Adhesive bandage, 1" x 3", plastic	16	32	100
Fingertip bandage, cloth	1	3	4
Knuckle bandage, cloth	-	2	3
Adhesive bandage, extra large, plastic	1	1	2
Adhesive tape, 1/2" x 2 1/2 yds.	2	2	2
Conforming bandage, 2" x 6 yds., non-sterile	1	2	3
Conforming bandage, 3" x 6 yds., non-sterile	1	1	2
Elastic bandage, 2"	-	-	1
Triangular bandage, non-sterile	1	1	1
Gauze pads, 2" x 2", sterile	4	4	10
Gauze pads, 3" x 3", sterile	4	4	4
Trauma pad, 5" x 9", sterile	1	1	1
Antiseptic wipes, BZK	6	6	10
Antibiotic ointment pouch	6	6	12
Sting-relief wipes	6	6	12
First aid/burn cream with aloe	6	6	12
Eyewash, 1 oz.	-	1	1
Eye pad, sterile	-	1	2
Aypanal non-aspirin	3	3	6
CPR Filtershield™	-	1	1
Forceps, pointed, plastic	1	1	1
Scissors, angled, red handle	1	1	1
Instant cold pak	1	1	2
Medical gloves, synthetic	2 pr.	2 pr.	2 pr.
First aid guide	1	1	1
Poison control directory	1	1	1

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
019700-0001L	347627131	Bulk kit, plastic, 10-person	8" W x 5" H x 2 3/4" D	Ea
019701-0001L	347627141	Bulk kit, steel, 10-person	8" W x 5" H x 2 3/4" D	Ea
019702-0002L	347627151	Bulk kit, plastic, 25-person	10 1/4" W x 7" H x 3" D	Ea
019703-0002L	347627161	Bulk kit, steel, 25-person	10 1/4" W x 7" H x 3" D	Ea
019704-0003L	347627171	Bulk kit, plastic, 50-person	15 3/4" W x 11" H x 3" D	Ea
019705-0003L	347627181	Bulk kit, steel, 50-person	15 3/4" W x 11" H x 3" D	Ea



1220004XA



BugX[®] 30 Towelettes

Individually packaged in convenient, leakproof, foil pouches. Formulated with 30% DEET to repel mosquitoes, ticks, fleas, chiggers, black flies and deer flies.

BugX is a registered trademark of ISIS Investment Corp.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
122004XA	347629961	BugX towelettes	8" x 5"	50/Dsp



272204



Protective Skin Cream

Protect skin in wet or dry work environments. Barrier against many sticky, staining, irritating industrial substances. Contains silicone. 4 oz.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
272204	347622041	Barrier cream w/ silicone	4 oz.	Ea

◆ Non-stock item. Minimum quantity may apply.



Showers & Eyewash

OSHA requires that suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use wherever any person may be exposed to injurious corrosive materials.

Visit www.osha.gov for complete details and regulation requirements.



32-000460-0000



32-000461-0000



32-000465-0000



32-000462-0000

Honeywell

Personal Eyewashes and Wall Stations

Sealed, sterile, bottles contain Eyesaline® – a buffered, saline solution superior to tap water for emergency eye care. Blow-fill-seal bottles are tamper-resistant, yet easily removed in an emergency. Extended flow opening provides longer flow rate than conventional bottles. Durable, open face design holds bottles firmly in place with easy access to bottles in an emergency. Mounts to wall with provided screws. Durable plastic is easy-to-clean. Simple, highly visible operating instructions are provided on each unit. 16 oz. and 32 oz. bottles feature trilingual instructions. Ensured quality and lasting value with FDA-grade polyethylene bottles featuring lot numbers and expiration dates. DOES NOT MEET the current ANSI Z358.1 15-minute flushing requirement.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000460-0000	341501091	Single wall station, 16 oz. bottle	Ea
32-000461-0000	341501101	Single wall station, 32 oz. bottle	Ea
32-000465-0000	34156501	Double wall station, 16 oz. bottles	4/Cs
32-000462-0000	341501111	Double wall station, 32 oz. bottles	Ea

Honeywell

Fendall Pure Flow 1000® Eyewash Station

Saline is physiologically correct, buffered to the eye and delivered from factory-sealed cartridges. No costly plumbing required. Integral reservoir captures waste fluid. Stop valve allows easy draining of reservoir after use. Cartridges have 2-year shelf life; sold separately. Provides a constant ribbon fluid flow rate of 0.4 gpm for the entire 15-minute flushing period required by industry standards. Meets ANSI Z358.1-2009.

ITEM #	ORDER #	DESCRIPTION	UOM
32-001000-0000	341554681	Fendall Pure Flow 1000 eyewash station, English	Ea
32-001050-0000	341500791	Purified saline refill cartridges, trilingual	Pr



32-001050-0000



32-001000-0000



32-002000-0000

Honeywell

Fendall 2000™ Eyewash Station

Delivers 100% sterile Eyesaline® eyewash solution via a 100% sterile delivery system. Each portable unit comes complete with emergency eyewash station sign, bracket, installation DVD and tamper seals. Integrated waste containment prevents spilling and is easily emptied. Built-in alarm sounds when the unit is activated and again when the 15-minute flush has been completed. Deactivation button allows easy maintenance. Sleek design measures 34 3/4" H x 17 1/2" W x 15 1/2" D. Sterile Eyesaline solution cartridges sold separately; cartridges have 24-month life. One-year warranty. Meets ANSI Z358.1-2009 15-minute flush requirement for primary eyewash stations.

ITEM #	ORDER #	DESCRIPTION	UOM
32-002000-0000	341556331	Fendall 2000 eyewash station	Ea
32-ST2050-0000	341556341	Sterile Eyesaline refill cartridge	Ea

Honeywell

Fendall Porta Stream® I Eyewash Station

Portable, lightweight and delivers 6 minutes of uninterrupted, hands-free flushing without costly plumbing. Gravity-fed flow begins immediately when the nozzle pull strap is removed. Supplied with 70 oz. of Eyesaline® concentrate which, when mixed with tap water provides 6 gals. of saline solution. May be mounted on a wall, mobile cart or mobile stand for easy and affordable safety near most workplace hazards. Nozzle strap is easily removed, leaving hands free to hold eyelids open. Large fill hole simplifies refilling and cleaning. Illustrated operating instructions printed on the unit. Suitable for nuisance situations such as dust or particle flushing where a 15-minute flushing device is not a requirement. Hi-viz green.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000100-0000	341500761	Fendall Porta Stream I eyewash station (English) w/ saline concentrate	Ea



32-000100-0000



32-000200-0000

Honeywell

Fendall Porta Stream® II Eyewash Station

Portable, self-contained design may be mounted on a wall or mobile cart. Nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Supplied with Eyesaline® concentrate when mixed provides 14-16 gals. of preserved, buffered saline solution. Industry-compliant 15-minute flow cycle from a large 16-gal. reservoir permits thorough eye flushing by providing a 0.4 gpm flow rate over the eyes. Large fill hole with lockable fill cap simplifies refilling and cleaning and reduces risk of possible tampering. Hi-viz green. Includes Emergency Eyewash sign. Meets ANSI Z358.1-2009 15-minute flushing requirements for primary eyewash stations.

ITEM #	ORDER #	DESCRIPTION	UOM
32-000200-0000	341500881	Fendall Porta Stream II eyewash station w/ saline concentrate	Ea

Honeywell

Eyesaline® Personal Eyewashes

Bottles contain Eyesaline saline solution for use in personal eyewash devices that offer secondary response and are intended to supplement, not replace, primary eyewash units. Also used for continued irrigation when moving an injured person from a primary eyewash unit to medical care. Easy-open top is tamper-resistant, yet easily removed in an emergency. User-controlled volume delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle. Made of FDA-grade polyethylene with lot numbers and expiration dates to ensure quality. Three-year shelf life.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
32-000451-0000	34150105	Eyesaline personal eyewash, 1 oz.	24/Cs	Cs
32-000454-0000	341501071	Eyesaline personal eyewash, 16 oz.	12/Cs	Ea
32-000455-0000	341501081	Eyesaline personal eyewash, 32 oz.	12/Cs	Ea



PERSONAL EYEWASHES

Honeywell

Eyesaline® Concentrate

Physiologically balanced to match natural tears and aid in reducing additional damage to the injured eye when flushed properly. Specifically formulated to be mixed with clean, potable water (10:1 ratio) and provides a cost-effective solution for the eyewash refills. May be used with Fendall Porta Stream® I, II and III (sold separately). The 180 oz. bottle makes 14-16 gals.; 70 oz. bottle makes 5-7 gals.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
32-000502-0000	341501141	Saline solution premix, 1 gal., for use w/ Fendall Porta Stream I, II & III	4/Cs	Ea
32-000509-0000	341501151	Saline concentrate, 70 oz., for use w/ Fendall Porta Stream I	6/Cs	Ea
32-000513-0000	341501171	Saline concentrate, 180 oz., for use w/ Fendall Porta Stream II & III	4/Cs	Ea



32-000513-0000

◆ Non-stock item. Minimum quantity may apply.



5135



Portable Low-Profile Eyewash Station

One of the top OSHA citations is lacking an emergency eyewash station. As required by law, protect employees and guard against personal injury claims. Operates with one motion, one hand. Gravity fed 15-minute flow time. No plumbing required. Flow rate: 0.4 gpm for 15 minutes. Includes mounting bracket, inspection tag and preservative. Change water every 90 days. Measures 11 1/2" x 19 1/2" x 25". Meets ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
5135	G73551351	Portable eyewash station	Ea
5136	G7355136	Eyewash preservative, 8 oz.	4/Cs



Primary Eyewash Station

Engineered to provide emergency eye irrigation with maximum flow for 15 minutes at a rate of 0.4 gpm. Includes steel wall brackets for easy mounting, drainage hose, (1) 2 oz. bottle of sterile preservative concentrate and test log card. Flow is activated in less than 1 second. Meets ANSI Z358.1-2009.



01116

ITEM #	ORDER #	DESCRIPTION	UOM
01116	325101021	Lavoptik eyewash wall unit, 16 gal.	Ea



Emergency Showers and Eyewashes

Workplace eye protection is your right and the employer's responsibility whenever the task requires it to effectively perform your job duties. When emergencies occur, the path of travel from the hazard to the equipment should be free of obstructions, as straight as possible and be attainable within 10 seconds.

Go to www.osha.gov for complete information and requirements.



G1100



G1100 and G1101 EyeSafe™ and EyeSafe-X™ Faucet-Mounted Eyewashes

Features EyeSafe and EyeSafe-X mounts, easy installation and an unlimited supply of potable water for rinsing user's eyes. Adjustable outlet heads mounted 3" apart deliver a soft, aerated flow of water. Includes forged brass inverter valve, inlet body with 55/64"-27 female thread and three adapters plus furnished outlet with removable aerator on bottom. Requires two motions to operate (turn on water, pull knob to activate eyewash flow). Intended solely as supplemental units for use with plumbed eyewash equipment already installed in the workplace. Should be used with cold or warm water only. Hot water can lead to scalding. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Secondary or Personal.

ITEM #	ORDER #	DESCRIPTION	UOM
G1100	B73101021	EyeSafe faucet-mounted eyewash	Ea
G1101	B73101031	EyeSafe-X faucet-mounted eyewash, gooseneck version	Ea



G1806 Deck-Mounted Eyewash with 90° Swivel

Eyewash for mounting next to a sink. Polished, chrome-plated brass construction with (2) GS-Plus™ spray heads, each with a "flip top" dust cover, internal flow control and filter to remove impurities from the water flow. Spray heads swivel 90° from storage to operational position. Push handle activation.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1806	B73101981	Eyewash, push handle, right-hand mount	Ea
◆ G1806LH	B73101991	Eyewash, push handle, left-hand mount	Ea



G1806



G1540 AquaGuard 16-Gal. Portable Eyewashes

Self-contained, 16-gal. gravity flow eyewash unit uses gravity to deliver water through dual spray heads. Unit delivers over 8 gals. (30 liters) of water for 15 minutes, thus complying with the provisions of ANSI Z358.1-2009 for eyewashes. Rugged plastic tank can be installed in a wide variety of locations. Ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, low traffic and/or low hazard areas. Tank has built-in carrying handle, heavy wall construction and reinforced ribs to support weight of unit. Eyewash delivers over .5 gallons per minute for 15 minutes. Water flow is activated by pulling down on bright yellow eye wash tray. Integral full flow nozzles deliver soft spray of water. Swing tray up to storage position to stop flow. Can be wall-mounted or used on countertop. Heated, freeze-resistant unit also available.



G1540

G1540BA

G1540HTR

ITEM #	ORDER #	DESCRIPTION	UOM
G1540	B73101151	AquaGuard gravity-flow portable eyewash	Ea
◆ G1540HTR	B7311546	AquaGuard gravity-flow portable eyewash, heated	Ea
G1540BA	B73101161	AquaGuard bacteriostatic additive, 8 oz.	Ea



G1635



G1600 Series Emergency Showers

Shower head is 10" in diameter and available in orange ABS plastic or stainless steel. Furnished with stainless steel actuating arm, 29" pull rod, and 1" IPS chrome-plated brass, stay-open ball valve with Teflon® seals. 1" NPT female inlet supply. Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1635	B73101271	Emergency shower, vertically mounted, plastic shower head	Ea
◆ G1643	B73101311	Emergency shower, horizontally mounted, plastic shower head	Ea



G1814 Series Wall-Mounted Eyewashes

Features (2) GS-Plus™ spray-type heads with "flip-top" dust cover, internal flow control and filter to remove impurities from the water flow. Includes signage and inspection tag. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
G1814	B73102031	Eyewash w/ stainless steel bowl	Ea
G1814P	B73102041	Eyewash w/ ABS plastic bowl	Ea
◆ G1814BC	B73111141	Eyewash w/ stainless steel bowl & cover	Ea



G1814P



G1750P



G1750 Series Eye/Face Washes

Specially designed for wall mounting. Two large FS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes and face. Spray head assembly features internal flow control and filter to remove impurities from the water flow. Supply is a 1/2" IPS chrome-plated brass, stay-open ball valve with Teflon® seals. Heavy-duty cast aluminum wall bracket is corrosion-resistant with powder-coated finish. Includes ANSI-compliant identification sign. Fully assembled and 100% tested to meet ANSI Z358.1. Classified Primary.


ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1750	B73101661	Eye/face wash, stainless steel bowl	Ea
◆ G1750BC	B7310332	Eye/face wash, stainless steel bowl w/ cover	Ea
◆ G1750P	B73101671	Eye/face wash, plastic bowl	Ea



G1902 Shower Safety Stations with Eyewash

Features 10" diameter, ABS plastic shower head and (2) GS-Plus™ spray-type outlet heads with "flip-top" dust cover, internal flow control and filter to remove impurities. G1902HFC eyewash is activated by flag handles or foot treadle. G1902BC eyewash has a stainless steel bowl and cover to protect bowl from dust, dirt and other contaminants. Cover is raised automatically when flag handle is activated. Includes signage and inspection tags. Tested to meet ANSI Z358.1.

ITEM #	ORDER #	DESCRIPTION	UOM
G1902	B7311903	Safety station eyewash & shower, stainless steel bowl, hand control	Ea
◆ G1902BC	B73103251	Safety station eyewash & shower, stainless steel bowl & cover	Ea
G1902P	B7311902	Safety station eyewash & shower, plastic bowl application, hand control	Ea





G1825 Series Pedestal-Mounted Eyewashes

Free-standing, pedestal-mounted eyewash. Two GS-Plus™ spray-type spray heads. Each head has a “flip top” dust cover, internal flow control and filter to remove impurities from the water flow. Water flow is activated by flag handle; optional bowl cover is automatically raised when unit is activated. Includes ANSI-compliant identification sign. Tested to meet ANSI Z358.1. Classified Primary.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ G1825P	B73102121	Eyewash, ABS plastic bowl	Ea
◆ G1825	B73102101	Eyewash, stainless steel bowl	Ea
◆ G1825BC	B7311825	Eyewash, stainless steel bowl & cover	Ea



G5000 Eyewash/Drench Hose Units

Dual-purpose eyewash/drench hose for wall or deck mounting. Can be used as a fixed eyewash, leaving hands free. Unit may be removed for use as a drench hose to rinse any part of user’s eyes, face or body. Fully assembled and 100% tested to meet ANSI Z358.1 as both an eyewash and a drench hose.



ITEM #	ORDER #	DESCRIPTION	UOM
◆ G5026	B73102851	Eyewash/drench hose unit, wall-mounted	Ea
◆ G5022	B73102811	Eyewash/drench hose unit, deck-mounted	Ea



G1562 15-Gal. Portable Eyewash/Drench Hose Units

Self-contained eyewash/drench hose units ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, low traffic and/or low hazard areas. 15-Gal. units provide approximately 10 usable gals. (37.9 liters) of water for effective rinsing of the eyes, face or body, for fifteen minutes, thus complying with the provisions of ANSI Z358.1-2009 for eyewashes. Stainless steel pressurized tank with built-in carrying handles, air intake fitting, pressure gauge and pressure relief valve. Unit features (2) GS-Plus™ spray heads, each with a “flip top” dust cover, internal flow control and filter, and a 1/2” IPS chrome-plated, brass stay-open 3-way self-draining ball valve with stainless steel flag handle. Pressure regulator controls eyewash flow to 0.65 GPM for 15 minutes. Drench hose features single GS-Plus spray head with “flip top” dust cover, internal flow control and filter; chrome-plated, brass squeeze valve with stainless steel lever handle and 6’ reinforced PVC hose. Heated, freeze-resistant model also available.

ITEM #	ORDER #	DESCRIPTION	UOM
G1562	B7311562	Portable eyewash/drench hose	Ea
◆ G1562HTR	B7311547	Portable eyewash/drench hose, heated	Ea





Lighting

When adequate illumination is not obtainable by permanent lighting sources, temporary lighting may be used as supplementation.

Visit www.osha.gov for complete details and regulation requirements.



1965-BLK



MityLite™ 1965 LED Flashlight

Latest and brightest LED technology in a compact, lightweight flashlight. Small enough to fit in shirt pocket, yet bright enough to illuminate work area. Long lasting and energy efficient with safety approvals right for the job. IECEx TRC10.0005X - II 1 GD Ex ia IIC T4 Ga Ex iaD 20 IP65 T90. Black.

- Source: LED
- Output: 21 lumens
- Run time: 4 hours
- Power: (2) AAA alkaline batteries (included)
- Length: 5.48"

ITEM #	ORDER #	DESCRIPTION	UOM
1965-BLK	548501611	MityLite 1965 LED flashlight	Ea



SabreLite™ 2010 LED™ Flashlight



2010C-YEL

Produces white collimated beam as bright as incandescent light. Durable, lightweight EXL body. Twist on/off lens shroud eliminates accidental discharge. Lifetime guarantee. IPX7 waterproof (submerged to 1 meter for 30 min.) Approvals: IECEx, ETL Class I, II and III, Group A, B, C, D, E, F and G. Yellow.

- Source: LED
- Output: 109 lumens
- Run time: 32 hours
- Power: (3) C alkaline batteries (not included)
- Length: 8.11"

ITEM #	ORDER #	DESCRIPTION	UOM
2010C-YEL	548501721	SabreLite 2010 LED flashlight	Ea



StealthLite™ 2410 LED Flashlight



2410-YEL

LED module produces a true, bright collimated LED beam. EXL resin body is corrosion-proof, resistant to extreme temperatures and submersible. IPX7 rating. Approvals: IECEx, ETL Class I, II and III, Group A, B, C, D, E, F and G. Yellow.

- Source: LED
- Output: 126 lumens
- Run time: 7 1/2 hours
- Power: (4) AA alkaline batteries (included)
- Length: 7"

ITEM #	ORDER #	DESCRIPTION	UOM
2410-YEL	548501021	StealthLite 2410 LED flashlight	Ea

Pelican 1920 LED Flashlight

Ultra-compact aluminum flashlight with powerful bright LED lights create a clean white beam. Designed for easy use with one hand and has a dual-switch mode for constant-on and momentary-on. Body construction is type II anodized aluminum. Black.

- Source: LED
- Output: 120 lumens high, 12 lumens low
- Run time: 2 3/4 hours high, 9 1/2 hours low
- Power: (2) AAA alkaline batteries (included)
- Length: 5.5"

ITEM #	ORDER #	DESCRIPTION	UOM
1920	548519201	1920 LED flashlight	Ea



1920



3660 Rechargeable LED™ Flashlight

Uses a long-life NiMH battery pack for extended burn time. Charger base included that can be installed at home or work site using the 110 V transformer. Unit can also be charged in a vehicle through direct wiring or using a 12 V plug-in adapter. FM Class I, Div. 2, Group. A, B, C and D; Class II, Div. 2, Group. F, G. Yellow.

- Source: LED
- Output: 112 lumens
- Run time: 4 1/2 hours
- Power: (4) AA NiMH battery pack (included)
- Length: 7.51"

ITEM #	ORDER #	DESCRIPTION	UOM
3660-YEL	548536601	3660 Rechargeable LED flashlight	Ea



3660-YEL



VB3™ LED Flip Light

Features dual, super-bright white LEDs that never need replacing. Turns on automatically when head is flipped up, and swivel head pivots 180°. Built-in clip allows for hands-free operation. Lifetime guarantee. Approvals: UL® Class I, Div. 1, Group A, B, C and D; IECEX. Black.

- Source: LED
- Output: 9 lumens
- Run time: 34 hours
- Power: (2) CR2032 lithium batteries (included)
- Length: 3.5"



2220C-BLK



ITEM #	ORDER #	DESCRIPTION	UOM
2220C-BLK	548500791	VB3 LED flip light	Ea



MityLite™ 1900 Flashlights

Xenon® polymer resin body with high-impact, polycarbonate lens. Includes shirt clip, Laser Spot™ xenon lamp module, twist-on shroud, highly-focused beam. IPX7 rated, CSA Class I, Div. 2, Group A, B, C, D; Class II, Div. 2, Group G; ETL, Class I, Div. 1, Group C and D approvals.

- Source: xenon bulb
- Output: 11 lumens
- Run time: 1 1/2 hours
- Power: (2) AAA alkaline batteries (included)
- Length: 4.09"



1900C-BLK

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
1900C-BLK	548500491	MityLite 1900 flashlight	Black	Ea
1900C-YEL	548500541	MityLite 1900 flashlight	Yellow	Ea

Don't forget the Batteries! Page 241



Did You Know?

- Never leave batteries inside any device that will be stored for any length of time.
- Never mix old and new or different types of batteries in a flashlight.
- Always store batteries in a cool, dry place protected from temperature extremes.

For more complete information visit www.osha.gov.



SabreLite™ 2000 Flashlight

Lexan® EXL resin body with nylon lens and xenon lamp for tightly focused white beam. Twist-on shroud eliminates accidental turn-on and mechanical switch failure. Includes belt clip, stainless steel split ring and black lanyard. Polarity-guard battery tray guards against dangerous "outgassing" of hydrogen from an accidentally reversed cell. Lifetime guarantee. IPX7 submersible rating. FM and CSA Class I, Div. 2; UL® Class I, Div. 1; IECEx tested for use in methane-air mixture only. Safe for use in gaseous or electrical hazardous environments. Yellow.

- Source: xenon bulb
- Output: 53 lumens
- Run time: 5 hours
- Power: (3) C alkaline batteries (not included)
- Length: 7.79"



2000C-YEL

ITEM #	ORDER #	DESCRIPTION	UOM
2000C-YEL	548500701	SabreLite 2000 flashlight	Ea



2720



2720 LED Headlight

Gesture Activation Control technology turns on the headlight with a wave of a hand, allowing operation when hands are gloved, wet or oily. Features include low level red light that preserves night vision, signaling red (S.O.S.) beacon light and optical 4x magnification allows for a wide or penetrating beam. Includes variable light output from 100%-10%. Constructed of black ABS thermoplastic. Rubber head strap included. Black.

- Source: LED
- Output: 80 lumens high, 5 lumens low
- Run time: 8 hours high, 175 hours low
- Power: (3) AAA alkaline batteries (included)
- Length: 2.48"

ITEM #	ORDER #	DESCRIPTION	UOM
2720	548527201	2720 LED headlight w/ gesture activation control	Ea



StealthLite™ 2400 Flashlight



2400C-YEL

Constructed with Lexan® EXL resin body, corrosion-proof K-Resin® shroud and high-impact, polycarbonate lens. Xenon lamp module produces extremely bright white beam which cuts through water, smoke, fog and rain. Includes one-handed on/off locking switch and heavy-duty lanyard. Lifetime guarantee. IPX7 submersible rating. Approvals: FM, CSA, ETL Class I, Div. 1, Div. 2 Group A, B, C, D. Yellow.

- Source: xenon bulb
- Output: 45 lumens
- Run time: 3 3/4 hours
- Power: (4) AA alkaline batteries (included)
- Length: 6.49"

ITEM #	ORDER #	DESCRIPTION	UOM
2400C-YEL	548500991	StealthLite 2400 flashlight	Ea



2690



HeadsUp Lite™ 2690 LED Headlight

Constructed of impact, chemical and water-resistant ABS with easy-to-operate rotary bezel switch. Includes adjustable, comfortable cloth strap and heavy-duty rubber strap for snug fit. Non-glare black. CE EX, USTC Class I, Div. 1, Div. 2, 3, PS Class I, Div. 1, 2, 3. Black.

- Source: LED
- Output: 60 lumens
- Run time: 10 1/2 hours
- Power: (3) AAA alkaline batteries (included)
- Length: 2.81"

ITEM #	ORDER #	DESCRIPTION	UOM
2690	548526901	HeadsUp Lite 2690 LED headlight	Ea



9430 Remote Area Lighting System

Includes low battery warning system, waterproof rubber activation switch and fully extendable mast with 360° rotating head and mast extension lock. Lifetime guarantee. Restriction of Hazardous Substances (RoHS) compliant. Black.

- Source: 6 LEDs per head, (24) high-flux LEDs, 50,000-hour lifetime
- Output: 3,000 lumens on high/1,500 on low
- Run time: 8 hours (high), 15 (low)
- Power: 12 V rechargeable, sealed lead (included)
- Dimensions (closed): 15.8" L x 7.9" W x 9.1" H
- Height with mast head extended: 32.28"

Caution: Contains sealed lead acid batteries that can generate hydrogen gas when charging. It is imperative that these products are charged, as instructed, with the case lid open to allow any gases to escape. Failure to abide by this instruction could result in injury and/or damage to property. Please refer to the warnings provided in the instructions for the unit and on a decal affixed to the inside of the case adjacent to the cavity where the charger unit is packed.



9430-BLK

ALSO AVAILABLE IN YELLOW

ITEM #	ORDER #	DESCRIPTION	UOM
9430-BLK	548594301	9430 Remote area lighting system	Ea

DURACELL CopperTop Alkaline Batteries

Long-lasting, reliable power for frequently used devices. Engineered to deliver the power needed for all household devices. Available in AAA, AA, C, D, and 9 V sizes.

- Guaranteed fresh for 10 years (5 years for 9 V)
- Operating temperature range -4° F to 130° F
- Perfect for toys, remote controls, flashlights, wireless and portable electronics



COPPERTOP ALKALINE

ITEM #	ORDER #	DESCRIPTION	UOM
MN1500BKD	169027535	CopperTop alkaline AA	24/Pk
MN2400BKD	169001635	CopperTop alkaline AAA	24/Pk
MN1400	169027525	CopperTop alkaline C	12/Pk

ITEM #	ORDER #	DESCRIPTION	UOM
MN1300	169027505	CopperTop alkaline D	12/Pk
MN1604BKD	169001645	CopperTop alkaline 9 V	12/Pk

DURACELL Procell® Alkaline Batteries

Created for professional applications, Procell batteries offer dependable, long-lasting power. Ideal for industry, pharmacists and first responders.

- Guaranteed for 7 years in storage (5 years for 9 V)
- Reliable operation in extremes from -4° F to 129° F
- Perfect for motion sensors, testing equipment, remote controls, flashlights and portable electronics



PROCELL ALKALINE

ITEM #	ORDER #	DESCRIPTION	UOM
PC1500BKD	169021485	Procell Alkaline AA	24/Pk
PC2400BKD	169036485	Procell Alkaline AAA	24/Pk
PC1400	169018405	Procell Alkaline C	12/Pk

ITEM #	ORDER #	DESCRIPTION	UOM
PC1300	169029035	Procell Alkaline D	12/Pk
PC1604BKD	169027495	Procell Alkaline 9 V	12/Pk

RAYOVAC Alkaline Batteries

Built to exceed performance demands of industrial applications. Environmentally safe, mercury-free formula. Shrink-wrap minimizes packaging.

- Ultra Pro batteries guaranteed fresh for 10 years
- Ideal for all medium and high-drain, frequent-use devices



ULTRA PRO LINEUP

ITEM #	ORDER #	DESCRIPTION	UOM
AL-AA	778400035	Ultra Pro Alkaline AA	8/Pk
AL-AAA	778400045	Ultra Pro Alkaline AAA	8/Pk
AL-C	778400015	Ultra Pro Alkaline C	6/Pk

ITEM #	ORDER #	DESCRIPTION	UOM
AL-D	778400025	Ultra Pro Alkaline D	6/Pk
AL-9V	778400185	Ultra Pro Alkaline 9 V	6/Pk
6V-HD	778410061	Industrial 6 V spring terminal, heavy-duty lantern battery	Ea

◆ Non-stock item. Minimum quantity may apply.



DIY3AAA-B

RAYOVAC Virtually Indestructible 3 AAA Industrial Grade Flashlight

Rubber head and tail cap absorb shock; impact-resistant internal engineering designed for maximum durability/simplicity. Made of aluminum-titanium alloy. Features ergonomic design with thumb area built in and protected tactical tail cap switch. 30° Drop tested. Water-resistant; IPX4 rated. Lifetime warranty. Black.

- Source: high-performance LED
- Output: 120 lumens (high), 19 lumens (energy-saver mode)
- Beam distance: 160 m (high), 70 m (energy-saver mode)
- Run time: 5 hours (high), 40 hours (energy-saver mode)
- Power: (3) AAA alkaline batteries (included)

ITEM #	ORDER #	DESCRIPTION	UOM
DIY3AAA-B	778410031	Virtually Indestructible LED flashlight	Ea



RNT3AAA-B

RAYOVAC Roughneck™ Flashlight with Holster

Tough, durable and water-resistant aircraft-grade aluminum body has shock-absorbing bulb system and spot-to-flood focus capabilities. Includes holster. Lifetime warranty. Black.

- Source: high-performance Cree® XPG LED with three modes: high, low and strobe
- Output: 220 lumens (high), 90 lumens (low)
- Beam distance: 146 M
- Run time: 2 hours (high), 4 1/2 hours (low), 8 hours (strobe)
- Power: (3) AAA alkaline batteries (included)
- Length: 5"

ITEM #	ORDER #	DESCRIPTION	UOM
RNT3AAA-B	778410231	Roughneck Tactical LED light w/ holster	Ea



SE1WHLT-BA

RAYOVAC Sportsman® 1 W LED Headlight

Lightweight and water-resistant construction. Includes 1 W LEDs with 100,000-hour life. One red LED for night vision, (1) blue LED for tracking and (1) white LED. DC-DC voltage boost-up technology maintains maximum brightness over battery life. Lifetime warranty. Black.

- Source: LED
- Output: 62 lumens
- Run time: 2 hours
- Power: (1) AA alkaline battery (included)

ITEM #	ORDER #	DESCRIPTION	UOM
SE1WHLT-BA	778411011	Sportsman Xtreme w/ 1 W LED headlight	Ea



SPHLTLED-BB

RAYOVAC Sportsman 3-in-1 LED Headlight

Long lasting, bright, hands-free light source in one 3-function headlight. Lightweight, weatherproof headlight includes a 2-way adjustable head strap with pivoting angles. Other features include red LED for improved "Night Vision," (1) white LED for close up use, and a long range krypton T3 for distance. Lifetime warranty. Black.

- Source: LED
- Power: (3) AAA batteries (included)
- Output: Krypton mode: 22 lumens, 60 m beam distance
- Output: LED mode: 7 lumens, 12 m beam distance
- Run time: Krypton mode: 2 hours, LED mode: 50 hours

ITEM #	ORDER #	DESCRIPTION	UOM
SPHLTLED-BB	778400451	Sportsman 3-in-1 LED headlight	Ea



Industrial™ 2D Utility Flashlight

Economical and durable light with easy-to-use slide switch. Withstands 3' drops. Includes a handy hanging lanyard. Yellow.

- Source: standard PR2 bulb
- Output: 23 lumens
- Beam distance: 123 m
- Run time: 7 hours with (2) heavy-duty D batteries or 20 hours with (2) alkaline D batteries
- Power: (2) D batteries (not included)
- Length: 7.813"

ITEM #	ORDER #	DESCRIPTION	UOM
IV2DC	778400291	Industrial 2D utility flashlight	Ea



IV2DC



Industrial Grade Flashlight

Features comfort grip, spare bulb holder, tool box-tough design, built-in extra-tough hang ring and environmentally friendly construction. Polypropylene, impact-resistant design passes 7' drop test. Resistant to oil, water and chemicals. Lifetime warranty. Yellow.

- Source: PR2 bulb
- Output: 10 lumens (alkaline), 8 lumens (heavy-duty)
- Run time: 20 hours (alkaline), 7 hours (heavy-duty)
- Power: (2) D batteries (not included)
- Length: 10.75"

ITEM #	ORDER #	DESCRIPTION	UOM
IN2	778400051	Industrial 2D flashlight w/ ring hanger	Ea



IN2



Industrial Safety Wand

Use with Rayovac® 2 D-cell flashlights to create 8" safety wand. Replacement lens ring (included) required for flashlights with lengthwise ribs on the body. Simply snap wand onto light with twisting motion; no tools required. For use with flashlight models IN2C, IN2-KC, IN3C and IN2-KMLC. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
W8B	778400591	Industrial safety wand	Ea



W8B



Industrial Grade 6 V Floating Lantern with Swivel

Includes attached, non-slip, pivoting stand for use in many applications and a spare bulb holder. Super-bright, powerful krypton bulb provides extra-long beam of light. Designed with large handle opening to accommodate gloved hands. Water-resistant body floats and withstands up to 3' drops. Lifetime warranty. Yellow.

- Source: krypton bulb
- Output: 75 lumens
- Beam distance: 191 m
- Run time: 7 hours with 6 V 944R heavy-duty lantern battery or 11 hours with (4) D alkaline batteries
- Power: 6 V 944R heavy-duty lantern battery or (4) D batteries (not included)

ITEM #	ORDER #	DESCRIPTION	UOM
16V-B2A	778400351	Industrial 6 V floating lantern w/ attached swivel stand	Ea



16V-B2A



Value Bright™ Floating 6 V Economy Lantern

Floating lanterns are versatile solutions for many applications and feature bright beams, large handle openings to accommodate gloved hands, and durable, water and impact-resistant design. Lifetime warranty. Blue.

- Source: krypton bulb
- Output: 75 lumens
- Run time: 4 1/2 hours (alkaline)
- Power: (1) 6 V alkaline battery (included)

ITEM #	ORDER #	DESCRIPTION	UOM
EFL6V-BA	778411061	Value Bright floating 6 V lantern	Ea



EFL6V-BA



Lockout/Tagout

The OSHA standard for The Control of Hazardous Energy addresses the practices and procedures required to disable machinery or equipment while employees perform servicing and maintenance activities.


Visit www.osha.gov for complete details and regulation requirements.

Honeywell

B-Safe Ball Valve Lockouts

Made of durable polypropylene plastic and fully dielectric. Highly resistant to many solvents and other chemical products. Easy-to-use design is available in three different sizes. Only the BS01 can lock in the open position. Resistant to extreme temperature changes (-50° F to 360° F). Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
BS01R	347600031	Ball valve lockout	3/8"-1 1/4"	Ea
BS02R	347699021	Ball valve lockout	1 1/2"-2 1/2"	Ea
BS03R	347605991	Ball valve lockout	2"-8"	Ea
◆ BS04R	347606051	Universal butterfly valve lockout	Universal	Ea



**Turn to page 225
for Lockout/Tagout
Identification**


Honeywell

V-Safe Valve Lockouts



Helps to properly lockout valve handles from 1" up to 14" diameter. Designed with (2) flattened half-moons that completely cover valve wheel. Made from polypropylene plastic. Fully dielectric and resistant to extreme temperature changes (-50° F to 360° F). Resistant to cracking and abrasion. Meets OSHA 29 CFR 1910.147 regulations and ANSI Z353.1. Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
VS02	347620021	V-Safe valve cover	1"-2 1/2"	Ea
VS04	347620041	V-Safe valve cover	2 1/2"-5"	Ea
VS06	347626071	V-Safe valve cover	5"-6 1/2"	Ea
VS09	347626111	V-Safe valve cover	6 1/2"-10"	Ea
VS13	347626151	V-Safe valve cover	10"-14"	Ea



Honeywell

Cable Lockouts

Hasp is constructed of tough and durable nylon for strength and durability. Can accommodate up to (6) padlocks. Highly visible red color identifies padlock for lockout use. All metal parts are zinc coated or non-corroding. The 3/16" steel cable is rated at 1000 lbs. minimum pull strength at the weakest point, which prevents accidental energizations. Cables are PVC-coated for wear resistance. Available in 6' or 10' cable lengths. Red.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
CBLOK06R	347607411	Cable lockout	6'	Ea
CBLOK10R	347607421	Cable lockout	10'	Ea

Honeywell

M-Safe Nylon Lockout Hasp

Heavy-duty hasp is made entirely of dielectric nylon. Holds 1-6 padlocks allowing users to properly lockout equipment and prevent accidental operation. Non-conductive and chemical-resistant for strength and durability. Hi-viz red.



ITEM #	ORDER #	DESCRIPTION	UOM
MS01	347619881	M-Safe lockout hasp	Ea



LP550

Honeywell

E-Safe Plug Lockouts

Completely encloses plug from any accidental reconnection. Electrical cable is inserted through the opening and then closed. Made of polypropylene plastic, which is totally dielectric and resists cold or hot temperatures. LP110 accepts 110 V and certain models of the 220 V plugs (up to 1 3/4" x 1 3/4" x 1 3/4") with a maximum cable diameter of 1/2". LP550 accepts 220 V and 550 V plugs (up to 3" x 3" x 6 3/4") with a maximum cable diameter of 1". Red.

ITEM #	ORDER #	DESCRIPTION	UOM
LP110	347601101	Single entry, accepts 110 V & certain models of 220 V plugs	Ea
LP550	347605501	Multiple entry, accepts 220 V & 550 V plugs	Ea


Honeywell

C-Safe Circuit Breaker Lockouts

Constructed of rigid plastic. Available for single or double pole circuit breaker lockout applications. Red color helps to identify from a distance.

- **CB01** single pole lockout requires a switch breaker with a recessed hole in it.
- **CB02** double pole lockout requires the breakers to be connected a cross bar for lockout application.
- **CB03** single pole lockout that does not require a switch breaker with a recessed hole in it.

ITEM #	ORDER #	DESCRIPTION	UOM
CB01R	347600075	Single pole lockout	6/Pk
CB02R	347607455	Double pole lockout	6/Pk
CB03R	347600135	Single pole lockout	6/Pk



CB01R

CB02R

CB03R

Honeywell

Group Lock Box

Used for work team situations where multiple employees, energy sources, machines and processes need to be locked out. All keys are securely stored in the tamper-resistant heavy steel lock box. A single person (group leader or foreman) locks the box until the job is complete and all group members are cleared from work area. The 13-lock group lock box helps to simplify lockout procedures for large equipment. Once the equipment or process is locked out, the key or keys are placed in the box. Then, each authorized work team member places a personal lock or tagout device to the group lock box. This ensures that no single person has access to the box unless all employees have removed their locks or tags. Accepts up to (13) individual locks. Red.

ITEM #	ORDER #	DESCRIPTION	UOM
GLB03	347617041	13-Lock group lock box, bilingual	Ea



GLB03



Wipes & Cleaners

Employers shall provide handwashing facilities that are readily accessible to employees and must ensure that employees wash their hands immediately or as soon as feasible after removal of gloves or other personal protective equipment.

Visit www.osha.gov for complete details and regulation requirements.



WYPALL* X80 Wipers

HYDROKNIT* fast-absorbing material absorbs more oil and water (pound for pound) than rental shop towels. Ideal for heavy wiping, prepping many work surfaces with solvents, wiping up metal shavings and cleaning through surfaces. BRAG* Box packaging replaces 25 lbs. of rags and dispenses one at a time to reduce waste. Blue.



41041



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
41041	15401041	BRAG* Box, 160/Bx	12.5" x 16.8"	Ea



05812



WYPALL* L30 Wipers

Ideal for general-purpose, light-duty cleanups. Removes soils and liquid from face and hands. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
05812	15405812	Wipers, 1/4 Fold, 90/Pk	12.5" x 12"	12/Cs



WYPALL* X60 Wipers

X60 Wipers bring the absorbing power of HYDROKNIT* material technology to a lighter-weight wiper. Tough enough for big jobs, soft enough for face and hands. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
34015	15404015	BRAG* Box, 180/Bx	12.5" x 16.8"	Ea



34015



WYPALL* Waterless Cleaning Wipes

Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. The ideal pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Orange citrus fragrance. Green. 6/Case.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
91371	154013711	Waterless Cleaning Wipes, 75/bucket	9.5" x 12"	Ea



91371



75190



75130



SCOTT® Shop Towels

Super strong towels absorb liquids, oils and grease, even when wet. Ideal for changing oil, refilling fluids and general auto maintenance. Blue.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75130	15405130	Shop Towels on a Roll, 55/RI	11" x 10.4"	30 RI/Cs
75190	15405190	Shop Towels in a Box, 200/Bx	10" x 13"	8 Bx/Cs



SCOTT® Rags in a Box

Soft, absorbent towels that perform like a cloth. Multi-purpose for thousands of projects. POP-UP* Box with built-in handle allows you to take the product to the job while keeping towels clean. Ideal for painting, wiping up spills, staining and refinishing furniture. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
75260	15405260	Rags, 200/Bx	10" x 13"	8 Bx/Cs



75260

◆ Non-stock item. Minimum quantity may apply.

GOJO® GOJO® Scrubbing Wipes

Durable, dual-textured material pre-moistened with heavy-duty cleaning solution. No water needed. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
6396-06	35406396	Canister, 72-count	10 1/2" x 12 1/4"	6/Cs
6398-02	35406398	Bucket, 170-count	10 1/2" x 12 1/4"	2/Cs

6396-06



0955-04



2358-02



GOJO® NATURAL* ORANGE™ Pumice Hand Cleaners

Quick-acting lotion formula with pumice scrubbing particles for cleaning a broad range of industrial soils, dirt and grease. Orange citrus scent. 1 Gallon. 4/Case.

*Natural citrus ingredient.

ITEM #	ORDER #	DESCRIPTION	UOM
0955-04	35400054	Pumice hand cleaner w/ pump dispenser	4/Cs

**Turn to
page 98 for
Hand Protection products**



GOJO® Cherry Gel Pumice Hand Cleaner

Gel-style heavy-duty hand cleaner with pumice scrubbers quickly cleans heavy dirt, grease and oil. PH balanced to promote skin comfort. Provides a quick, easy and complete rinse and leaves skin feeling refreshed. Pleasant cherry fragrance eliminates soil odors and leaves hands smelling clean. VOC and NPE free. 1 Gallon.

ITEM #	ORDER #	DESCRIPTION	UOM
2358-02	35402358	Pumice hand cleaner, pump bottle w/ dispenser	2/Cs



Dermal Exposure

Skin exposure to chemicals in the workplace is a significant problem in the US. Both the number of cases and the rate of skin disease in the US exceed recordable respiratory illnesses. Many studies indicate that absorption of chemicals through the skin can occur without being noticed by the worker. In many cases, skin is a more significant route of exposure than the lungs. This is particularly true for non-volatile chemicals which are relatively toxic and which remain on work surfaces for long periods of time. The number of occupational illnesses caused by skin absorption of chemicals is not known. However, it is argued that an estimated 60,000 deaths and 860,000 occupational illnesses per year in the US are attributed to occupational exposure; a relatively small percentage caused by skin exposure would represent a significant health risk.

Dermal exposures are addressed in specific OSHA standards for the general industry, shipyard employment, marine terminals, the construction industry, and identification, classification, and regulation of carcinogens.

For complete information on Dermal Protection requirements go to www.osha.gov.



PURELL® Advanced Instant Hand Sanitizer

Kills 99.99% of most common germs in as little as 15 seconds without water or towels. Specially formulated moisturizers leave hands feeling soft and refreshed.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
9652-12	35405212	PURELL Advanced Instant Hand Sanitizer, pump bottle	8 oz.	12/Cs
9625-04	35409625	PURELL Advanced Instant Hand Sanitizer, pump bottle	2 L	4/Cs



9652-12



9625-04



1920-04



1905-02



PURELL® LTX-12™ Dispenser

High-capacity, 1,200 mL dispenser ideal for high traffic areas with reliable, touch-free dispensing. GOJO® Smart Electronics technology minimizes energy use per actuation, eliminating need to change batteries over the life of the system in most installations. Large sight window, skylight and clear refill bottles make it easy to check fill status. Controlled Collapse refills hold their shape as they empty for a more attractive appearance. Easily converts to locking dispenser. Removable pump makes recycling easy. SANITARY SEALED™ refills made of durable, recyclable PET material, using 30% less plastic than rigid HDPE bottles. White. Lifetime Performance Guarantee; including batteries. Fully ADA compliant. White.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 1920-04	35401920	LTX-12 dispenser	1,200 mL	4/Cs
♦ 1905-02	35401906	PURELL Advanced Instant Hand Sanitizer Foam	1,200 mL	2/Cs



PURELL® Sanitizing Wipes

Textured, non-linting, durable wipes for cleaning. Sanitize hands while wiping away light soils and dirt. Kills 99.99% of most common germs. Convenient and easy-to-use.

ITEM #	ORDER #	DESCRIPTION	UOM
9113-06	35409116	Sanitizing wipes, 270-count canister	6 Ea/Cs



9113-06






Sorbents

Many types of industrial sorbents come in a wide variety of shapes and sizes. Knowing the correct spill control product necessary for the job is crucial to the safety and health of employees.

Visit www.osha.gov for complete details and regulation requirements.




3M

T-151

3M™ Petroleum Sorbent Pads

Used extensively for controlling, cleaning up and recovering oil and petroleum-based liquids. Conveniently sized pads allow user to quickly spread sorbent over and in the path of a spill. May also be used on a work surface in anticipation of a spill or as a wipe. High-capacity sorbents have a scrim on one side to increase strength and help reduce linting. Standard pads (200 count) absorb approximately 43 1/2 gals. per case; high-capacity pads (100 count) absorb approximately 37 1/2 gals. per case. 17" x 19". White.

ITEM #	ORDER #	DESCRIPTION	CASE QTY.	UOM
T-151	66550853	Standard sorbent pads	200/Cs	Cs
HP-156	66559156	High-capacity sorbent pads	100/Cs	Cs



M-FL550DD

3M

3M™ Maintenance Sorbent Folded M-FL550DD, High Capacity

Easy-to-use for containing and cleaning up spills, drips and fluid leaks. Scrim on one side increases strength and helps reduce linting. Dispensed from a carrying/dispenser box on a perforated roll. Utilizes folded sorbent technology and can be used as a pillow, pad, roll or boom. Each box absorbs approximately 10 1/2 gals. 5" x 50'. 3 Boxes/case. Gray.

ITEM #	ORDER #	DESCRIPTION	UOM
M-FL550DD	66550793	Maintenance sorbent, folded	Cs

WARNING

Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the *Material Safety Data Sheet* for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



T-270

T-280



3M™ Petroleum Sorbent Boom T-270 and Double Boom T-280

Petroleum sorbents repel water while absorbing oil and petroleum-based liquids from spills and effluent discharges. Booms are scrim-encased tubes of particulate sorbent material secured by UV-resistant netting. T-280 is double-constructed with (2) 4" booms secured in UV-resistant netting. Built-in attachment clips on ends of booms allow them to be linked together and overlapped, helping to reduce seepage between the segments. T-270 absorbs approximately 20 gals. per boom, T-280 absorbs approximately 10 gals. per boom. 4 Booms/case. Pink.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
T-270	66550855	Boom	8" x 10'	Cs
◆ T-280	66550856	Double boom	4" x 10'	Cs



3M™ Chemical Sorbent Pads P-110

Powerful enough to handle acids (including hydrofluoric acid), bases, coolants and most other hazardous fluids without reacting to most hazardous chemicals. Absorb petroleum-based fluids, non-aggressive chemicals and aqueous-based solutions, reducing the need for different sorbent types. Convenient dispenser box can be wall-mounted. High-capacity chemical sorbent pads absorb approximately 17 gals./case. 11" x 13". 50 Pads/box, 4 boxes/case. Yellow.



ITEM #	ORDER #	DESCRIPTION	UOM
P-110	66550802	Chemical sorbent pads	Cs

P-110



The Occupational Safety and Health Administration (OSHA) published HAZWOPER to protect workers involved in hazardous substance emergency response and cleanup operations. HAZWOPER, the Hazardous Waste Operations and Emergency Response standard, Title 29 of Code of Federal Regulations (CFR) 1910.120.

Not every spill response worker needs the same amount of training. The type of training you give your workers depends on how close they will be to a spill and what role they will have in stopping, containing, or recovering the spilled material from the release. For example, if you have workers who control an oil spill early in an incident, they need more training than workers who simply warn others about a spill. You need to know the duties you expect your workers to perform and the exposure conditions under which you would allow them to work. You must train your workers to the highest level of skill, responsibility, and exposure that you will assign them.

There are two basic phases of a response action: emergency response and post-emergency response. Depending on the size of the spill, these phases may be managed differently. In addition, workers who participate ONLY in post-emergency response require different training than emergency response workers receive.

For more complete information visit www.osha.gov.



Hazardous Storage

Metal containers and portable tanks meeting the requirements of the Department of Transportation are deemed acceptable when containing products authorized by the DOT (49 CFR 173).

Visit www.osha.gov for complete details and regulation requirements.



894500 & 893000



Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U•Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and SpillSlope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved. Yellow.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
893000	B6168930	30-Gal. cabinet w/ 2 doors & 1 shelf, manual close	44" H x 43" W x 18" D	Ea
893020	B6163020	30-Gal. cabinet w/ 2 doors & 1 shelf, self-close	44" H x 43" W x 18" D	Ea
894500	B61611021	45-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 43" W x 18" D	Ea
894520	B6164520	45-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 43" W x 18" D	Ea
896000	B6166000	60-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 34" W x 34" D	Ea
896020	B6161795	60-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 34" W x 34" D	Ea



U•LOC™ HANDLE



HAZ-ALERT™ LABEL



SPILLSLOPE™ SHELVES



891200



Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Complies with OSHA and NFPA regulations. Yellow.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
890400	B6164400	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea
890420	B6161801	4-Gal. countertop cabinet, self-close	22" H x 17" W x 17" D	Ea
891200	B6161796	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea
891220	B6161803	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea



890420



JUSTRITE®
Sure-Grip®
EX Blue Steel
Countertop
Cabinets for
Corrosives

Allows increased access to often-used corrosive liquids without compromising safety. Portable size keeps work areas flexible. Fits almost anywhere and provides protection when space is at a premium. Includes (1) adjustable shelf. 22" H x 17" W x 17" D. Complies with OSHA and NFPA regulations. Blue.



890402

Ships Direct FOB Mfg.

ITEM #	ORDER #	DESCRIPTION	UOM
890402	B6162402	4-Gal. cabinet, manual close	Ea
890422	B6162422	4-Gal. cabinet, self-close	Ea

JUSTRITE®
Blue
Polyethylene
Countertop
Storage Cabinet
for Corrosives

Hollow-bodied, polyethylene cabinet withstands highly corrosive acids and offers maximum protection against chemical corrosion and leaks. Clearly labeled for ACID contents and accepts a padlock (not included) for added security. Stores up to (2) 1-qt. bottles. Door can be hinged from either side for best worktop space utilization.



24040

Polyethylene spill tray inside contains leaks and can be removed for easy cleaning. Separate polyethylene tray stores under the cabinet and can be used as a handy work tray. 19 1/2" H x 14 1/4" W x 16 1/4" D. Blue.

Ships Direct FOB Mfg.

ITEM #	ORDER #	DESCRIPTION	UOM
24040	B61609581	Countertop cabinet w/ 1 door	Ea

JUSTRITE®
Smokers Cease-Fire®
Cigarette Butt Receptacles

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
26800	B6160010	Cigarette butt receptacle	Pewter gray	Ea
26800B	B6160001	Cigarette butt receptacle	Adobe beige	Ea
26800D	B6160003	Cigarette butt receptacle	Deco black	Ea



fyi
Safety Can Compatibility

Chemical	Can Material		
	Galvanized Steel	Polyethylene	Stainless Steel
Acetic Acid	NR	***	***
Acetone	*	**	***
Acetonitrile	**	***	**
Aniline	***	***	***
Benzene	**	**	***
Cyclohexane	***	**	*
Cyclohexanone	***	NR	*
Ethanol	***	***	***
Ethyl Acetate	***	**	***
Ethylene Glycol	***	***	***
Ethyl Ether	***	**	***
Fuel Oil	***	NR	***
Gasoline	***	**	***
Heptane	***	*	***

NR= Not Recommended * = Poor ** = Fair *** = Good

Chemical	Can Material		
	Galvanized Steel	Polyethylene	Stainless Steel
Hexane	***	NR	***
Hydrochloric Acid 37%	NR	***	NR
Isopropyl Alcohol 70%	NR	***	***
Kerosene	***	NR	***
Methanol	***	***	***
Methylene Chloride	NR	NR	***
Methyl Ethyl Ketone	***	**	***
Methyl Isobutyl Ketone	***	**	*
Pentane	***	NR	***
Petroleum Ether	***	*	***
Toluene	***	**	***
Trichloroethylene	NR	NR	***
Turpentine	*	*	***
Xylene	***	**	***

NR= Not Recommended * = Poor ** = Fair *** = Good

© Oct. 2007 Justrite Mfg. Company

Warning: This chart is offered as a guide for convenience and is not a substitute for the user clearly understanding the nature and proper use of the chemicals being used, area hygiene and environmental conditions, and the laws governing use. Check with the chemical manufacturer for more information. Mixing of different chemicals and chemical concentrations may impact suitability and compatibility. This chart is not a guarantee, express or implied, of fitness of use and Justrite assumes no responsibility for the use or misuse of this information.



JUSTRITE®

Oily Waste Cans

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed, foot-operated lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable, red powder-coat paint finish. FM tested and approved. UL® Listed. TÜV certified.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
09100	B61606921	6-Gal. oily waste can	11 7/8" OD x 15 7/8" H	Ea
09300	B61606971	10-Gal. oily waste can	13 15/16" OD x 18 1/4" H	Ea
◆ 09500	B61607011	14-Gal. oily waste can	16 1/16" OD x 20 1/4" H	Ea
◆ 09700	B61607041	21-Gal. oily waste can	18 3/8" OD x 23 7/16" H	Ea

JUSTRITE®

Type I Steel Safety Cans

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ 10301	B61607181	1-Gal. safety can, flammables	7 1/4" dia. x 11 1/2" H	Red	Ea
◆ 7110100	B61621001	1-Gal. safety can, flammables	9 1/2" dia. x 11" H	Red	Ea
◆ 7120100	B61631001	2-Gal. safety can, flammables	9 1/2" dia. x 13 3/4" H	Red	Ea
◆ 7125100	B61651001	2 1/2-Gal. safety can, flammables	11 3/4" dia. x 11 1/2" H	Red	Ea
◆ 7150100	B61618091	5-Gal. safety can, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
◆ 7150110	B61651101	5-Gal. safety can w/ 11202Y poly funnel, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
◆ 7150200	B61652001	5-Gal. safety can, diesel	11 3/4" dia. x 16 7/8" H	Yellow	Ea
11202Y	B61608451	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L		Ea

JUSTRITE®

Type II AccuFlow™ Safety Cans

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, slug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough, red powder-coat paint finish for durability. 11 3/4" dia. x 17 1/2" H. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



ITEM #	ORDER #	DESCRIPTION	UOM
◆ 7250120	B61661201	5-Gal. AccuFlow™ safety can w/ 5/8" hose	Ea
◆ 7250130	B61631301	5-Gal. AccuFlow™ safety can w/ 1" hose	Ea



Bench Cans

Help make cleaning small parts with solvents much easier and safer. Simply place parts on the spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Plated steel dasher also serves as an effective flame arrester and hinged cover minimizes evaporation losses. Designed with a protected rim to reduce possible hand injury. Constructed of sturdy, 24-gauge, lead-free coated steel, can is finished in tough powder-coat paint finish for added durability. FM tested and approved. Red.



10295

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10175	B61607131	1-Qt. steel bench can	4 7/8" OD x 5 1/2" H	Ea
10295	B61607171	2-Qt. steel bench can	9 3/8" OD x 3 1/4" H	Ea



Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. FM Approved. Red.



26750

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
26750	B61614361	Self-close drum cover for 55-gal. drums	Ea



EcoPolyBlend™ 2-Drum Spill Control-Pallet

Durable, UV-protected EcoPolyBlend™ polyethylene is made of black, 100% recycled material that is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction and oversized, leak-proof sump prevent leaks even if a 55-gal. drum fails and completely empties its contents. Sturdy, self-locating grates are nearly 2 1/2" thick for superior crack resistance and can be removed for quick sump inspection and cleaning. Includes wide forklift pockets for easy relocation; may be equipped with an optional ramp to facilitate loading and unloading of heavy drums. 18" H x 49" W x 25" D. Meets or Exceeds EPA 40 CFR 264.175, NFPA 1 and the International Fire Code, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 9.13.1 and OSHA 29 CFR 1910.106(e)(2)(iii).

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
28623	B6168623	Spill control pallet, 2-drum in-line w/out drain	Ea



28623



EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
28653	B6168653	Accumulation center, 1-drum unit	5 1/2" H x 25" W x 25" D	Black	Ea
28655	B61618071	Accumulation center, 2-drum unit	5 1/2" H x 49" W x 25" D	Black	Ea
28657	B6168657	Accumulation center, 4-drum unit	5 1/2" H x 49" W x 49" D	Black	Ea
28656	B6168656	Accumulation center, 4-drum unit	5 1/2" H x 49" W x 49" D	Yellow	Ea



28657



Safety Resources

Worker safety must be the top priority in every workplace. There are numerous resources readily accessible to both employers and employees which can be relied on to help identify risks, protect people, train safety solutions and to enforce rules without prejudice to workers and employers.

Safety Resource Hotlines

- CAS Substance Identification** (800) 848-6538
(Identify chemical substances by CAS number or name.)
- NIOSH Technical Information** (800) 232-4636
- OSHA Hotline**..... (800) 321-6742
(24-hour access line to report unsafe work practices.)

American Safety Resources

ABIH - American Board of Industrial Hygiene

6015 W. St. Joseph, Ste. 102
Lansing, MI 48917-3980
(517) 321-2638
www.abih.org

ACGIH - American Conference of Governmental Industrial Hygienists

1330 Kemper Meadow Dr., Ste. 600
Cincinnati, OH 45240
(513) 742-2020
www.acgih.org

AIHA - American Industrial Hygiene Association

3141 Fairview Park Drive, Suite 777
Falls Church, VA 22042
(703) 849-8888
www.aiha.org

ANSI - American National Standards Institute

25 West 43rd St. (4th Floor)
New York, NY 10036
(212) 642-4900
(212) 398-0023 (Fax)
www.ansi.org

ASSE - American Society of Safety Engineers

1800 E. Oakton St.
Des Plaines, IL 60018
(847) 699-2929
(847) 768-3434 (Fax)
www.asse.org

AWMA - Air and Waste Management Association

1 Gateway Center, 3rd Floor
420 Fort Duquesne Blvd.
Pittsburgh, PA 15222-1435
(412) 232-3444
(800) 270-3444
www.awma.org

CDC - Centers for Disease Control and Prevention

1600 Clifton Rd. NE
Atlanta, GA 30333
(800) 232-4636 CDC public inquiries
(800) 222-1222 Regional Poison Control Centers
www.cdc.gov

DOT - United States Department of Transportation

1200 New Jersey Ave, SE
Washington, DC 20590
(202)-366-4000
www.dot.gov

EPA - Environmental Protection Agency

Regulates and enforces environmental laws, such as the Clean Air Act, Superfund and Resource Conservation and Recovery Act (RCRA).
1200 Pennsylvania NW
Washington, D.C. 20460
(202) 272-0167
www.epa.gov

American Safety Resources (cont.)**FCIC - Federal Citizen Information Center**

An office of GSA that provides information directly to the public.

(800) 333-4636

<http://gsa.gov/portal/category/101011>

FDA - United States Food and Drug Administration

Food and Drug Administration

10903 New Hampshire Ave

Silver Spring, MD 20993-0002

(888) 463-6332

www.fda.gov

HHS - Department of Health and Human Services

The HHS researches aspects of human health, and regulates the FDA, CDC and NIH.

200 Independence Ave. SW

Washington, D.C. 20201

(877) 696-6775

www.hhs.gov

IGA - International Glove Association

P.O. Box 146

Brookville, PA 15825

(814) 328-5208

www.iga-online.com

MSHA - Mine Safety & Health Administration

Regulates the mining industry and sets safety and health standards for mines.

US Department of Labor

Mine Safety and Health Administration

1100 Wilson Boulevard, 21st Floor

Arlington, VA 22209-3939

(202) 693-9400

www.msha.gov

NIOSH - National Institute for Occupational Safety and Health

NIOSH is responsible for research and recommendations concerning the prevention of work-related illness and injury.

Division of the CDC

1600 Clifton Rd

Atlanta, GA 30333

(800) 232-4636 NIOSH Information Line

www.cdc.gov/niosh

NLAAC - National Lead Assessment & Abatement Council

Office of Pollution and Toxics

1200 Pennsylvania Ave., NW

Mailcode: 7404T

Washington, DC 20460

(800) 424-5323

<http://www.epa.gov/lead/abatement.html>

NSC - National Safety Council

The NSC offers periodicals and reference sources; safety software; consulting services; training resources on safety and health, youth concerns, off-the-job safety, driving safety and specialty fields; and posters, award programs, incentives and recognition awards. They also sponsor and conduct safety courses throughout the year through the National Safety Council

1121 Spring Lake Dr.

Itasca, IL 60143-3201

(800) 621-7615

(630) 285-1315 (Fax)

www.nsc.org

OSHA - Occupational Safety & Health Administration

OSHA creates and enforces safety and health regulations to ensure that employees work in environments that are free of recognized hazards.

200 Constitution Ave. NW, Rm. N-3647

Washington, D.C. 20210

(800) 321-6742

www.osha.gov

SEI - Safety Equipment Institute

The SEI certification program is voluntary and available to any manufacturer of safety equipment.

1307 Dolly Madison Blvd., Ste. 3A

McLean, VA 22101

(703) 442-5732

(703) 442-5756 (Fax)

www.seinet.org

SCAA - Spill Control Association of America

103 Oronoco Street, Suite 200

Alexandria, VA 22314 USA

Phone: 571-451-0433

www.scaa-spill.org

USCG - United States Coast Guard

US Coast Guard Headquarters

Commandant, U.S. Coast Guard,

2100 Second Street, SW Stop 7238

Washington, DC 20593-7238

(202) 372-2100

www.uscg.mil

WSO - World Safety Organization

106 W. Young, Suite F

P.O. Box 518

Warrensburg, MO 64093

(660) 747-3132

(660) 747-2647 (Fax)

www.worldsafety.org



Canadian Safety Resources

CCOHS - Centre for Occupational Health & Safety

135 Hunter Street East,
Hamilton, Ontario
Canada L8N 1M5
(905) 572-2981
(905) 572-2206 (Fax)
www.ccohs.ca

CSSE - Canadian Society of Safety Engineering

39 River Street
Toronto, Ontario
Canada M5A 3P1
(416) 646-1600
(416) 646-9460 (Fax)
www.csse.org

CSA - Canadian Standards Association Central Office

178 Rexdale Blvd.
Toronto, Ontario
Canada M9W 1R3
(416) 747-4000
(800) 463-6727
www.csa.ca or
www.csa-international.org

ECGC - Environment Canada

Environment Canada Inquiry Centre
10 Wellington, 23rd Floor
Gatineau, QC
Canada K1A 0H3
(819) 997-2800
(800) 668-6767 (Canada only)
www.ec.gc.ca

Manufacturer Index



3M 3M Company

www.mmm.com

Eye Protection	34-36, 41, 44-45
Head & Face Protection	58
Hearing Protection	66-69, 77-78
New Products	8, 11
Respiratory Protection	80-83, 88-90, 96
Sorbents	250-251
Welding & FR Safety	143-144



ALLEGRO[®] Allegro Industries

INDUSTRIES www.allegrosafety.com

Confined Space	218-221
Respiratory Protection	97



Accuform Signs

www.accuform.com

Identification	223-225
----------------------	---------



Ansell Ansell Edmont Industrial Inc.

www.ansellpro.com

Hand Protection	98, 104, 106-108, 111, 114-117, 119, 122-123
-----------------------	---



Best Manufacturing

www.showabestglove.com

Showa Best Glove

Hand Protection 99, 104, 107-108, 116, 120-121



DuPont
Personal Protection

DuPont Personal Protection

www.Dupont.com

Protective Clothing 188-193, 197-199



Bullard

www.bullard.com

Head & Face Protection 53-54



DURACELL

Duracell

www.duracell.com

Lighting 241

New Products 14



Capital Safety

www.capitalsafety.com



DBI Sala

Fall Protection 174-181



Protecta

Fall Protection 173, 178, 181



Ergodyne

www.ergodyne.com

Ergonomics 159-161

Hand Protection 139



Foodhandler

www.foodhandler.com

Hand Protection 118

New Products 7

◆ Non-stock item. Minimum quantity may apply.



Gateway Safety
www.gatewaysafety.com

Eye Protection	39, 45
Head & Face Protection	61
Hearing Protection	72
Respiratory Protection	86



Gerson, Inc.
www.gersonco.com

Respiratory Protection	86-87
------------------------------	-------



GOJO Industries, Inc.
www.gojo.com

Wipes & Cleaners	248
Purell	
Wipes & Cleaners	249



Guardian Equipment
www.gesafety.com

Showers & Eyewash	234-237
-------------------------	---------



Honeywell Honeywell
www.honeywell.com

Hand Protection	102, 111
Instrumentation	212
Lockout/Tagout	244-245
Protective Clothing	199
Respiratory Protection	83, 95
Showers & Eyewash	232-233



Fibre-Metal

Head & Face Protection	59-60
Welding & FR Safety	144



Howard Leight

Hearing Protection	72-75, 79
New Products	9



Miller

Fall Protection	162-170
-----------------------	---------



North Safety Products

Eye Protection	27-28
First Aid	230-231
Hand Protection	99, 101, 116-117, 121, 124, 127
Head & Face Protection	57
Respiratory Protection	91- 92



Servus

Foot Protection	152
-----------------------	-----



Uvex

Eye Protection	22-26, 40, 42-44, 47
Head & Face Protection	57
New Products	10, 18
Welding & FR	144

Jackson Safety,
see Kimberly-Clark Corporation



 **John Tillman & Co.**
www.jtillman.com

Hand Protection 127-129, 131, 136-137
 New Products 19
 Welding & FR Safety 145-151



 **Mack Boots**
www.mackboots.com

Foot Protection 153-157
 New Products 2-3



 **Justrite Manufacturing Company**
www.justritemfg.com

Hazardous Storage 252-255



 **Majestic Gloves**
www.majesticglove.com

Hand Protection 100-101, 110-111, 124, 130, 138-139



 **Kimberly-Clark Corporation**
www.kcprofessional.com


Eye Protection 36-38, 41, 46
 Hand Protection 99-100, 110, 120
 Head & Face Protection 55-56
 New Products 13
 Protective Clothing 194-196
 Welding & FR Safety 140-144
 Wipes & Cleaners 246-247


Jackson Products


Eye Protection 13, 36-38, 41, 46
 Hand Protection 99-100, 110
 Head & Face Protection 55-56
 Welding & FR Safety 140-144



MCR Safety
www.mcrcsafety.com

 **Crews**
 Eye Protection 29-33, 40, 46-47
 Head & Face Protection 61

 **Memphis Glove**
 Hand Protection 101-103, 105-106, 109, 112, 123, 127-129, 131, 134, 139
 Protective Clothing 199

 **River City**
 Protective Clothing 200-201

◆ Non-stock item. Minimum quantity may apply.



Mechanix Wear

www.mechanix.com

Hand Protection	105, 126, 132-136
New Products	9



Newell Rubbermaid Inc.

www.newellrubbermaid.com


Heat Stress	229
-------------------	-----



Moldex Metric Inc.

www.moldex.com

Hearing Protection	69-72, 79
New Products	11, 15
Respiratory Protection	83-86, 93



Occunomix International Inc.

www.occunomix.com

Ergonomics	158-161
Head & Face Protection	62-64
Heat Stress	229
Hi-Viz Apparel	202-207
New Products	12, 14



MSA

www.msasafety.com

Fall Protection	170, 172-173
Head & Face Protection	48-52, 64
Instrumentation	210-213
New Products	13
Respiratory Protection	94



Pelican Products Company

www.pelican.com

Lighting	238-241
New Products	17



Presco
 PRESCO www.presco.com

Identification 225



Skipper™ Skipper
THE SKIPPERS™ SAFETY PRODUCTS www.skippertm.com

Safety Barriers 214-217
 New Products 6



RAYVAC Rayovac
www.rayovac.com

Lighting 241-243



Sqwincher Corporation
www.sqwincher.com

Heat Stress 226-229
 New Products 16



SAS Safety Corp.
 SAS SAFETY CORP. www.sassafety.com

Eye Protection 28, 45
 Hand Protection 122, 124
 Hi-Viz Apparel 206
 New Products 4-5
 Showers & Eyewash 234

◆ Non-stock item. Minimum quantity may apply.



Stearns

www.stearnsflotation.com

Water Safety 182-187



Vital ID

www.vitalid.ca

Identification 222



WELDAS® Weldas Company
www.weldas.com

Head & Face Protection 62



VisionAid

www.visionaidinc.com

Showers & Eyewash 234



WELLS LAMONT Industrial Wells Lamont Industry Group
www.wellslamontindustry.com

Hand Protection 103-104, 112-113, 117, 124-131, 134

New Products 19

Product Index

A

Abs & Back Supports	14, 158-160	Banded Earplugs	69, 71, 75
Accessories		Barricades, work zone	6, 214-217
eye protection	47	Barricade Tapes	6, 225
respiratory	97	Batteries, lighting	14, 241
welding	145	Beam Anchors, fall protection	166, 180-181
Accident Prevention Signs & Tags	223-225	Belts, fall protection	166
Accumulation Centers, drum	255	Bench Cans, hazardous storage	255
Adapters & Brackets,		Beverage Coolers	229
faceshield	10, 51, 54-58, 60-61	Bibs, leather	146
Admittance & Exit Signs & Labels	223-224	Blowers, confined space	218-220
Air Blowers, confined space ventilation	218-220	Body Belt, fall protection	166
Air Quality, detection	210-213	Body & Eyewash Shower Units	237
Anchors & Connectors,		Booms, sorbent	251
fall protection	166-167, 179-181	Boots & Overshoes	2-3, 152-156
ANSI Class Apparel	4, 202-207	Brackets, headgear	
Anti-Exposure Immersion Suits	186-187	& faceshield	10, 51, 54-58, 60-61
Anti-Vibration Gloves	132-134	Breaker Lockouts	245
Apparel, workwear	188-207	Bug Repellant Wipes	231
Aprons		Bulk First Aid Kits	230-231
disposable	198	Butt Receptacles, cigarette	253
leather & FR	146-147		
Area Lighting Systems, remote	241		
Authorized Personnel Signs & Labels	223		
Automatic Inflation Vests	185		
Axial Blowers, ventilation	218-220		

B

Backhand Pads	124-125, 151
Back Supports, ergonomics	14, 158-160
Bags, welding gear	145
Ball Valve Lockout Devices	244
Bandanas	
& Doo Rags	52, 54, 62-63, 145, 229

C

Cabinets, flammable storage	252-253
Cable Lockouts	244
Cable Sleeves, fall protection	180
Calibration, gas	213
Cans, safety	254
Cap-Mount Earmuffs	77-79
Caps	
& Hard Hats	13, 49-50, 52-55, 58-59, 61-62
Cape Sleeves, welding	146-147
Carabiners, fall protection	166, 181
Cartridges & Filters, respiratory	88, 92-95



Chaps, leather welding **146**

Chemical & Hazardous Material Signs & Labels **223**

Chemical Protection Apparel **188-196**

Chemical-Resistant Gloves **114-117**

Chemical Sorbents **250-251**

Centrifugal Blowers, confined space **220**

Cigarette Butt Receptacles **253**

Circuit Breaker Lockout Devices **245**

Cleaners & Hand Wipes **246-249**

Cleaning, lens **47**

Clothing **145-147, 188-201**

Clothing, Hi-Viz **4, 12, 202-207**

Cold Water Immersion Suits **186-187**

Cold Weather Gloves **127**

Combination Shower & Eyewash Units **236**

Compaxial Blowers, confined space **218-220**

Cones, work zone **6, 215**

Confined Space 218-221

 blowers **218-220**

 heaters **221**

 manhole accessories **220-221**

 pumps **221**

 signs & labels **223**

 tents **221**

Construction Area Signs & Labels **224-225**

Construction First Aid Kits **230**

Containment & Spill Control **250-251**

Coolers, beverage **229**

Corrosive Storage Cabinets **253**

Countertop Storage Cabinets **252-253**

Coveralls **145, 188-196**

Cut-Resistant Gloves & Sleeves **9, 105-113**

Cylinders, calibration gas **213**

D

Detectors, gas **210-212**

Dewatering & Sludge Pumps **221**

Dispensers

 earplugs **15, 70-71, 73-74**

 hand wash & sanitizers **249**

 lens cleaning **47**

Disposable Products

 apparel **188-198**

 earplugs **9, 15, 66-73**

 gloves **5, 7, 118-124**

 respirators **11, 80-87**

 wipes **249**

 wipes, hand **246-248**

Drinks, electrolyte **16, 226-229**

Doo Rags & Sweatbands **52, 54, 62-63, 145, 229**

Drench Hose, eyewash units **237**

Drivers & Work Gloves **19, 128-131, 148-151**

Drum Accumulation Centers **255**

Drum Covers **255**

E

Ear Protection (See Hearing Protection) **9, 15, 66-79**

Electrical Safety

 earmuffs **78-79**

 gloves **126**

 glove accessories **139**

 head protection **54-55, 60**

 labels **224**

 lighting **240**

 lockout devices **244-245**

 safety glasses **18, 22, 33**

 signs **224**

 tags **225**



Electrolyte Drinks	16, 226-229
Emergency Escape Respirator	92
Emergency Response	
eyewash & showers	5, 232-237
first aid	230-231
lighting	238-243
water safety/rescue	182-187
worker ID system	222
Equipment Status Tags	225
Ergonomics	158-161
anti-vibration gloves	132-134
back supports	14, 158-160
knee pads	160-161
Exit Signs & Labels	223
Eye Protection	22-47
cleaners & accessories	47
goggles	4, 42-46, 144
readers & magnifiers	13, 40-41
safety glasses	4, 10-11, 13, 18, 22-41, 45, 144
signs & labels	224
welding	144
Eyeglass Cords	47
Eyewash & Showers	
drench hose units	237
inspection tags	225
permanent units	234-237
personal	232-233
portable	5, 232-235
refill solution	233

F

Faceshields & Visors	51, 54, 56-58, 60-61
Fall Protection	162-181
anchors & connectors	166-167, 169, 173, 179-181
beam anchors	166, 180-181
body belts	166
carabiners	166, 181
harnesses	162-163, 167-170, 173-177, 181
kits	168-170, 181
lanyards	163-164, 166-169, 172, 177-178
rope grabs & lifelines	179-180
signs & labels	224
SRLs	164-165, 172-173, 178-179
welding	163
Faucet-Mounted Eyewash Units	234
Filters & Cartridges, respiratory	88, 92-95
Filters & Welding Plates	140-143
Fire Extinguisher Signs & Tags	224-225
First Aid	230-231
eyewash & showers	5, 232-237
heat stress	226-229
kits	230-231
signs & labels	224
Fit Testing, respiratory	97
Flame-Resistant Apparel	145-147
Flammable Storage	252-254
Flashlights & Lanterns	17, 238-243
Flotation Gear, water safety	182-187
Footwear	2-3, 152-157, 195, 197
Freezer Pops, electrolytes	16, 229
Frocks & Lab Coats	198-199
Full Face Respirators	90-91, 93-96



G

Gas Detection 210-213

Glasses, safety 4, 10-11, 13, 18, 22-41, 45, 144

Gloves (See Hand Protection)

 accessories 139

 anti-vibration 132-134

 chemical-resistant 114-117

 cold weather 127

 cut-resistant 9, 105-113

 disposable 5, 7, 118-124

 general purpose, light-duty 98-104

 hand pads 124-125, 151

 heat-resistant 124-126

 hi-viz 19, 100-101, 103, 111, 121, 130, 132-133, 135, 138-139

 leather & drivers 19, 128-131, 148-151

 sleeves 113, 126, 146-147, 197, 199

 specialty-coated/cut-resistant 9, 105-113

 trade & utility 132-139

 welders 19, 148-151

Goggles 4, 42-46, 144

Group Lock Box 245

Guard Rails, manhole 220

H

Hand Cleaners & Wipes 246-249

Hand Protection 98-139

 accessories 139

 anti-vibration 132-134

 chemical-resistant 114-117

 cold weather 127

 cut-resistant 9, 105-113

 disposable 5, 7, 118-124

 general purpose, light-duty 98-104

 hand pads 124-125, 151

 heat-resistant 124-126

Hand Protection, continued

 hi-viz 19, 100-101, 103, 111, 121, 130, 132, 135, 138-139

 leather & drivers 19, 128-131, 148-151

 sleeves 113, 126, 146-147, 197, 199

 specialty-coated/cut-resistant 9, 105-113

 trade & utility 132-139

 welders 19, 148-151

 wipes & cleaners 246-249

Hard Hats & Caps 13, 49-50, 52-55, 58-59, 61-62

Harnesses, fall protection 162-163, 167-170, 173-177, 181

Harness Belts, fall protection 166

Hasps, lockout 245

Hazardous Storage 252-255

 accumulation centers 255

 cabinets & cans 252-254

 containment 255

Head & Face Protection 48-65

 accessories 58

 brackets & adapters 10, 51, 54-58, 60-61

 faceshields & visors 51, 54, 56-58, 60-61

 emergency worker ID 222

 hard hats & caps 13, 49-50, 52-55, 58-59, 61-62

 hat-mounted lights 239-240, 242

 signs & labels 224

 spray socks 97

 sweatbands & doo rags 52, 54, 62-63, 145, 229

 welding helmets 8, 140-144

 winter liners 63-64

Head-Mounted Lights 239-240, 242



Hearing Protection	66-79
banded earplugs	69, 71, 75
earmuffs	77-79
earplug dispensers	15, 70-71, 73-74
earplugs	9, 66-75
metal detectable	68, 75
noise indicator	78
radio headsets	78
signs & labels	224
Heated Jacket, eyewash	235, 237
Heaters, work tent	221
Heat-Resistant	
apparel	145-147
gloves	124-126
Heat Stress	226-229
bandanas & doo rags	63, 229
coolers	229
drinks	16, 226-229
shelters	221
sweatbands	52, 54, 62-63, 145
Helmet ID, emergency information	222
Helmets, welding	8, 140-144
Highway Safety, apparel	202-207
Hi-Viz Apparel	202-207
class 2 apparel	4, 12, 202-206
class 3 apparel	12, 206-207
footwear	155
gloves	19, 100-101, 103, 111 121, 130, 132, 135, 138-139
non-compliant apparel	204-205
rainwear	200-201
SOLAS	182-187
Horizontal Lifelines, fall protection	170, 179

I

Ice Rescue Suits	186-187
Identification	222-225
barricade tapes	6, 214, 225
emergency ID	222
signs & labels	223-224
tags	225
Immersion Suits, water safety	186-187
Industrial First Aid Kits	230-231
Insect Repellent, skin	231
Instrumentation	210-213
gas detection	210-213
noise indicator	78

J

Jackets	
ANSI Class	12, 207
FR	145, 147
rainwear	200-201

K

Kits	
calibration, gas	213
fall protection	168-170, 181
first aid	230-231
head & face protection	51
respiratory	96-97
Knee Pads, ergonomics	160-161
Kneeling Pads	161

L

Lab Coats & Frocks	198-199
Labels, emergency worker ID	222
Ladder Safety, fall protection	180
Lanterns & Flashlights	17, 238-243
Lanyards, fall protection	163-164, 166-169, 172, 177-178



Leather Apparel & Footwear . . . **146-147, 154-157**

Leather & Driver Gloves . . . **19, 128-131, 148-151**

Leggings, leather **146**

Lens Cleaning, eyewear **47**

Lid Lifters, manhole **220**

Life Jackets, water safety **182-185**

Lighted Eyewear **35**

Lighting 238-243

 barricade **215**

 batteries **14, 241**

 flashlights **17, 238-243**

Limiters, fall protection **164-165, 173**

Lock Box, padlock **245**

Lockout/Tagout 244-245

 devices **244-245**

 signs & tags **223-225**

Lumbar & Back Supports **14, 158-160**

M

Magnifiers & Readers, eyewear **13, 40-41, 44**

Maintenance Sorbents **250-251**

Manhole Safety

 accessories **220-221**

 dewatering pumps **221**

 lid lifter **220**

 ventilation **218-220**

 work tents **221**

Maritime Safety **182-187**

Mold Remediation Respirator Kit **96**

Mounted Eyewash & Shower Units **232-237**

Multi-Gas Detectors **211**

N

New Products 2-19

No Smoking Signs **224**

No Trespassing Signs **223**

Noise Indicator **78**

O

Oily Waste Cans **254**

Overshoes & Boots **2-3, 152-156**

P

Pads, sorbent **250-251**

Pants & Shirts **12, 198-200, 205, 207**

PAPRs, respiratory **96**

Particulate Respirators **11, 80-87**

Pedestal-Mounted Eyewash Units **237**

Permanent Showers & Eyewash Units **235-237**

Personal Eyewash Units **5, 232-233**

Petroleum Sorbents **250-251**

Plant & Work Zone Signs **223-224**

Plug Lockouts **245**

Ponchos, rain **200**

Portable Eyewash Units **232-235**

Posts & Barriers, work zone safety **214-217**

PPE Signs & Labels **224**

Protective Clothing 188-201

 aprons **146-147, 198**

 booties **195, 197**

 coveralls **145, 188-196**

 disposable **188-199**

 flame-resistant **63-64, 145-147**

 hi-viz **4, 12, 201-207**

 pants & shirts **12, 198-200, 205, 207**

 rainwear **200-201**

 sleeves **113, 126, 146-147, 197, 199**

 SOLAS **182-187**

R

Radio Earmuffs **78**

Rags, shop **246-247**



Rainwear	200-201	Search & Rescue, maritime	182-187
Readers, eyewear	13, 40-41, 44	Sensors, hard hats	58
Rechargeable Flashlights	17, 239	Shelters Work Tents	221
Reflective Apparel	201-207	Shield, manhole	220
Remote Area Lighting	241	Shirts & Pants	12, 198-200, 205, 207
Rescue Suits & Vests, water safety	185-187	Shoe Covers, disposable	195, 197
Receptacles, cigarette butt	253	Shoes & Boots	152-157
Respiratory Protection	80-97	Shop Rags	246-247
cartridges & filters	88, 92-95	Showers & Eyewash Units	232-237
disposable	11, 80-87	drench hose units	237
fit testing & accessories	97	inspection tags	234-236
mold remediation	96	permanent units	234-237
PAPRs	96	personal	232-233
reusable	8, 88-95	portable	5, 232-235
spray socks	97	refill solution	232-233
welding	81-83, 86, 93-94	Signs, Tags & Labels	216, 223-225
Resources	256-272	Single-Gas Detectors	210, 212
American & Canadian	256-257	Skin Creams	231
Hotlines	256	Sleeves, protective	113, 125-126, 146-147, 197, 199
Retractable Barrier Systems	214-217	Sludge Pumps, dewatering	221
Retractable Lifelines, fall protection	164-165, 172-173, 178-179	Smoking Control Signs & Labels	224
Roof Anchors & Connectors, fall protection	166-167, 169, 173, 179-181	SOLAS Grade Products, water safety	182-187
Rope Grabs & Lifelines, fall protection	179-180	Sorbents	250-251
		pads & booms	250-251
		Spats, leather	146
		Specialty Coated/Cut-Resistant Gloves	9, 105-113
		Spill Control & Containment	250-251
		Spray Socks	97
		Storage, hazardous	252-255
		accumulation centers	255
		SRLs, fall protection	164-165, 172, 178-179
		Stations, first aid	230
		Steel Toe Footwear	153-155
		Storage Cabinets, hazardous	252-253

S

Safety Barrier Systems	214-217
Safety Cabinets & Cans, hazardous storage	252-255
Safety Eyewear (See Eye Protection)	4, 10-11, 13, 18, 22-47
Safety Footwear	152-157
Safety Wand, flashlights	243
Saline, eyewash	232-233
Sanitizers & Wipes	246-249



Surveillance Signs & Labels **223**

Sweatbands & Doo Rags **52, 54, 62-63, 145**

Sweatshirts **207**

T

T-Shirts **12, 205**

Tags, safety **225**

Tapes & Barricades **214-217**

Tents & Shelters, work **221**

Tool Lanyards, fall protection **169**

Towels, shop **246-247**

Trade & Utility Gloves **132-139**

Traffic & Work Zone Safety

ANSI apparel **202-207**

barricade & tapes **6, 214-217**

cones **6, 215**

guardrails, manhole **220**

light wand **243**

signs & labels **223-225**

U

Umbrellas, work **220**

UV Sensor for Hard Hats **58**

V

Valve Lockouts **244**

Ventilation, confined space **218-220**

Vests

flotation **182-185**

safety **4, 202-206**

Visors & Faceshields **51, 54, 56-58, 60-61**

W

Wallet Cards, worker ID **222**

Wall-Mount Eyewash Units **5, 232-235**

Wands, light **243**

Waterless Cleansers & Wipes **247-248**

Waterproof Boots **152-153**

Water Safety 182-187

automatic vests **185**

flotation vests **182-185**

immersion suits **186-187**

Welding & FR Safety 140-151

accessories **62, 145, 151**

apparel **63, 145-147**

fall protection **163**

flotation vest **183**

gloves **19, 111, 148-151**

helmets & filters **8, 140-144**

lenses & goggles **23-24, 42, 144**

respiratory **81-83, 86, 93, 94**

Winter Liners & Doo Rags **63-64**

Wipes & Cleaners 246-249

cleaners **248-249**

sanitizers **249**

wipes **246-249**

Work Gloves **19, 98-117**

Work Suits, anti-exposure **186-187**

Work Tents & Shelters **221**

Workwear Apparel **145-147, 188-207**

Work Zone Safety

Barrier Systems 214-217

ANSI apparel **202-207**

barricade & tapes **6, 214-217**

cones **6, 215**

guardrails, manhole **220**

light wand **243**

signs & labels **223-225**



*Distributing the
BEST Safety Products!*

2014-15
Safety Products
CATALOG



3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500 Series



Rugged Comfort

in the harshest environments

The 3M™ Rugged Comfort Respirator is designed with tough and dirty worksites in mind to help you stay comfortable, productive and protected. The 6500 series respirator delivers comfort, durability and stability with a firm, lightly textured silicone face seal, strong body construction, low-profile design and proprietary 3M™ Cool Flow™ Valve. The 6500QL Quick Latch drop-down mechanism gives you a one-handed, easy way to take the respirator on and off as you move in and out of contaminated areas.

To experience 6500 and 6500QL, go to 3M.com/RuggedComfort